

Reference Table by Machine Manufacturer

BROTHER									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BAS-23	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
BAS-36	130.09.082	KH	S00982-901	Full gib	130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
	130.09.228	KH	S00982-901 SG	Short gib	130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
BAS-300-G-484	130.09.539	KH	SA2036-101 thick thread	X-thick thread, 3 times large capacity hook	130.10.515	KP	w/o NBL	S00691 401	
	130.09.539L	KH	SA2036-101 L, thick thread	X-thick thread, noiseless system	130.10.515	KP	w/o NBL	S00691 401	
BAS-300G-01	115.10.011	KH	SA8197-101	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221-301 PATENTED	
BAS-300G-02	115.10.010	KH	SA2173-301	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221-301 PATENTED	
BAS-300G-03	115.10.011	KH	SA8197-101	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221-301 PATENTED	
BAS-302	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
BAS-304	115.10.010	KH	S15662-901	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	S15663-901	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-310	115.10.010	KH	S15662-901	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	S15663-901	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-311	115.10.010	KH	S15662-901	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	S15663-901	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-311F-01	115.10.010	KH	SA2173-001	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	SA8197-101	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-311F-02	115.10.010	KH	SA2173-001	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	SA1890-101	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-311F-03	115.10.010	KH	SA2173-001	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	SA1890-101	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-311F-F1	115.10.010	KH	SA2173-101	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221-301 PATENTED	
BAS-311G-01	115.10.010	KH	SA2173-001	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	SA8197-101	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BAS-311G-02	115.10.010	KH	SA2173-001	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	SA1890-101	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-311G-03	115.10.010	KH	SA2173-001	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	SA1890-101	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-314	115.10.010	KH	S15662-901	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	S15663-901	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-326	115.10.010	KH	S15662-901	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	S15663-901	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-326F-01	115.10.010	KH	SA2173-201	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221-301 PATENTED	
BAS-326F-02	115.10.011	KH	SA1890-101	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221-301 PATENTED	
BAS-341	115.10.010	KH	S15662-901	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	S15663-901	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-342F	115.10.010	KH	SA2173-001	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	SA1890-001	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-341F-01	115.10.010	KH	SA2173-201	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221-301 PATENTED	
BAS-342F-01	115.10.010	KH	SA2173-201	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221-301 PATENTED	
BAS-350	130.09.082	KH	S00982-901	Full gib	130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
	130.09.228	KH	S00982-901 SG	Short gib	130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
BAS-360	130.09.082	KH	S00982-901	Full gib	130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
	130.09.228	KH	S00982-901 SG	Short gib	130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
BAS-400	130.01.147	KH	112041-901		130.06.240	KP	NBL	117596-001 NBL	
					130.06.348	KP	w/o NBL	117596-001 NO NBL	
BAS-412	130.09.193	KH	S35595-901- SA1646-001-		130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
	130.09.207	KH	157853-901	Under trimming mach.	130.10.000	KP	w/o NBL	147790 001 NO NBL	
					130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
	130.09.207DC10	KH	157853-901 DC10	DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL	147790 001 NO NBL	
					130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BAS-416	130.09.193	KH	S35595-901- SA1646-001-		130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
	130.09.207	KH	157853-901	Under trimming mach.	130.10.000	KP	w/o NBL	147790 001 NO NBL	
					130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
	130.09.207DC10	KH	157853-901 DC10	DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL	147790 001 NO NBL	
					130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
BAS-423	130.09.193	KH	S35595-901- SA1646-001-		130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
	130.09.207	KH	157853-901	Under trimming mach.	130.10.000	KP	w/o NBL	147790 001 NO NBL	
					130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
	130.09.207DC10	KH	157853-901 DC10	DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL	147790 001 NO NBL	
					130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
BAS-500	130.12.084	KH	159156-901		130.14.040	KP	NBL	159157-001	
BAS-610	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.040	KP	w/o NBL	S09280 001	130.21.046
BAS-611	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.040	KP	w/o NBL	S09280 001	130.21.046
BAS-612	130.19.050	KH	SA1692-102 w/o Cap		130.20.035	KP	w/o NBL	S09279 001	130.21.048
BAS-613	130.19.050	KH	SA1692-102 w/o Cap		130.20.035	KP	w/o NBL	S09279 001	130.21.048
BAS-701	115.10.010	KH	S15662-901	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	S15663-901	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BAS-805	130.12.084	KH	159156-901		130.14.040	KP	NBL	159157-001	
BAS-810	130.12.084	KH	159156-901		130.14.040	KP	NBL	159157-001	
BAS-6150					130.20.030	KP	w/o NBL		
BAS-6200					130.20.030	KP	w/o NBL		
BAS-7050	115.10.010	KH	SA2173-201	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221 301 PATENTED	
	115.10.011	KH	SA1890-101	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221 301 PATENTED	
BE-0101B-AC	130.09.193	KH	SA1646-001		130.10.000	KP	w/o NBL	147790-001 NO NBL	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
BE-438D	115.00.275	KH	SA1881-001	Hard chromium plated: light thread	115.00.310	KP	NBL	159610-401	
BE-1204	130.09.235	KH	SA3669-001	Elliptical	130.10.039	KP	NBL		
BE-1206	130.09.235	KH	SA3669-001	Elliptical	130.10.039	KP	NBL		
BES-940	130.09.242DC20	KH	SA1648-001	DC20 coated	130.10.039	KP	NBL		
BES-941	130.09.242DC20	KH	SA1648-001	DC20 coated	130.10.039	KP	NBL		
BES-960	130.09.242DC20	KH	SA1648-001	DC20 coated	130.10.039	KP	NBL		
BES-961	130.09.242DC20	KH	SA1648-001	DC20 coated	130.10.039	KP	NBL		
BES-962	130.09.242DC20	KH	SA1648-001	DC20 coated	130.10.039	KP	NBL		
BES-963	130.09.242DC20	KH	SA1648-001	DC20 coated	130.10.039	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
BES-1210AC	130.09.193	KH	SA1646-001		130.10.000	KP	w/o NBL	147790-001 NO NBL	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
BES-1240	130.09.242DC20	KH	SA1648-001	DC20 coated	130.10.039	KP	NBL		
BES-1241	130.09.242DC20	KH	SA1648-001	DC20 coated	130.10.039	KP	NBL		
BES-1260	130.09.242DC20	KH	SA1648-001	DC20 coated	130.10.039	KP	NBL		
BES-1261	130.09.242DC20	KH	SA1648-001	DC20 coated	130.10.039	KP	NBL		
BES-1262	130.09.242DC20	KH	SA1648-001	DC20 coated	130.10.039	KP	NBL		
BES-1263	130.09.242DC20	KH	SA1648-001	DC20 coated	130.10.039	KP	NBL		
DB1-B755-1	130.05.271	KH	111275-901- SA1698-001-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB1-B760-5	130.01.124	KH	111272-901		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B705-1	130.05.376	KH	147101-901	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
	130.05.376DC20	KH	S35784-901 DC20	DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B705-3	130.05.376	KH	147101-901	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
	130.05.376DC20	KH	S35784-901 DC20	DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B705-5	130.05.376	KH	147101-901	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH	S35784-901 DC20	DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B705-7	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B706-1	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B706-3	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B706-5	130.05.271	KH	111275-901- SA1698-001-		130.06.019	KP	w/o NBL	100369 001	
					130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
	130.05.481	KH		X-thick thread	130.06.019	KP	w/o NBL	100369 001	
					130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
	130.05.517	KH	SA1698-001 Open lubrication system	Open type lubrication system	130.06.019	KP	w/o NBL	100369 001	
					130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
	130.05.517TS	KH	111275-901 TS	Open type lubrication system, TS coated	130.06.019	KP	w/o NBL	100369 001	
130.06.125					KP	MF	148350 101 MF		
130.06.298					KP	NBL	148350 101		
DB2-B707-3	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
DB2-B714-3	130.05.235	KH	116780-901- S09129-901-		130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
DB2-B714-5	130.05.271	KH	111275-901- SA1698-001-		130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369 001	
					130.06.125	KP	MF	148350 101 MF	
130.05.481	KH		X-thick thread	130.06.298	KP	NBL	148350 101		
				130.06.019	KP	w/o NBL	100369 001		
				130.06.125	KP	MF	148350 101 MF		
130.05.517	KH	SA1698-001 Open lubrication system	Open type lubrication system	130.06.298	KP	NBL	148350 101		
				130.06.019	KP	w/o NBL	100369 001		
				130.06.125	KP	MF	148350 101 MF		
130.05.517TS	KH	111275-901 TS	Open type lubrication system, TS coated	130.06.298	KP	NBL	148350 101		
				130.06.019	KP	w/o NBL	100369 001		
				130.06.125	KP	MF	148350 101 MF		
DB2-B715-1	130.05.424	KH	153131-901		130.06.298	KP	NBL	148350 101	
					130.06.125	KP	MF	148350-101 MF	
DB2-B715-3	130.05.424	KH	153131-901		130.06.298	KP	NBL	148350-101	
					130.06.125	KP	MF	148350-101 MF	
DB2-B716-1	130.05.424	KH	153131-901		130.06.298	KP	NBL	148350-101	
					130.06.125	KP	MF	148350-101 MF	
DB2-B716-3	130.05.424	KH	153131-901		130.06.298	KP	NBL	148350-101	
					130.06.125	KP	MF	148350-101 MF	
DB2-B724	130.09.256	KH	159793-901- SA1722-001-		130.06.298	KP	NBL	148350-101	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B735	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369 001	
					130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
	130.05.235TS	KH	116780-901 TS	TS coated	130.06.019	KP	w/o NBL	100369 001	
					130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
130.05.271	KH	111275-901- SA1698-001-		130.06.019	KP	w/o NBL	100369 001		
				130.06.125	KP	MF	148350 101 MF		
				130.06.298	KP	NBL	148350 101		
DB2-B735-1	130.05.235	KH	S09129-901		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B735-3	130.05.235	KH	S09129-901		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B736	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369 001	
					130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
	130.05.235TS	KH	116780-901 TS	TS coated	130.06.019	KP	w/o NBL	100369 001	
					130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
DB2-B736-1	130.05.235	KH	S09129-901		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B736-3	130.05.235	KH	S09129-901		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B737-1	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.125	KP	MF	148350-101 MF	
DB2-B737-3	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.125	KP	MF	148350-101 MF	
DB2-B737-5	130.05.543	KH	SA7688-101		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.125	KP	MF	148350-101 MF	
DB2-B738-3	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.125	KP	MF	148350-101 MF	
DB2-B741-3	130.09.082	KH	S00982-901	Full gib	130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
					130.10.000	KP	w/o NBL	147790 001 NO NBL	
DB2-B745-5	130.09.176	KH	150487-901- SA1720-001-	Short gib	130.10.000	KP	w/o NBL	147790 001 NO NBL	
					130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
	130.09.226	KH	147789-901	Full gib	130.10.000	KP	w/o NBL	147790 001 NO NBL	
					130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B745-7	130.09.176	KH	150487-901- SA1720-001-	Short gib	130.10.000	KP	w/o NBL	147790-001 NO NBL	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
DB2-B746-5	130.09.226	KH	147789-901	Full gib	130.10.000	KP	w/o NBL	147790-001 NO NBL	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
DB2-B746-7	130.09.176	KH	150487-901- SA1720-001-	Short gib	130.10.000	KP	w/o NBL	147790-001 NO NBL	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
DB2-B746-8	130.09.226	KH	147789-901	Full gib	130.10.000	KP	w/o NBL	147790-001 NO NBL	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
DB2-B746A	130.09.226	KH	147789-901	Full gib	130.10.000	KP	w/o NBL	147790-001 NO NBL	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
DB2-B748-307	130.09.207	KH	157853-901	Under trimming mach.	130.10.000	KP	w/o NBL	147790 001 NO NBL	
					130.10.007	KP	MF	151845 001 MF	
					130.10.045	KP	NBL	151845 001	
	130.09.207DC10	KH	157853-901 DC10	DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL	147790 001 NO NBL	
DB2-B748A	130.09.256	KH	SA1722-001		130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
					130.06.019	KP	w/o NBL	100369 001	
DB2-B753	130.05.235	KH	116780-901- S09129-901-		130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
					130.05.235TS	KH	116780-901 TS	TS coated	130.06.019
	130.06.125	KP	MF	148350 101 MF					
DB2-B755-1	130.05.271	KH	111275-901- SA1698-001-		130.06.298	KP	NBL	148350 101	
					130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
DB2-B755-3	130.05.235	KH	116780-901- S09129-901-		130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B755-5	130.05.271	KH	111275-901- SA1698-001-		130.06.019	KP	w/o NBL	100369 001	
					130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
	130.05.481	KH		X-thick thread	130.06.019	KP	w/o NBL	100369 001	
					130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
	130.05.517	KH	SA1698-001 Open lubrication system	Open type lubrication system	130.06.019	KP	w/o NBL	100369 001	
					130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
	130.05.517TS	KH	111275-901 TS	Open type lubrication system, TS coated	130.06.019	KP	w/o NBL	100369 001	
					130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
DB2-B757	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350 101	
DB2-B757-3-0	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B757-3	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B757-4	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350 101	
DB2-B757-5	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B757-103	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B757-105	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B757-203	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B757-205	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B757-403	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B757-405	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B757-503	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B757-505	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B758	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B760-5	130.01.124	KH	111272-901		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B767	130.01.124	KH	111272-901		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B767-5	130.01.124	KH	111272-901		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B771	130.05.015	KH	SA1715-001		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
	130.09.176	KH	150487-901- SA1720-001-	Short gib	130.10.000	KP	w/o NBL	147790-001 NO NBL	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
DB2-B773	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B774	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
DB2-B777-3	130.05.235	KH	116780-901- S09129-901-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
DB2-B777A	130.05.235	KH	116780-901- S09129-901-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
DB2-B778	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
DB2-B781-1	130.05.235	KH	116780-901- S09129-901-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
DB2-B781-2	130.05.235	KH	116780-901- S09129-901-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
DB2-B781-3	130.05.235	KH	116780-901- S09129-901-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
DB2-B781-3-0	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
DB2-B781-4	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
DB2-B781-103	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
DB2-B781-104	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	
DB2-B781-203	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
					130.06.019	KP	w/o NBL	100369-001	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B781-204	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B781-803	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350 101	
					130.06.298	KP	NBL	148350 101	
DB2-B781-804	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350 101	
					130.06.298	KP	NBL	148350 101	
DB2-B790	130.05.015	KH	SA1715-001		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B790-3-0	130.05.376	KH	147101-901	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B791-3-333	130.05.376	KH	147101-901	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DB2-B792-003	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B792-013	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B792-015	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B792-017	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B792-3	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B792-3-0	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B792-400	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B792-503	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B792-613	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B793	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B793-015	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DB2-B793-017	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B793-3	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B793-303	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B793-305	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B795	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B795-013	130.05.235	KH	116780-901- S09129-901-		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B795-313	130.05.424	KH	153131-901		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B797	130.09.176	KH	150487-901- SA1720-001-	Short gib	130.10.000	KP	w/o NBL	147790-001 NO NBL	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
DB2-B797-5	130.09.176	KH	150487-901- SA1720-001-	Short gib	130.10.000	KP	w/o NBL	147790-001 NO NBL	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
DB2-B798	130.09.256	KH	SA1722-001		130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
DB2-B7740	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-B7741	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
DB2-DD-7000	130.05.376DC20	KH		Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350 101 MF	
					130.06.298	KP	NBL	148350 101	
DB2-DD-7100	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
HE-800A	130.12.218TTN	KH	SA9141-001	TTN coated	130.14.058	KP	NBL	S50237-001- SA9138-001-	
HE-800E	130.12.193	KH	SA1744-001	Standard execution	130.14.058	KP	NBL	S50237-001- SA9138-001-	
	130.12.193TTN	KH	SA1744-001 TTN	TTN coated	130.14.058	KP	NBL	S50237-001- SA9138-001-	
	130.12.218TTN	KH	SA9141-001	TTN coated	130.14.058	KP	NBL	S50237-001- SA9138-001-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
HE-8000	130.12.193	KH	SA1744-001	Standard execution	130.14.058	KP	NBL	S50237-001- SA9138-001-	
	130.12.193TTN	KH	SA1744-001 TTN	TTN coated	130.14.058	KP	NBL	S50237-001- SA9138-001-	
	130.12.218TTN	KH	SA9141-001	TTN coated	130.14.058	KP	NBL	S50237-001- SA9138-001-	
HE-8000-2	130.12.193	KH	SA1744-001	Standard execution	130.14.058	KP	NBL	S50237-001- SA9138-001-	
	130.12.193TTN	KH	SA1744-001 TTN	TTN coated	130.14.058	KP	NBL	S50237-001- SA9138-001-	
	130.12.218TTN	KH	SA9141-001	TTN coated	130.14.058	KP	NBL	S50237-001- SA9138-001-	
HE-8000-3	130.12.193	KH	SA1744-001	Standard execution	130.14.058	KP	NBL	S50237-001- SA9138-001-	
	130.12.193TTN	KH	SA1744-001 TTN	TTN coated	130.14.058	KP	NBL	S50237-001- SA9138-001-	
	130.12.218TTN	KH	SA9141-001	TTN coated	130.14.058	KP	NBL	S50237-001- SA9138-001-	
HE-8000-5	130.12.193	KH	SA1744-001	Standard execution	130.14.058	KP	NBL	S50237-001- SA9138-001-	
	130.12.193TTN	KH	SA1744-001 TTN	TTN coated	130.14.058	KP	NBL	S50237-001- SA9138-001-	
	130.12.218TTN	KH	SA9141-001	TTN coated	130.14.058	KP	NBL	S50237-001- SA9138-001-	
KE-430C	115.00.275	KH	SA1881-001	Hard chromium plated; light thread	115.00.310	KP	NBL	159610 401	
	115.00.276	KH	SA1882-001	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610 401	
KE-430C-1	115.00.275	KH	SA1881-001	Hard chromium plated; light thread	115.00.310	KP	NBL	159610-401	
	115.10.010	KH	SA2173-301		115.11.026	KP	NBL	S59221-301 PATENTED	
KE-430C-2	115.00.276	KH	SA1882-001						
	115.10.011	KH	SA1890-201		115.11.026	KP	NBL	S59221-301 PATENTED	
KE-430C-7	115.00.275	KH	SA1881-001		115.00.310	KP	NBL	159610-401	
KE-430D-01	115.10.010	KH	SA2173-201	Hard chromium plated; light thread	115.11.026	KP	NBL	S59221-301 PATENTED	
KE-430D-02	115.00.276	KH	SA1882-001	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610-401	
	115.10.011	KH	SA1890-201	Hard chromium plated; thick thread	115.11.026	KP	NBL	S59221-301 PATENTED	
KE-430D-07	115.00.275	KH	SA1881-001	Hard chromium plated; light thread	115.00.310	KP	NBL	159610-401	
KE-430D-0F	115.00.275	KH	SA1881-001	Hard chromium plated; light thread	115.00.310	KP	NBL	159610-401	
KE-431C-2	115.00.275	KH	SA1881-001	Hard chromium plated; light thread	115.00.310	KP	NBL	159610-401	
	115.10.010	KH	SA2173-301		115.11.026	KP	NBL	S59221-301 PATENTED	
KE-431C-3	115.00.275	KH	SA1881-001	Hard chromium plated; light thread	115.00.310	KP	NBL	159610-401	
	115.10.010	KH	SA2173-301		115.11.026	KP	NBL	S59221-301 PATENTED	
KE-432C	115.00.275	KH	SA1881-001	Hard chromium plated; light thread	115.00.310	KP	NBL	159610-401	
	115.10.010	KH	SA2173-301		115.11.026	KP	NBL	S59221-301 PATENTED	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
KE-484C	130.09.500	KH	S00688-901	Short gib, thick thread, 3 times large capacity hook, FA	130.10.500	KP	NBL	S00690-301 NBL	
					130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
	130.09.506	KH	S00689-901- SA2035-0-01-	Full gib, light-medium thread, 3 times large capacity hook, FA	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
	130.09.511	KH	S44833-001	Short gib, w/ long hook point, 3 times large capacity hook, FA	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
	130.09.514	KH	SA2036-101	Short gib, X-thick thread, 3 times large capacity hook, FB	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
	130.09.539	KH	SA2036-101 thick thread	X-thick thread, FB	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
	130.09.539L	KH	SA2036-101 L, thick thread	X-thick thread, FB, noiseless system	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
KE-484C-X	130.09.514	KH	SA2036-101	Short gib, X-thick thread, 3 times large capacity hook, FB	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
	130.09.539	KH	SA2036-101 thick thread	X-thick thread, FB	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
	130.09.539L	KH	SA2036-101 L, thick thread	X-thick thread, FB, noiseless system	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
LE2-B861-1	130.01.135	KH	117677-901		130.06.240	KP	NBL	117596-001 NBL	
					130.06.348	KP	w/o NBL	117596-001 NO NBL	
LE2-B861-7	130.01.147	KH	112041-901		130.06.240	KP	NBL	117596-001 NBL	
					130.06.348	KP	w/o NBL	117596-001 NO NBL	
LH4-800E	130.12.193	KH	S50234-901	Standard execution	130.14.058	KP	NBL	S50237-001- SA9138-001-	
	130.12.193TTN	KH	SA1744-001 TTN	TTN coated	130.14.058	KP	NBL	S50237-001- SA9138-001-	
LH4-B814	130.12.091	KH	141307-901		130.14.015	KP	NBL	107097-101	130.12.090
LH4-B814-2	130.12.091	KH	141307-901		130.14.015	KP	NBL	107097-101	130.12.090
LH4-B814-3	130.12.091	KH	141307-901		130.14.015	KP	NBL	107097-101	130.12.090
LH4-B814-4	130.12.091	KH	141307-901		130.14.015	KP	NBL	107097-101	130.12.090
LH4-B815	130.12.084	KH	159156-901		130.14.040	KP	NBL	159157-001	
LK3-B430-1	115.00.275	KH	152685-001	Hard chromium plated; light thread	115.00.310	KP	NBL	159610-401	
LK3-B430-2	115.00.276	KH	152687-001	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610-401	
LK3-B430-3	115.00.276	KH	152687-001	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610-401	
LK3-B430-4	115.00.275	KH	152685-001	Hard chromium plated; light thread	115.00.310	KP	NBL	159610-401	
LK3-B430-5	115.00.275	KH	152685-001	Hard chromium plated; light thread	115.00.310	KP	NBL	159610-401	
LK3-B430-6	115.00.276	KH	152687-001	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610-401	
LK3-B430-7	115.00.276	KH	152687-001	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610-401	
LK3-B430-8	115.00.276	KH	152687-001	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610-401	
LK3-B430-9	115.00.276	KH	152687-001	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610-401	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)

Tel.: +39/0382/423413

Fax.: +39/0382/423319

 E-Mail.: info@cerliani.it

 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186

C.F. e P.IVA (VAT Nr.) 02175920186

IMPORT - EXPORT PV019626

CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LK3-B430E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610 401	
	115.00.276	KH	152687-201	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610 401	
LK3-B431E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610-101-159610-401-	
	115.00.276	KH	152687-201	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610-101-159610-401-	
LK3-B432E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610-101-159610-401-	
	115.00.276	KH	152687-201	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610-101-159610-401-	
LK3-B433E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610-101-159610-401-	
	115.00.276	KH	152687-201	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610-101-159610-401-	
LK3-B434E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610 401	
	115.00.276	KH	152687-201	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610 401	
LK3-B435	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610 401	
	115.00.276	KH	152687-201	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610 401	
LK3-B436	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610 101	
	115.00.276	KH	152687-201	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610 101	
LK3-B438E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610-101	
LK3-B441	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610 101	
	115.00.276	KH	152687-201	Hard chromium plated; thick thread	115.00.310	KP	NBL	159610 101	
LK3-B484	130.09.500	KH	S00688-901	Short gib, thick thread, 3 times large capacity hook, FA	130.10.500	KP	NBL	S00690-301 NBL	
					130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
	130.09.506	KH	S00689-901-SA2035-0-01-	Full gib, light-medium thread, 3 times large capacity hook, FA	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
	130.09.511	KH	S44833-001	Short gib, w/ long hook point, 3 times large capacity hook, FA	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
	130.09.514	KH	SA2036-101	Short gib, X-thick thread, 3 times large capacity hook, FB	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
	130.09.539	KH	SA2036-101 thick thread	X-thick thread, FB	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
	130.09.539L	KH	SA2036-101 L, thick thread	X-thick thread, FB, noiseless system	130.10.510	KP	w/o NBL	S00690 301	
					130.10.515	KP	w/o NBL	S00691 401	
LK3-B4300E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610-101	
LK3-B4310E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610-101	
LK3-B4320E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610-101	
LK3-B4330E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610-101	
LK3-B4340E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610-101	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)

Tel.: +39/0382/423413

Fax.: +39/0382/423319

 E-Mail.: info@cerliani.it

 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186

C.F. e P.IVA (VAT Nr.) 02175920186

IMPORT - EXPORT PV019626

CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LK3-B4350E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610-101	
LK3-B4380E	115.00.275	KH	152685-301	Hard chromium plated: light thread	115.00.310	KP	NBL	159610-101	
LS2-B883	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Standard execution, under trimming mach.	130.20.040	KP	w/o NBL	S09280-001- S21674-901-	130.21.046
LS2-B891	130.13.291	KL	SA1429-001	Under trimming mach.					
	130.13.400	KL	SA1429-001 thick thread	Under trimming mach., thick thread					
LT2-B831	130.11.078	KL	112691-901						
	130.11.201	KL	151016-901						
LT2-B831-1	130.11.078	KL	112691-901						
LT2-B831-3	130.11.078	KL	112691-901						
LT2-B831-5	130.11.116	KL	144903-901						
LT2-B832	130.11.201	KL	151016-901						
LT2-B832-1	130.11.078	KL	112691-901						
LT2-B832-3	130.11.078	KL	112691-901						
LT2-B832-3-0	130.11.201	KL	151016-901						
LT2-B832-5	130.11.116	KL	144903-901	Cap system					
	130.11.201	KL	151016-901	Drop-in version					
LT2-B832-401	130.11.201	KL	151016-901						
LT2-B832-403	130.11.201	KL	151016-901						
LT2-B833	130.11.078	KL	112691-901						
LT2-B835-3	130.16.000	KH	150371-901		130.17.000	KP	w/o NBL	151041-001	130.18.000
LT2-B835-5	130.16.000	KH	150371-901		130.17.000	KP	w/o NBL	151041-001	130.18.000
LT2-B835-800	130.16.000	KH	150371-901		130.17.000	KP	w/o NBL	151041-001	130.18.000
LT2-B836	130.19.015	KH	155466-901		130.20.010	KP	w/o NBL	155476-001	130.21.015
LT2-B836-3	130.19.015	KH	155466-901		130.20.010	KP	w/o NBL	155476-001	130.21.015
LT2-B837	130.15.050	KL	150966-901						
	130.15.155	KL							
LT2-B837-5	130.15.050	KL	150966-901						
	130.15.155	KL							
LT2-B838	130.15.061	KL	153912-901						
LT2-B838-5	130.15.061	KL	153912-901						
LT2-B841	130.11.216	KL	S07425-901- SA1668-111-						
	130.16.055	KH	S07428-901 w/o Cap, w/o spec. treatment- SA1670-111 w/o Cap-	Cap system	130.17.035	KP	w/o NBL	S07740 001	130.18.055
LT2-B841-1	130.16.055	KH	SA1670-111 w/o Cap	Cap system	130.17.035	KP	w/o NBL	S07740 001	130.18.055
LT2-B841-3	130.11.216	KL	S07425-901- SA1668-111-	Standard execution					
LT2-B841-5	130.11.131	KL	S07426-901- SA1669-111-	Standard execution					
LT2-B842	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
	130.16.061	KH	SA1678-111 w/o Cap	Cap system, thick thread	130.17.035	KP	w/o NBL	S07740-001	130.18.061
LT2-B842-1	130.11.216	KL	S07425-901- SA1668-111-	Standard execution					
LT2-B842-3	130.11.216	KL	S07425-901- SA1668-111-	Standard execution					
LT2-B842-5	130.11.131	KL	S07426-901- SA1669-111-	Standard execution					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LT2-B842-403	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
	130.16.061	KH	SA1678-111 w/o Cap	Cap system	130.17.035	KP	w/o NBL	S07740-001	130.18.061
LT2-B842-405	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
	130.16.061	KH	SA1678-111 w/o Cap	Cap system					
LT2-B842-903	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
	130.16.061	KH	SA1678-111 w/o Cap	Cap system	130.17.035	KP	w/o NBL	S07740-001	130.18.061
LT2-B842-905	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
	130.16.061	KH	SA1678-111 w/o Cap	Cap system	130.17.035	KP	w/o NBL	S07740-001	130.18.061
LT2-B845	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742-001	130.18.059
LT2-B845-3	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
LT2-B845-5	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
LT2-B845-7	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
LT2-B845-403	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742 001	130.18.059
	130.16.061	KH	SA1678-111 w/o Cap		130.17.030	KP	w/o NBL	S07742 001	
LT2-B845-405	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742 001	130.18.059
	130.16.061	KH	SA1678-111 w/o Cap		130.17.030	KP	w/o NBL	S07742 001	
LT2-B845-407	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742 001	130.18.059
	130.16.061	KH	SA1678-111 w/o Cap		130.17.030	KP	w/o NBL	S07742 001	
LT2-B845-903	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742 001	130.18.059
	130.16.061	KH	SA1678-111 w/o Cap		130.17.030	KP	w/o NBL	S07742 001	
LT2-B845-905	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742 001	130.18.059
	130.16.061	KH	SA1678-111 w/o Cap		130.17.030	KP	w/o NBL	S07742 001	
LT2-B845-907	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742 001	130.18.059
	130.16.061	KH	SA1678-111 w/o Cap		130.17.030	KP	w/o NBL	S07742 001	
LT2-B847	130.11.216	KL	S07425-901- SA1668-111-	Drop-in version, standard execution					
	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version, standard execution					
	130.16.055	KH	SA1670-111 w/o Cap	Cap system, standard execution	130.17.035	KP	w/o NBL	S07740 001	130.18.055
	130.16.061	KH	SA1678-111 w/o Cap	Cap system	130.17.035	KP	w/o NBL	S07740 001	130.18.061
LT2-B847-1	130.11.216	KL	S07425-901- SA1668-111-	Standard execution					
	130.16.055	KH	SA1670-111 w/o Cap	Cap system, standard execution	130.17.035	KP	w/o NBL	S07740 001	130.18.055
LT2-B847-401	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
	130.16.061	KH	SA1678-111 w/o Cap		130.17.035	KP	w/o NBL	S07740-001	130.18.061
LT2-B847-901	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
	130.16.061	KH	SA1678-111 w/o Cap		130.17.035	KP	w/o NBL	S07740-001	130.18.061
LT2-B848	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742-001	130.18.059
LT2-B848-1	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
LT2-B848-401	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742 001	130.18.059
	130.16.061	KH	SA1678-111 w/o Cap		130.17.030	KP	w/o NBL	S07742 001	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LT2-B872	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278 001	130.21.045
LT2-B872-3	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278-001	130.21.045
LT2-B872-5	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278 001	130.21.045
LT2-B872-403	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278 001	130.21.045
LT2-B872-405	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278-001	130.21.045
LT2-B872-903	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278-001	130.21.045
LT2-B872-905	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278-001	130.21.045
LT2-B875	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.040	KP	w/o NBL	S09280 001	130.21.046
	130.19.050	KH	SA1692-102 w/o Cap		130.20.035	KP	w/o NBL	S09279 001	130.21.048
LT2-B875-3	130.19.050	KH	SA1692-102 w/o Cap		130.20.035	KP	w/o NBL	S09279 001	130.21.048
LT2-B875-5	130.19.050	KH	SA1692-102 w/o Cap		130.20.035	KP	w/o NBL	S09279 001	130.21.048
LT2-B875-7	130.19.050	KH	SA1692-102 w/o Cap		130.20.035	KP	w/o NBL	S09279 001	130.21.048
LT2-B875-403	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.040	KP	w/o NBL	S09280 001	130.21.046
LT2-B875-405	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.040	KP	w/o NBL	S09280 001	130.21.046
LT2-B875-407	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.040	KP	w/o NBL	S09280 001	130.21.046
LT2-B875-903	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.040	KP	w/o NBL	S09280 001	130.21.046
LT2-B875-905	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.040	KP	w/o NBL	S09280 001	130.21.046
LT2-B882	130.15.090	KL	156514-901						
LT2-B892	130.13.291	KL	SA1429-001	Under trimming mach.					
	130.13.400	KL	SA1429-001 thick thread	Under trimming mach., thick thread					
LZ2-B852	130.12.051	KH	S34847-901		130.14.017	KP	w/o NBL	158471 001	130.12.050
					130.14.021	KP	NBL	158471 000	
	130.12.051TTN	KH	S34847-901 TTN	TTN coated	130.14.017	KP	w/o NBL	158471 001	130.12.050TTN
					130.14.021	KP	NBL	158471 000	
LZ2-B853	130.12.051	KH	S34847-901		130.14.017	KP	w/o NBL	158471 001	130.12.050
					130.14.021	KP	NBL	158471 000	
	130.12.051TTN	KH	S34847-901 TTN	TTN coated	130.14.017	KP	w/o NBL	158471 001	130.12.050TTN
					130.14.021	KP	NBL	158471 000	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LZ2-B854	130.12.051	KH	S34847-901		130.14.017	KP	w/o NBL	158471 001	130.12.050
					130.14.021	KP	NBL	158471 000	
	130.12.051TTN	KH	S34847-901 TTN	TTN coated	130.14.017	KP	w/o NBL	158471 001	130.12.050TTN
					130.14.021	KP	NBL	158471 000	
S-6200DD-403	130.05.543	KH	SA7688-101		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
S-6200DD-405	130.05.543	KH	SA7688-101		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
S-7200A	130.05.376DC20	KH		Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
S-7200A-403	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
S-7200A-405	130.05.543	KH	SA7688-101		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
S-7200A-433	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
S-7200B	130.05.376	KH	147101-901	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
S-7200B-305	130.05.543	KH	SA7688-101		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
S-7220B-405	130.05.543	KH	SA7688-101		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
SL-737A-5	130.05.543	KH	SA7688-101		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
SL-737A series	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
SL-746A	130.09.226	KH	SA1723-001	Full gib	130.10.000	KP	w/o NBL	147790-001 NO NBL	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
SL-746A-5	130.09.226	KH	147789-901	Full gib	130.10.000	KP	w/o NBL	147790-001 NO NBL	
					130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
SL-777A-3	130.05.235	KH	S09129-901		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
SL-778A-3	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
SL-1010-3	130.05.235	KH	S09129-901		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
SL-2010-3	130.05.414	KH	S02603-901- SA1931-001-		130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
SN-771A-3	130.05.015	KH	SA1715-001		130.06.019	KP	w/o NBL	100369-001	
					130.06.125	KP	MF	148350-101 MF	
					130.06.298	KP	NBL	148350-101	
SN-7230-5	130.09.256	KH	SA1722-001		130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
SN-7240-5	130.09.256	KH	SA1722-001		130.10.007	KP	MF	151845-001 MF	
					130.10.045	KP	NBL	151845-001	
T-8420A-003	130.11.216	KL	S07425-901- SA1668-111-						
T-8420A-005	130.11.131	KL	S07426-901- SA1669-111-	Standard execution					
T-8420A-00F	130.11.216	KL	S07425-901- SA1668-111-						
T-8420A-033	130.11.216	KL	S07425-901- SA1668-111-						
T-8420A-03F	130.11.216	KL	S07425-901- SA1668-111-						
T-8421A	130.11.216	KL	S07425-901- SA1668-111-						
T-8421A-T03	130.11.216	KL	S07425-901- SA1668-111-						
	130.16.055	KH	SA1670-111 w/o Cap	Cap system	130.17.035	KP	w/o NBL	S07740-001	130.18.055
T-8421A-T05	130.11.131	KL	S07426-901- SA1669-111-	Standard execution					
T-8421A-T33	130.11.216	KL	S07425-901- SA1668-111-						
T-8421A-T3F	130.11.216	KL	S07425-901- SA1668-111-						
T-8422A	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
T-8422A-403	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
	130.16.061	KH	SA1678-111 w/o Cap	Cap system	130.17.035	KP	w/o NBL	S07740-001	130.18.061
T-8422A-405	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
T-8422A-433	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
T-8450A-003	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
T-8450A-005	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
T-8450A-033	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
T-8452A-403	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742-001	130.18.059
T-8452A-405	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742-001	130.18.059
T-8452A-406	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742-001	130.18.059
T-8452A-433	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742-001	130.18.059
T-8720A-003	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
T-8720A-005	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
T-8722A-403	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278-001	130.21.045
T-8722A-405	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278-001	130.21.045
T-8750A-003	130.19.050	KH	SA1692-102 w/o Cap		130.20.035	KP	w/o NBL	S09279 001	130.21.048
T-8750A-005	130.19.050	KH	SA1692-102 w/o Cap		130.20.035	KP	w/o NBL	S09279 001	130.21.048

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
T-8752A-403	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.040	KP	w/o NBL	S09280-001	130.21.046
T-8752A-405	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.040	KP	w/o NBL	S09280-001	130.21.046
TL-847A	130.11.216	KL	S07425-901- SA1668-111-						
TL-847B	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
TL-848A	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
TL-848B	130.16.061	KH	SA1678-111 w/o Cap		130.17.030	KP	w/o NBL	S07742-001	
TN-842A-003	130.11.216	KL	S07425-901- SA1668-111-						
TN-842A-005	130.11.131	KL	S07426-901- SA1669-111-	Standard execution					
TN-842A-00F	130.11.216	KL	S07425-901- SA1668-111-						
TN-842B-403	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
TN-842B-405	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
TN-842B-40F	130.11.219	KL	S07427-901- SA1677-111-	Drop-in version					
	130.16.061	KH	SA1678-111 w/o Cap		130.17.035	KP	w/o NBL	S07740-001	130.18.061
TN-845A-003	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
TN-845A-005	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
TN-845A-403	130.16.059	KH	SA1683-111 w/o Cap	Cap system	130.17.030	KP	w/o NBL	S07742-001	130.18.059
TN-845A-405	130.16.059	KH	SA1683-111 w/o Cap	Cap system	130.17.030	KP	w/o NBL	S07742-001	130.18.059
TN-845B	130.16.059	KH	SA1683-111 w/o Cap	Cap system	130.17.030	KP	w/o NBL	S07742-001	130.18.059
TN-845B-003	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
TN-845B-005	130.16.053	KH	SA1681-111 w/o Cap	Cap system	130.17.025	KP	w/o NBL	S07741-001	130.18.053
TN-845B-401	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742-001	130.18.059
TN-845B-403	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742-001	130.18.059
TN-845B-405	130.16.059	KH	SA1683-111 w/o Cap	Under trimming mach., cap system	130.17.030	KP	w/o NBL	S07742-001	130.18.059
TN-872A-003	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
TN-872A-005	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
TN-872A-3	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
TN-872A-5	130.15.128	KL	S09263-901- SA1685-102-	Drop-in version					
TN-872B-3	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278-001	130.21.045
TN-872B-5	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278-001	130.21.045
TN-872B-403	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278-001	130.21.045
TN-872B-405	130.19.045	KH	SA1689-102 w/o Cap- SA1694-102 w/o Cap-	Cap system, under trimming mach.	130.20.030	KP	w/o NBL	S09278-001	130.21.045
TN-875A-3	130.19.050	KH	SA1692-102 w/o Cap		130.20.035	KP	w/o NBL	S09279-001	130.21.048
TN-875A-5	130.19.050	KH	SA1692-102 w/o Cap		130.20.035	KP	w/o NBL	S09279-001	130.21.048
TN-875A-7	130.19.050	KH	SA1692-102 w/o Cap		130.20.035	KP	w/o NBL	S09279-001	130.21.048
TN-875A-003	130.19.050	KH	SA1692-102 w/o Cap		130.20.035	KP	w/o NBL	S09279 001	130.21.048

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

BROTHER (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TN-875A-005	130.19.050	KH	S13616-901 w/o spec. treatment- SA1692-102 w/o Cap-		130.20.035	KP	w/o NBL	S09279 001	130.21.048
TZ1-B651	130.01.147	KH	112041-901		130.06.240	KP	NBL	117596-001 NBL	
					130.06.348	KP	w/o NBL	117596-001 NO NBL	
TZ1-B652	130.01.147	KH	112041-901		130.06.240	KP	NBL	117596-001 NBL	
					130.06.348	KP	w/o NBL	117596-001 NO NBL	
Z series	130.12.223TTN	KH	SA8194-001	TTN coated	130.14.060	KP	NBL	SA8128-001	
ZE series	130.12.223TTN	KH	SA8194-001	TTN coated	130.14.060	KP	NBL	SA8128-001	
Z-8560A-431-018	130.12.223TTN	KH	SA8194-001	TTN coated					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.