

# Reference Table by Machine Manufacturer

<b>DÜRKOPP-ADLER</b>									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
37	115.00.110	KH	0037 001514 w/o B/C		115.00.111	KP	w/o NBL	0037 001614	
67	130.08.341	KK	0068 150824	Full gib	130.08.342	KP	w/o NBL	0068 150804	
	130.08.343	KK	0068 150814	Short gib, thick thread	130.08.344	KP	w/o NBL	0068 150784	
68	130.08.341	KK	0068 150824	Full gib, light thread	130.08.342	KP	w/o NBL	0068 150804	
	130.08.343	KK	0068 150814	Short gib	130.08.344	KP	w/o NBL	0068 150784	
69	130.03.040	KH	0069 005814 w/o B/C		130.06.106	KP	w/o NBL	0069 005784	
					130.06.172	KP	MF	0069 150284	
91	130.12.026	KH	0098 150074 w/o B/C		130.14.015	KP	NBL	0098 150054	130.12.042
96	130.01.000	KH	0096 152814		130.06.019	KP	w/o NBL	0097 001784	
	130.01.025	KH	0096 152814 w/o B/C		130.06.019	KP	w/o NBL	0097 001784	
					130.06.065	KP	w/o NBL		
98	130.12.026	KH	0098 150074 w/o B/C		130.14.015	KP	NBL	0098 150054	130.12.042
104	112.00.025	KK	0005 002904						
105	112.00.025	KK	0005 002904						
165	112.00.025	KK	0005 002904						
166	112.00.025	KK	0005 002904						
167	130.08.240	KK	0167 001814	Short gib, thick thread	130.08.246	KP	w/o NBL	0167 001784	
	130.08.240R	KK	0267 151824	Regulating needle guard	130.08.246	KP	w/o NBL	0167 001784	
	130.08.638	KK	0167 150084	Full gib	130.08.246	KP	w/o NBL	0167 001784	
	130.22.000	KL	0268 151814	Drop-in version					
	130.22.000R	KL	0268 150734	Drop-in version, regulating needle guard					
167 Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL	0167 001784	
	130.22.052R	KL	0268 151814 R, drop-in, thick thread	Drop-in version, for thread bigger than 1mm diameter					
167FA	130.08.642	KK	0167 150204	Short gib, under trimming mach.	130.08.646	KP	NBL	0167 150194	
	130.08.648	KK	0167 150214	Full gib, under trimming mach.	130.08.646	KP	NBL	0167 150194	
168	130.08.240	KK	0167 001814	Short gib	130.08.246	KP	w/o NBL	0167 001784	
	130.08.240R	KK	0267 151824	Regulating needle guard	130.08.246	KP	w/o NBL	0167 001784	
	130.08.638	KK	0167 150084	Full gib	130.08.246	KP	w/o NBL	0167 001784	
	130.22.000	KL	0268 151814	Drop-in version					
	130.22.000R	KL	0268 150734	Drop-in version, regulating needle guard					
168 Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL	0167 001784	
	130.22.052R	KL	0268 151814 R, drop-in, thick thread	Drop-in version, for thread bigger than 1mm diameter					
169	130.08.662	KK	0169 001814		130.08.246	KP	w/o NBL	0167 001784	
	130.08.662R	KK	0269 150054	Regulating needle guard	130.08.246	KP	w/o NBL	0167 001784	
	130.22.044R	KL	0169 001814 R, drop-in	Drop-in version, regulating needle guard					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

## CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
169 Mod.for Heavy Thread	130.08.801R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL	0167 001784	
204	112.00.050	KK	0204 150104						
205	112.00.050	KK	0204 150104						
211	130.05.083	KH	0211 001101 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.128	KP	MF	0211 000275	
					130.06.166	KP	MF	0211 001115	
212	130.05.247	KH	0212 052084 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
213	130.05.083	KH	0211 001101 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
214	130.05.083	KH	0211 001101 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
215	130.05.083	KH	0211 001101 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
218	130.05.083	KH	0211 001101 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
219	130.05.083	KH	0211 001101 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
228	130.13.122	KK	0249 000861		130.13.129	KP	w/o NBL	0249 000369	
238	130.13.122	KK	0249 000861		130.13.129	KP	w/o NBL	0249 000369	
238-line 13000	130.13.134	KK	0238 006781		130.13.140	KP	NBL	0238 006799	
238-line 15000	130.13.134	KK	0238 006781		130.13.140	KP	NBL	0238 006799	
239	130.13.122	KK	0249 000861		130.13.129	KP	w/o NBL	0249 000369	
239-105	130.13.115	KL	0249 000616 K						
239-106	130.13.115	KL	0249 000616 K						
239-115	130.13.115	KL	0249 000616 K						
239-116	130.13.115	KL	0249 000616 K						
239-125	130.13.115	KL	0249 000616 K						
239-126	130.13.115	KL	0249 000616 K						
239-135	130.13.115	KL	0249 000616 K						
239-136	130.13.115	KL	0249 000616 K						
239-line 13000	130.13.134	KK	0238 006781		130.13.140	KP	NBL	0238 006799	
241	130.13.122	KK	0249 000861		130.13.129	KP	w/o NBL	0249 000369	
241-5	130.13.115	KL	0249 000616 K						
241-15	130.13.115	KL	0249 000616 K						
241-16	130.13.115	KL	0249 000616 K						
241-25	130.13.115	KL	0249 000616 K						
241-line 13000	130.13.134	KK	0238 006781		130.13.140	KP	NBL	0238 006799	
245	130.13.100	KL	0249 000592 K						
245-30	130.13.115	KL	0249 000616 K						
245-130	130.13.115	KL	0249 000616 K						
247	130.13.122	KK	0249 000861		130.13.129	KP	w/o NBL	0249 000369	
249	130.13.122	KK	0249 000861		130.13.129	KP	w/o NBL	0249 000369	
249-13315	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	
249-15315	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	
249-line 13000	130.13.134	KK	0238 006781		130.13.140	KP	NBL	0238 006799	
252	130.12.026	KH	0098 150074 w/o B/C		130.14.010	KP	w/o NBL	0235 000368 NO NBL	
					130.14.015	KP	NBL	0235 000368 NBL	130.12.042

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
253	130.12.026	KH	0098 150074 w/o B/C		130.14.010	KP	w/o NBL	0235 000368 NO NBL	
					130.14.015	KP	NBL	0235 000368 NBL	130.12.042
254	130.12.026	KH	0098 150074 w/o B/C		130.14.010	KP	w/o NBL	0235 000368 NO NBL	
					130.14.015	KP	NBL	0235 000368 NBL	130.12.042
255	130.12.026	KH	0098 150074 w/o B/C		130.14.010	KP	w/o NBL	0235 000368 NO NBL	
					130.14.015	KP	NBL	0235 000368 NBL	130.12.042
264	130.12.026	KH	0098 150074 w/o B/C		130.14.010	KP	w/o NBL	0235 000368 NO NBL	
					130.14.015	KP	NBL	0235 000368 NBL	130.12.042
265	130.05.222	KH	0265 012786 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
265-101	130.05.222	KH	0265 012786 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
265-15135	130.05.222	KH	0265 012786 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
265-203	130.05.332	KH	0265 012321 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
265-4103	130.05.332	KH	0265 012321 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
265-18103	130.05.332	KH	0265 012321 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
265-25407	130.05.332	KH	0265 012321 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
265-115203	130.05.332	KH	0265 012321 w/o B/C		130.06.110	KP	w/o NBL	0211 001115 NO NBL	
					130.06.166	KP	MF	0211 001115	
267	130.08.240	KK	0167 001814	Short gib	130.08.246	KP	w/o NBL	0167 001784	
	130.08.240R	KK	0267 151824	Regulating needle guard	130.08.246	KP	w/o NBL	0167 001784	
	130.08.638	KK	0167 150084	Full gib	130.08.246	KP	w/o NBL	0167 001784	
	130.22.000	KL	0268 151814	Drop-in version					
	130.22.000R	KL	0268 150734	Drop-in version, regulating needle guard					
267 Adler (K267 990055 VG-373)	130.08.343	KK	0068 150814	Small capacity hook	130.08.344	KP	w/o NBL	0068 150784	
267 Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL	0167 001784	
	130.22.052R	KL	0268 151814 R, drop-in, thick thread	Drop-in version, for thread bigger than 1mm diameter					
267FA	130.08.642	KK	0167 150204	Short gib, under trimming mach.	130.08.646	KP	NBL	0167 150194	
	130.08.648	KK	0167 150214	Full gib, under trimming mach.	130.08.646	KP	NBL	0167 150194	
267FA-262BH1	130.08.657	KK	0167 150344						
267FA-273NH1	130.08.654	KK	0167 150334						
267LS-262NH1	130.08.653	KK	0167 150314		130.08.651	KP	w/o NBL	0167 150284	
267LS-263NH1	130.08.650	KK	0167 150304		130.08.651	KP	w/o NBL	0167 150284	
	130.08.650R	KK	0267 151834	Regulating needle guard	130.08.651	KP	w/o NBL	0167 150284	
268	130.08.240	KK	0167 001814	Short gib	130.08.246	KP	w/o NBL	0167 001784	
	130.08.240R	KK	0267 151824	Regulating needle guard	130.08.246	KP	w/o NBL	0167 001784	
	130.08.638	KK	0167 150084	Full gib	130.08.246	KP	w/o NBL	0167 001784	
	130.22.000	KL	0268 151814	Drop-in version					
	130.22.000R	KL	0268 150734	Drop-in version, regulating needle guard					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
268 Mod.for Heavy Thread	130.08.690R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL	0167 001784	
	130.22.052R	KL	0268 151814 R, drop-in, thick thread	Drop-in version, for thread bigger than 1mm diameter					
268FA	130.08.658	KK	0268 150174	Short gib	130.08.659	KP	NBL	0268 150444	
	130.08.658R	KK	0268 150744	Short gib, regulating needle guard	130.08.659	KP	NBL	0268 150444	
	130.08.661	KK	0268 150184	Full gib	130.08.659	KP	NBL	0268 150444	
	130.22.010	KL	0268 151834	Drop-in version					
	130.22.010R	KL	0268 150724	Drop-in version, regulating needle guard					
268-FAP-273-1	130.22.010	KL	0268 151834	Drop-in version					
	130.22.010R	KL	0268 150724	Drop-in version, regulating needle guard					
268-FAP-73-1	130.22.010	KL	0268 151834	Drop-in version					
	130.22.010R	KL	0268 150724	Drop-in version, regulating needle guard					
269	130.08.662	KK	0269 151814		130.08.246	KP	w/o NBL	0167 001784	
	130.08.662R	KK	0269 150054	Regulating needle guard	130.08.246	KP	w/o NBL	0167 001784	
	130.22.044R	KL	0169 001814 R, drop-in	Drop-in version, regulating needle guard					
269 Mod.for Heavy Thread	130.08.801R	KK		Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL	0167 001784	
269 Mod.for Trimming	130.08.821R	KK	0169 001814 for trimming mach.	Regulating needle guard, under trimming mach.	130.08.659	KP	NBL	0268 150444	
271	130.05.311	KH	0271 000751 w/o B/C	Old type, under trimming mach.	130.06.229	KP	MF	0271 000771	
	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
	130.05.494DC20	KH	0271 150034 w/o B/C	DC20 coated, under trimming mach.	130.06.376	KP	MF	0271 150144	
	130.09.050	KH	0271 001021 w/o B/C	Large capacity	130.10.023	KP	MF	0271 001034	
271-140331	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
					130.06.378	KP	NBL	0281 150084	
271-140332	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
					130.06.378	KP	NBL	0281 150084	
271-140341	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
					130.06.378	KP	NBL	0281 150084	
271-140342	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
					130.06.378	KP	NBL	0281 150084	
271-140432	130.05.494DC20	KH	0271 150034 w/o B/C	DC20 coated, under trimming mach.	130.06.376	KP	MF	0271 150144	
271-140442	130.05.494DC20	KH	0271 150034 w/o B/C	DC20 coated, under trimming mach.	130.06.376	KP	MF	0271 150144	
272	130.05.320	KH	0272 001121 w/o B/C		130.06.229	KP	MF	0271 000771	
272-140331	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
					130.06.378	KP	NBL	0281 150084	
272-140332	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
					130.06.378	KP	NBL	0281 150084	
272-140341	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
					130.06.378	KP	NBL	0281 150084	
272-140342	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
					130.06.378	KP	NBL	0281 150084	
272-640642	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
					130.06.378	KP	NBL	0281 150084	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
272-74642	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
					130.06.378	KP	NBL	0281 150084	
272-160362	130.04.035	KH	0271 002091 w/o B/C	w/ high bobbin case	130.06.264	KP	MF	0271 002105	
273-140342	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
					130.06.378	KP	NBL	0281 150084	
273-140432	130.05.494DC20	KH	0271 150034 w/o B/C	DC20 coated, under trimming mach.	130.06.298	KP	NBL	0271 150054	
					130.06.376	KP	MF	0271 150144	
274-140342	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
					130.06.378	KP	NBL	0281 150084	
275	130.04.035	KH	0271 002091 w/o B/C	w/ high bobbin case	130.06.264	KP	MF	0271 002105	
	130.05.494	KH	0271 150124 w/o B/C	Under trimming mach.	130.06.376	KP	MF	0271 150144	
	130.05.494DC20	KH	0271 150034 w/o B/C	DC20 coated, under trimming mach.	130.06.376	KP	MF	0271 150144	
281	130.05.534	KH	0281 150103	FA	130.06.378	KP	NBL	0281 150084	
289	130.01.039	KH	0199 152814 w/o B/C		130.06.348	KP	w/o NBL	0089 001784	
291-161060	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-161061	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-161062	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-162060	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-162061	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-162062	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-163060	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-163061	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-163062	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-164060	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-164061	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-164062	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-185081	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
291-185082	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-161060	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-161061	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-161062	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-162060	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-162061	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-162062	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-163060	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-163061	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-163062	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-164060	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-164061	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-164062	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-185081	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
292-185082	130.13.020	KK	0244 001021		130.13.060	KP	NBL	0244 001035	
B291-185081	130.13.020	KK	0291 020931 (interchangeable)		130.13.060	KP	NBL	0244 001035	
B291-185082	130.13.020	KK	0291 020931 (interchangeable)		130.13.060	KP	NBL	0244 001035	
B292-185081	130.13.020	KK	0291 020931 (interchangeable)		130.13.060	KP	NBL	0244 001035	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)

Tel.: +39/0382/423413

Fax.: +39/0382/423319

 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)

 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186

C.F. e P.IVA (VAT Nr.) 02175920186

IMPORT - EXPORT PV019626

CAP.SOC € 1.010.000 INT.VERS.

**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
B292-185082	130.13.020	KK	0291 020931 (interchangeable)		130.13.060	KP	NBL	0244 001035	
294	130.13.024	KK	0294 001601		130.13.047	KP	NBL	0294 001605	
295	130.13.055	KK	0295 001401		130.13.060	KP	NBL	0295 001426	
296	130.05.061	KH	0396 152814 w/o B/C		130.06.084	KP	w/o NBL	0396 150784	
					130.06.164	KP	MF	0396 150824	
	130.13.055	KK	0295 001401		130.13.060	KP	NBL	0295 001426	
327-170115	130.09.158	KH	0367 156014 w/o B/C	Light thread, for needles from 120 to 150	130.10.059	KP	NBL	0367 155044- 0367 156044-	130.00.329
	130.09.158DC10	KH	0367 156014 DC10 w/o B/C	DC10 coated	130.10.059	KP	NBL	0367 155044- 0367 156044-	
327-180115	130.09.196	KH	0367 155214 w/o B/C	Thick thread, for needles from 130 to 180	130.10.067	KP	NBL	0367 155244	130.00.343
367	130.09.158	KH	0367 156014 w/o B/C	Light thread, for needles from 120 to 150	130.10.059	KP	NBL	0367 155044- 0367 156044-	130.00.329
	130.09.158DC10	KH	0367 156014 DC10 w/o B/C	DC10 coated	130.10.059	KP	NBL	0367 155044- 0367 156044-	
	130.09.196	KH	0367 155214 w/o B/C	Thick thread, for needles from 130 to 180	130.10.067	KP	NBL	0367 155244	130.00.343
367-170 010	130.09.158	KH	0367 156014 w/o B/C	Light thread, for needles from 120 to 150	130.10.059	KP	NBL	0367 155044- 0367 156044-	130.00.329
	130.09.158DC10	KH	0367 156014 DC10 w/o B/C	DC10 coated	130.10.059	KP	NBL	0367 155044- 0367 156044-	
367-170 115	130.09.158	KH	0367 156014 w/o B/C	Light thread, for needles from 120 to 150	130.10.059	KP	NBL	0367 155044- 0367 156044-	130.00.329
	130.09.158DC10	KH	0367 156014 DC10 w/o B/C	DC10 coated	130.10.059	KP	NBL	0367 155044- 0367 156044-	
367-170 315	130.09.158	KH	0367 156014 w/o B/C	Light thread, for needles from 120 to 150	130.10.059	KP	NBL	0367 155044- 0367 156044-	130.00.329
	130.09.158DC10	KH	0367 156014 DC10 w/o B/C	DC10 coated	130.10.059	KP	NBL	0367 155044- 0367 156044-	
367-180 010	130.09.196	KH	0367 155214 w/o B/C	Thick thread, for needles from 130 to 180	130.10.067	KP	NBL	0367 155244	130.00.343
367-180 112	130.09.196	KH	0367 155214 w/o B/C	Thick thread, for needles from 130 to 180	130.10.067	KP	NBL	0367 155244	130.00.343
367-180 115	130.09.196	KH	0367 155214 w/o B/C	Thick thread, for needles from 130 to 180	130.10.067	KP	NBL	0367 155244	130.00.343
367-180 315	130.09.196	KH	0367 155214 w/o B/C	Thick thread, for needles from 130 to 180	130.10.067	KP	NBL	0367 155244	130.00.343
372	130.13.142	KK	0380 000492		130.13.143	KP	w/o NBL	0380 000508	
372-105	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
372-106	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
372-115	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
372-116	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
372-505	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
372-13303	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	
372-15303	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	
372-15505	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
372-113305	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	
372-line 13000	130.13.134	KK	0238 006781		130.13.140	KP	NBL	0238 006799	
	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
376	130.13.142	KK	0380 000492		130.13.143	KP	w/o NBL	0380 000508	
376-line 13000	130.13.134	KK	0238 006781		130.13.140	KP	NBL	0238 006799	
	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
376-line 15000	130.13.134	KK	0238 006781		130.13.140	KP	NBL	0238 006799	
	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
380	130.13.142	KK	0380 000492		130.13.143	KP	w/o NBL	0380 000508	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.



**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
380-135	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
380-185	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
380-535	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
380-585	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
380-13305	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	
380-13335	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	
380-15305	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	
380-15535	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
380-115535	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
380-line 13000	130.13.134	KK	0238 006781		130.13.140	KP	NBL	0238 006799	
	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
380-line 15305	130.13.146	KK	0380 000493		130.13.143	KP	w/o NBL	0380 000508	
381	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	
381-160161	130.13.173DC20	KK	0381 150204 DC20	DC20 coated, under trimming mach.	130.13.180	KP	w/o NBL	0381 150254	
381-160162	130.13.173DC20	KK	0381 150204 DC20	DC20 coated, under trimming mach.	130.13.180	KP	w/o NBL	0381 150254	
382	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	
382-160162	130.13.173DC20	KK	0381 150204 DC20	DC20 coated, under trimming mach.	130.13.180	KP	w/o NBL	0381 150254	
396	130.05.061	KH	0396 152814 w/o B/C		130.06.084	KP	w/o NBL	0396 150784	
					130.06.164	KP	MF	0396 150824	
	130.05.205	KH	0396 150814 w/o B/C	Thick thread	130.06.084	KP	w/o NBL	0396 150784	
					130.06.164	KP	MF	0396 150824	
	130.05.369	KH	0396 150914 w/o B/C	Thick thread	130.06.084	KP	w/o NBL	0396 150784	
					130.06.164	KP	MF	0396 150824	
467	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	DC10 coated, under trimming mach.					
	130.13.255	KL	0467 150804- 0467 150854-	Under trimming mach.					
	130.13.258	KL	0467 150104	Under trimming mach.					
	130.13.261	KL	0467 150494	Under trimming mach.					
	130.13.265	KL	0467 150014						
	130.13.294	KK	0467 150094 w/ Cap	Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
	130.13.298	KK	0467 150014 w/ Cap	Cap system	130.08.246	KP	w/o NBL	0167 001784	
467-FA-2S	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-203S	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-204S	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-63	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-64	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-63S	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-64S	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-73-G2	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
467-FA-73-G2	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-74-G2	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-LFG-73	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-373-G2	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-374-G2	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-373-G2-1	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-373-G2-3	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-373-G2-4	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-373-G2-6	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-374-G2-2	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-374-G2-3	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-VF-373	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-AE-73-E36	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-AEF-73-E36S0	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-273	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-FA-273-G2	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
467-LG-73-G2	130.13.265	KL	0467 150014						
467-LG-74-G2	130.13.265	KL	0467 150014						
467-373-G2	130.13.265	KL	0467 150014						
467-AE-73	130.13.265	KL	0467 150014						
467-AE-E211	130.13.265	KL	0467 150014						
467-273-G2	130.13.265	KL	0467 150014						
467 Mod.for Heavy Thread	130.13.306	KK		Under trimming mach., cap system, thick thread, w/ thread guard	130.08.824	KP	w/o NBL		
489	130.01.039	KH	0199 152814 w/o B/C		130.06.348	KP	w/o NBL	0089 001784	
510	115.00.274	KH	0510 150070	Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
510-213 on request	115.10.015	KH	0510 150030		115.11.040	KP	NBL	0510 150040 PATENTED	
510-214	115.10.015	KH	0510 150030		115.11.040	KP	NBL	0510 150040 PATENTED	
511	115.00.274	KH	0510 150070	Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
511-213 on request	115.10.015	KH	0510 150030		115.11.040	KP	NBL	0510 150040 PATENTED	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.



**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
511-214	115.10.015	KH	0510 150030		115.11.040	KP	NBL	0510 150040 PATENTED	
523-101	130.05.412	KH	S522 000235_w/o B/C		130.06.135	KP	MF	S522 006036_MF	
					130.06.300	KP	NBL		
523-105	130.05.412	KH	S522 000235_w/o B/C		130.06.135	KP	MF	S522 006036_MF	
					130.06.300	KP	NBL		
530	115.00.274	KH	0510 150070	Hard chromium plated: thick thread	115.00.277	KP	w/o NBL		
541	130.13.161	KK	0549 001491		130.13.129	KP	w/o NBL	0249 000369	
541-15103	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	
541-15503	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	
542	130.13.161	KK	0549 001491		130.13.129	KP	w/o NBL	0249 000369	
547	130.13.161	KK	0549 001491		130.13.129	KP	w/o NBL	0249 000369	
548	130.13.161	KK	0549 001491		130.13.129	KP	w/o NBL	0249 000369	
550-16-2	130.05.205	KH	0396 150814 w/o B/C	Thick thread	130.06.164	KP	MF	0396 150824	
550-16-3	130.05.205	KH	0396 150814 w/o B/C	Thick thread	130.06.164	KP	MF	0396 150824	
550-16-5	130.05.205	KH	0396 150814 w/o B/C	Thick thread	130.06.164	KP	MF	0396 150824	
550-16-6	130.05.205	KH	0396 150814 w/o B/C	Thick thread	130.06.164	KP	MF	0396 150824	
550-16-23	130.05.494DC20	KH	0271 150034 w/o B/C	DC20 coated, under trimming mach.	130.06.376	KP	MF	0271 150144	
550-16-26	130.05.494DC20	KH	0271 150034 w/o B/C	DC20 coated, under trimming mach.	130.06.376	KP	MF	0271 150144	
550-867 M-Type	130.13.593	KL	0867 150514	Under trimming mach.					
570	115.00.209	KH	0570 001241A w/o B/C		115.00.218	KP	MF	0570 001243/A	
667-180030	130.09.800	KH	0667 152014	4 Times Large hook	130.10.800	KP	NBL	0667 152044	
					130.10.815	KP	NBL	0667 152044 w/ thread passage hole	
	130.09.800DC10	KH	0667 152014 DC10	4 Times Large hook	130.10.800	KP	NBL	0667 152044	
					130.10.815	KP	NBL	0667 152044 w/ thread passage hole	
	130.09.811L3	KH	0667 152014 Coreless	4 Times Large hook	130.10.820	KP	NBL	0667 152044 Coreless	
667-180132	130.09.800	KH	0667 152014	4 Times Large hook	130.10.800	KP	NBL	0667 152044	
					130.10.815	KP	NBL	0667 152044 w/ thread passage hole	
	130.09.800DC10	KH	0667 152014 DC10	4 Times Large hook	130.10.800	KP	NBL	0667 152044	
					130.10.815	KP	NBL	0667 152044 w/ thread passage hole	
	130.09.811L3	KH	0667 152014 Coreless	4 Times Large hook	130.10.820	KP	NBL	0667 152044 Coreless	
667-180332	130.09.800	KH	0667 152014	4 Times Large hook	130.10.800	KP	NBL	0667 152044	
					130.10.815	KP	NBL	0667 152044 w/ thread passage hole	
667-180232	130.09.800DC10	KH	0667 152014 DC10	4 Times Large hook	130.10.800	KP	NBL	0667 152044	
					130.10.815	KP	NBL	0667 152044 w/ thread passage hole	
	130.09.811L3	KH	0667 152014 Coreless	4 Times Large hook	130.10.820	KP	NBL	0667 152044 Coreless	
669	130.09.158	KH	0367 156034 w/o B/C		130.10.059	KP	NBL	0367 155044- 0367 156044-	130.00.329
	130.09.158DC10	KH	0367 156014 DC10 w/o B/C	DC10 coated	130.10.059	KP	NBL	0367 155044- 0367 156044-	
697	130.13.161	KK	0549 001491		130.13.129	KP	w/o NBL	0249 000369	
697-6155	130.13.157	KK	0380 008104		130.13.140	KP	NBL	0238 006799	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
697-15155	130.13.165	KK	0697 004331	Full gib	130.13.168	KP	w/o NBL	0697 004343	
	130.13.185	KK	0697 004331 short gib	Short gib	130.13.168	KP	w/o NBL	0697 004343	
697-24155	130.13.165	KK	0697 004331	Full gib	130.13.168	KP	w/o NBL	0697 004343	
	130.13.185	KK	0697 004331 short gib	Short gib	130.13.168	KP	w/o NBL	0697 004343	
739	130.04.035	KH	0271 002091 w/o B/C	w/ high bobbin case	130.06.264	KP	MF	0271 002105	
743-221	130.04.055	KH	0935 105211 w/o B/C	w/ high bobbin case	130.06.356	KP	MF	0935 105225	
743-331	130.04.055	KH	0935 105211 w/o B/C	w/ high bobbin case	130.06.356	KP	MF	0935 105225	
743-420	130.04.055	KH	0935 105211 w/o B/C	w/ high bobbin case	130.06.356	KP	MF	0935 105225	
743-422	130.04.055	KH	0935 105211 w/o B/C	w/ high bobbin case	130.06.356	KP	MF	0935 105225	
743-431	130.04.055	KH	0935 105211 w/o B/C	w/ high bobbin case	130.06.356	KP	MF	0935 105225	
743-461-22	130.04.055	KH	0935 105211 w/o B/C	w/ high bobbin case	130.06.356	KP	MF	0935 105225	
745	130.13.065	KK	0935 745210		130.13.069	KP	NBL	0935 100791	
745-22	130.13.065	KK	0935 745210		130.13.069	KP	NBL	0935 100791	
745-23	130.13.065	KK	0935 745210		130.13.069	KP	NBL	0935 100791	
745-24	130.13.065	KK	0935 745210		130.13.069	KP	NBL	0935 100791	
745-32	130.13.065	KK	0935 745210		130.13.069	KP	NBL	0935 100791	
767	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	DC10 coated, under trimming mach.					
	130.13.255	KL	0467 150804- 0467 150854-	Under trimming mach.					
	130.13.261	KL	0467 150494	Under trimming mach.					
	130.13.265	KL	0467 150014						
	130.13.294	KK	0467 150094 w/ Cap	Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
	130.13.298	KK	0467 150014 w/ Cap	Cap system	130.08.246	KP	w/o NBL	0167 001784	
	130.13.500	KL	0767 150324	Under trimming mach.					
767-FA-373-....	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
	130.13.258	KL	0467 150104	Under trimming mach.					
767-FAS-373-....	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
	130.13.258	KL	0467 150104	Under trimming mach.					
767-FA-273	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
	130.13.258	KL	0467 150104	Under trimming mach.					
	130.13.270	KL	0767 150194	Bobbin thread control					
	130.13.270DC10	KL	0767 150194 DC10	DC10 coated					
767-VF-373	130.13.251	KL	0467 150094	Under trimming mach.					
	130.13.251DC10	KL	0467 150094 DC10	Under trimming mach.					
	130.13.258	KL	0467 150104	Under trimming mach.					
	130.13.270	KL	0767 150194	Bobbin thread control					
	130.13.270DC10	KL	0767 150194 DC10	DC10 coated					
767-LG-73	130.13.250	KL	0467 150054						
	130.13.265	KL	0467 150014						
767-AE-73	130.13.250	KL	0467 150054						
	130.13.265	KL	0467 150014						
767-373	130.13.250	KL	0467 150054						
	130.13.265	KL	0467 150014						
767-273	130.13.250	KL	0467 150054						
	130.13.265	KL	0467 150014						

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)

Tel.: +39/0382/423413

Fax.: +39/0382/423319

 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)

 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186

C.F. e P.IVA (VAT Nr.) 02175920186

IMPORT - EXPORT PV019626

CAP.SOC € 1.010.000 INT.VERS.

**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
767 Mod.for Heavy Thread	130.13.306	KK		Under trimming mach., cap system, thick thread, w/ thread guard	130.08.824	KP	w/o NBL		
767-AE-573	130.13.500	KL	0767 150324	Under trimming mach.					
767-FA-373-RAP-HP	130.13.270	KL	0767 150194	Bobbin thread control					
	130.13.270DC10	KL	0767 150194 DC10	DC10 coated					
767-FAS-373-RAP-HP	130.13.270	KL	0767 150194	Bobbin thread control					
	130.13.270DC10	KL	0767 150194 DC10	DC10 coated					
767-FAS-473	130.13.500	KL	0767 150324	Under trimming mach.					
767-FAS-573	130.13.500	KL	0767 150324	Under trimming mach.					
767-KFA-373	130.13.278	KL	0767 150504	Bobbin thread control, under trimming mach.					
767-KFA-373-RAP-HP	130.13.278	KL	0767 150504	Bobbin thread control, under trimming mach.					
767-KFA-373-RAP-HP -RFW 13-8	130.13.278	KL	0767 150504	Bobbin thread control, under trimming mach.					
767-KFA-573	130.13.597	KL	0767 150574	Under trimming mach.					
767-RFW 13-6	130.13.597	KL	0767 150574	Under trimming mach.					
767-RFW 13-8	130.13.278	KL	0767 150504	Bobbin thread control, under trimming mach.					
767-VF-573	130.13.500	KL	0767 150324	Under trimming mach.					
768	130.22.000DC10	KL	0768 151814	DC10 coated					
	130.22.016DC10	KL	0768 151834	DC10 coated					
805	130.13.255	KL	0467 150854	Under trimming mach.					
806	130.13.255	KL	0467 150854	Under trimming mach.					
806-121	130.05.494DC20	KH	0271 150034 w/o B/C	DC20 coated, under trimming mach.	130.06.376	KP	MF	0271 150144	
867 Mod.for Heavy Thread	130.13.582	KL	0667 155634 thick thread	Under trimming mach., thick thread, w/ thread guard, bobbin thread control					
867-160146-M	130.13.601	KL	0867 150754	Under trimming mach.					
	130.13.638	KL	0867 150754 Full Gib	Full gib					
867-160446-M	130.13.601	KL	0867 150754	Under trimming mach.					
	130.13.638	KL	0867 150754 Full Gib	Full gib					
867-190020	130.13.350	KL	0667 155604	Under trimming mach.					
	130.13.350DC10	KL	0868 150434	DC10 coated, under trimming mach.					
	130.13.398	KK	0667 155604 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
	130.13.398DC10	KK	0868 150434 w/ Cap, DC10-	w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
	130.13.398DC10	KK	0868 150434 w/ Cap, DC10-	w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
867-190020 Mod.for Heavy Thread	130.13.370	KL	0667 155604 thick thread	Bobbin thread control, regulating needle guard, under trimming mach.					
867-190040	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
867-190040-70	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)

Tel.: +39/0382/423413

Fax.: +39/0382/423319

 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)

 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186

C.F. e P.IVA (VAT Nr.) 02175920186

IMPORT - EXPORT PV019626

CAP.SOC € 1.010.000 INT.VERS.

**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
867-190122	130.13.350	KL	0667 155604	Under trimming mach.					
	130.13.350DC10	KL	0868 150434	DC10 coated, under trimming mach.					
	130.13.398	KK	0667 155604 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
	130.13.398DC10	KK	0868 150434 w/ Cap, DC10	w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
867-190125	130.13.383	KL	0867 150214	Under trimming mach.					
867-190142	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
867-190145	130.13.576	KL	0667 156044	Under trimming mach.					
	130.13.636	KL	0667 156044 Full Gib	Full gib					
867-190145-M	130.13.601	KL	0867 150754	Under trimming mach.					
	130.13.638	KL	0867 150754 Full Gib	Full gib					
867-190445-M	130.13.601	KL	0867 150754	Under trimming mach.					
	130.13.638	KL	0867 150754 Full Gib	Full gib					
867-190322	130.13.350	KL	0667 155604	Under trimming mach.					
	130.13.350DC10	KL	0868 150434	DC10 coated, under trimming mach.					
	130.13.398	KK	0667 155604 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
	130.13.398DC10	KK	0868 150434 w/ Cap, DC10	w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
867-190322 Mod.for Heavy Thread	130.13.370	KL	0667 155604 thick thread	Bobbin thread control, regulating needle guard, under trimming mach.					
867-190342	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
867-190342-70	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
867-190425	130.13.383	KL	0867 150214	Under trimming mach.					
867-190445	130.13.576	KL	0667 156044	Under trimming mach.					
	130.13.636	KL	0667 156044 Full Gib	Full gib					
867-290020	130.13.350	KL	0667 155604	Under trimming mach.					
	130.13.350DC10	KL	0868 150434	DC10 coated, under trimming mach.					
	130.13.398	KK	0667 155604 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
	130.13.398DC10	KK	0868 150434 w/ Cap, DC10	w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
867-290020 Mod.for Heavy Thread	130.13.370	KL	0667 155604 thick thread	Bobbin thread control, regulating needle guard, under trimming mach.					
867-290040	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
867-290040-70	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
867-290122	130.13.350	KL	0667 155604	Under trimming mach.					
	130.13.398	KK	0667 155604 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
867-290142	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
867-290322	130.13.350	KL	0667 155604	Under trimming mach.					
	130.13.350DC10	KL	0868 150434	DC10 coated, under trimming mach.					
	130.13.398	KK	0667 155604 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
	130.13.398DC10	KK	0868 150434 w/ Cap, DC10	w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
867-290322 Mod.for Heavy Thread	130.13.370	KL	0667 155604 thick thread	Bobbin thread control, regulating needle guard, under trimming mach.					
867-290342	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
867-290342-70	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
867-290445	130.13.576	KL	0667 156044	Under trimming mach.					
	130.13.636	KL	0667 156044 Full Gib	Full gib					
867-290445-M	130.13.601	KL	0867 150754	Under trimming mach.					
	130.13.638	KL	0867 150754 Full Gib	Full gib					
867-392342	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
867-393342	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
867-394342	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
867-490322	130.13.350	KL	0667 155604	Under trimming mach.					
868-490322	130.13.350DC10	KL	0868 150434	DC10 coated, under trimming mach.					
	130.13.398	KK	0667 155604 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
	130.13.398DC10	KK	0868 150434 w/ Cap, DC10	w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
868-190020	130.13.350DC10	KL	0868 150434	DC10 coated, under trimming mach.					
868-190322	130.13.350DC10	KL	0868 150434	DC10 coated, under trimming mach.					
	130.13.398DC10	KK	0868 150434 w/ Cap, DC10	w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
868-190341	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
868-290020	130.13.350DC10	KL	0868 150434	DC10 coated, under trimming mach.					
	130.13.398DC10	KK	0868 150434 w/ Cap, DC10	w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
868-290321	130.13.350DC10	KL	0868 150434	DC10 coated, under trimming mach.					
	130.13.398DC10	KK	0868 150434 w/ Cap, DC10	w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
868-290341	130.13.610DC10	KL	0868 150484	DC10 coated, under trimming mach.					
	130.13.639DC10	KL	0868 150484 Full Gib	Full gib					
868-290322	130.13.350DC10	KL	0868 150434	DC10 coated, under trimming mach.					
	130.13.398DC10	KK	0868 150434 w/ Cap, DC10	w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
868-390322	130.13.350DC10	KL	0868 150434	DC10 coated, under trimming mach.					
	130.13.398DC10	KK	0868 150434 w/ Cap, DC10	w/ Cap, DC10 coated, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
869-180020	130.13.375	KL	0869 150214 w/o Opener	Hook w/o opener, for machine w/o thread trimmer					
869-180122	130.13.375	KL	0869 150214 w/o Opener	Hook w/o opener, for machine w/ thread trimmer					
869-180132	130.13.375	KL	0869 150214 w/o Opener	Hook w/o opener, for machine w/ thread trimmer					
869-180322	130.13.375	KL	0869 150214 w/o Opener	Hook w/o opener					
869-280020	130.13.375	KL	0869 150214 w/o Opener	Hook w/o opener, for machine w/o thread trimmer					
869-280122	130.13.375	KL	0869 150214 w/o Opener	Hook w/o opener, for machine w/ thread trimmer					
869-280132	130.13.375	KL	0869 150214 w/o Opener	Hook w/o opener, for machine w/ thread trimmer					
869-280322	130.13.375	KL	0869 150214 w/o Opener	Hook w/o opener					
887-160020	130.13.350	KL	0667 155604	Under trimming mach.					
	130.13.398	KK	0667 155604 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
887-160020 Mod.for Heavy Thread	130.13.370	KL	0667 155604 thick thread	Bobbin thread control, regulating needle guard, under trimming mach.					
887-160040	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
887-160122	130.13.350	KL	0667 155604	Under trimming mach.					
	130.13.398	KK	0667 155604 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
887-160122 Mod.for Heavy Thread	130.13.370	KL	0667 155604 thick thread	Bobbin thread control, regulating needle guard, under trimming mach.					
887-160142	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					
887-160542	130.13.610	KL	0667 155634	Under trimming mach.					
	130.13.639	KL	0667 155634 Full Gib	Full gib					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.



**DÜRKOPP-ADLER (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
888	130.13.350	KL	0667 155604	Under trimming mach.					
	130.13.398	KK	0667 155604 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL	0167 001784	
888-160020	130.13.350	KL	0667 155604	Under trimming mach.					
888-160023	130.13.350	KL	0667 155604	Under trimming mach.					
888-160122	130.13.350	KL	0667 155604	Under trimming mach.					
888-160522	130.13.350	KL	0667 155604	Under trimming mach.					
888-167122	130.13.350	KL	0667 155604	Under trimming mach.					
888-260020	130.13.350	KL	0667 155604	Under trimming mach.					
888-260023	130.13.350	KL	0667 155604	Under trimming mach.					
888-260122	130.13.350	KL	0667 155604	Under trimming mach.					
888-260522	130.13.350	KL	0667 155604	Under trimming mach.					
888-356020	130.13.350	KL	0667 155604	Under trimming mach.					
888-356122	130.13.350	KL	0667 155604	Under trimming mach.					
888-360122	130.13.350	KL	0667 155604	Under trimming mach.					
888-460522	130.13.350	KL	0667 155604	Under trimming mach.					
888 Mod.for Heavy Thread	130.13.370	KL	0667 155604 thick thread	Bobbin thread control, regulating needle guard, under trimming mach.					
910	115.10.015	KH	0510 150030						
1120-5	130.13.313	KL	M819 w/o Opener						
1120-511	130.13.313	KL	M819 w/o Opener						
1120-521	130.13.313	KL	M819 w/o Opener						
1120-547	130.13.313	KL	M819 w/o Opener						
1120-557	130.13.313	KL	M819 w/o Opener						
1120-5xx-100	130.13.313	KL	M819 w/o Opener						
1120-5xx-200	130.13.313	KL	M819 w/o Opener						
1120-5xx-300	130.13.313	KL	M819 w/o Opener						
1120-5xx-400	130.13.313	KL	M819 w/o Opener						
1130i-5	130.13.313	KL	M820 w/o Opener						
1130i-511	130.13.313	KL	M820 w/o Opener						
1130i-547	130.13.313	KL	M820 w/o Opener						
1130i-5xx-100	130.13.313	KL	M820 w/o Opener						
1130i-5xx-200	130.13.313	KL	M820 w/o Opener						
1130i-5xx-300	130.13.313	KL	M820 w/o Opener						
1130i-5xx-400	130.13.313	KL	M820 w/o Opener						
1180i-5	130.13.313	KL	M820 w/o Opener						
1180i-511	130.13.313	KL	M820 w/o Opener						
1180i-547	130.13.313	KL	M820 w/o Opener						
1180i-5xx-100	130.13.313	KL	M820 w/o Opener						
1180i-5xx-200	130.13.313	KL	M820 w/o Opener						
1180i-5xx-300	130.13.313	KL	M820 w/o Opener						
1180i-5xx-400	130.13.313	KL	M820 w/o Opener						
1183i-7	130.13.313	KL	M820 w/o Opener						
1183i-711	130.13.313	KL	M820 w/o Opener						
1183i-747	130.13.313	KL	M820 w/o Opener						
1183i-7xx-200	130.13.313	KL	M820 w/o Opener						
1183i-7xx-300	130.13.313	KL	M820 w/o Opener						
1230i-6	130.13.313	KL	M820 w/o Opener						
1230i-611	130.13.313	KL	M820 w/o Opener	Only for right needle					
1230i-647	130.13.313	KL	M820 w/o Opener	Only for right needle					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)

Tel.: +39/0382/423413

Fax.: +39/0382/423319

 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)

 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186

C.F. e P.IVA (VAT Nr.) 02175920186

IMPORT - EXPORT PV019626

CAP.SOC € 1.010.000 INT.VERS.

<b>DÜRKOPP-ADLER (Continued)</b>									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
1280i-6	130.13.313	KL	M820 w/o Opener						
1280i-611	130.13.313	KL	M820 w/o Opener						
1280i-647	130.13.313	KL	M820 w/o Opener						
1280i-6xx-100	130.13.313	KL	M820 w/o Opener						
1280i-6xx-200	130.13.313	KL	M820 w/o Opener						
1280i-6xx-300	130.13.313	KL	M820 w/o Opener						
1280i-6xx-400	130.13.313	KL	M820 w/o Opener						
1767-180142	130.13.610	KL	0667 155634	Under trimming mach.					
1767-280142	130.13.610	KL	0667 155634	Under trimming mach.					
1767-180342	130.13.610	KL	0667 155634	Under trimming mach.					
1767-280342	130.13.610	KL	0667 155634	Under trimming mach.					
1767-180145	130.13.601	KL	0867 150754	Under trimming mach.					
1767-180345	130.13.601	KL	0867 150754	Under trimming mach.					
4180i-5	130.13.313	KL	M820 w/o Opener						
4180i-511	130.13.313	KL	M820 w/o Opener						
4180i-547	130.13.313	KL	M820 w/o Opener						
4180i-5xx-100	130.13.313	KL	M820 w/o Opener						
4180i-5xx-200	130.13.313	KL	M820 w/o Opener						
4180i-5xx-300	130.13.313	KL	M820 w/o Opener						
4180i-5xx-400	130.13.313	KL	M820 w/o Opener						
4220i-6	130.13.313	KL	M820 w/o Opener						
4220i-611	130.13.313	KL	M820 w/o Opener						
4220i-647	130.13.313	KL	M820 w/o Opener						
4220i-6xx-100	130.13.313	KL	M820 w/o Opener						
4220i-6xx-200	130.13.313	KL	M820 w/o Opener						
4220i-6xx-300	130.13.313	KL	M820 w/o Opener						
4220i-6xx-400	130.13.313	KL	M820 w/o Opener						
4280i-5	130.13.313	KL	M820 w/o Opener						
4280i-511	130.13.313	KL	M820 w/o Opener						
4280i-547	130.13.313	KL	M820 w/o Opener						
4280i-5xx-100	130.13.313	KL	M820 w/o Opener						
4280i-5xx-200	130.13.313	KL	M820 w/o Opener						
4280i-5xx-300	130.13.313	KL	M820 w/o Opener						
4280i-5xx-400	130.13.313	KL	M820 w/o Opener						
8967-160180	130.09.188	KH	0891 016041 w/o B/C		130.10.023	KP	MF	0271 001034	
8967-160182	130.09.188	KH	0891 016041 w/o B/C		130.10.023	KP	MF	0271 001034	
B295	130.13.055	KK	0295 001401		130.13.060	KP	NBL	0295 001426	
B296	130.13.055	KK	0295 001401		130.13.060	KP	NBL	0295 001426	
N291	130.13.020	KK	0491 012041		130.13.060	KP	NBL	0295 001426	
N292	130.13.020	KK	0491 012041		130.13.060	KP	NBL	0295 001426	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

### CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.