

Reference Table by Machine Manufacturer

JUKI									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
ACF-161-981	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
ADU-332	130.05.219	KH	D1830-555-DAC		130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
ADU-992	130.05.219	KH	D1830-555-DAC		130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
ADU-1852	130.05.219	KH	D1830-555-DAC		130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
ADU-1853	130.05.219	KH	D1830-555-DAC		130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
ADU-1854	130.05.219	KH	D1830-555-DAC		130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
AMS-205C	115.10.008	KH	B1818-205-000	Light thread					
AMS-206					115.11.046	KP	NBL		
AMS-206C	115.10.008	KH	B1818-205-000	Light thread					
AMS-206CGL	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-210	115.10.017	KH	400-14964		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.018	KH	400-14965		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
AMS-210A	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.286	KP	w/o NBL	B1828-980-OAB	
AMS-210B	115.10.008	KH	B1818-205-000	Light thread					
AMS-210C	115.10.008	KH	B1818-205-000	Light thread					
AMS-210CGL	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-210D	115.10.006	KH	B1818-210-DOA	Light thread	115.11.035	KP	NBL	B1828-210-DAA PATENTED	
					115.11.038	KP	NBL	B1828-210-DOA PATENTED	
	115.10.007	KH	B1818-210-DOB	Thick thread					
AMS-210E	115.10.017	KH	400-14964		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.018	KH	400-14965		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021	KH	400-61991		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021DC10	KH	401-62193		115.11.035	KP	NBL	B1828 210 DAA PATENTED	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
AMS-210EN series	115.10.017	KH	400-14964		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021	KH	400-61991		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021DC10	KH	401-62193		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
AMS-211C	115.10.008	KH	B1818-205-000	Light thread					
AMS-211CGS	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-211P	115.10.008	KH	B1818-205-000	Light thread					
AMS-212					115.11.046	KP	NBL		
AMS-212A	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.286	KP	w/o NBL	B1828-980-OAB	
AMS-212C	115.10.008	KH	B1818-205-000	Light thread					
AMS-212CGL	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-215C	115.10.008	KH	B1818-205-000	Light thread	115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-215D	115.10.006	KH	B1818-210-DOA	Light thread	115.11.035	KP	NBL	B1828 210 DAA PATENTED	
					115.11.038	KP	NBL	B1828 210 DOA PATENTED	
	115.10.007	KH	B1818-210-DOB	Thick thread	115.11.035	KP	NBL	B1828 210 DAA PATENTED	
					115.11.038	KP	NBL	B1828 210 DOA PATENTED	
AMS-215CGS	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-220	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
					115.11.046	KP	NBL	B1828-210-DAC PATENTED	
AMS-220B	115.10.008	KH	B1818-205-000	Light thread					
AMS-220CGL	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-220CHS	115.10.009	KH	B1818-205-00B	Thick thread					
AMS-220CGB	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-220CGS	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-220CSS	115.10.008	KH	B1818-205-000	Light thread					
AMS-221D	115.10.006	KH	B1818-210-DOA	Light thread	115.11.035	KP	NBL	B1828 210 DAA PATENTED	
					115.11.038	KP	NBL	B1828 210 DOA PATENTED	
	115.10.007	KH	B1818-210-DOB	Thick thread	115.11.035	KP	NBL	B1828 210 DAA PATENTED	
					115.11.038	KP	NBL	B1828 210 DOA PATENTED	
AMS-221/IP-410	115.10.021	KH	400-61991		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021DC10	KH	401-62193-		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
AMS-221E/IP-410	115.10.017	KH	400-14964		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.018	KH	400-14965		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021	KH	400-61991		115.11.035	KP	NBL	B1828 210 DAA PATENTED	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
AMS-221EN/IP-420	115.10.017	KH	400-14964		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.018	KH	400-14965		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021	KH	400-61991		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021DC10	KH	401-62193		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
AMS-221ENTS	115.10.018	KH	400-14965		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021	KH	400-61991		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021DC10	KH	401-62193		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
AMS-222B	115.10.008	KH	B1818-205-000	Light thread					
AMS-222BG	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-222CG	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-223C	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-223CS	115.10.008	KH	B1818-205-000	Light thread					
AMS-224					115.11.046	KP	NBL		
AMS-224C	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-224BG	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-224CG	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
AMS-224CS	115.10.008	KH	B1818-205-000	Light thread					
AMS-224E/IP-410	115.10.021	KH	400-61991		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021DC10	KH	401-62193		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
AMS-224E/IP-420	115.10.021	KH	400-61991		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021DC10	KH	401-62193		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
AMS-224EN/IP-420	115.10.021	KH	400-61991		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021DC10	KH	401-62193		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
AMS-224EN6060/IP-420	115.10.021	KH	400-61991		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.021DC10	KH	401-62193		115.11.035	KP	NBL	B1828 210 DAA PATENTED	
AMS-229					115.11.046	KP	NBL		
AMS-229BG	115.10.002	KH	B1818-210-000		115.11.042	KP	NBL	B1828-210-OAO PATENTED	
DDL-115	130.01.000	KH	B1830-009-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-127	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-201	130.09.226	KH	B1830-201-OAO	Full gib	130.10.000	KP	w/o NBL	B1837-211-SAO NO NBL	
					130.10.007	KP	MF	B1837-211-SAO MF	
					130.10.045	KP	NBL	B1837-211-SAO	
DDL-201H	130.09.226	KH	B1830-201-OAO	Full gib	130.10.000	KP	w/o NBL	B1837-211-SAO NO NBL	
					130.10.007	KP	MF	B1837-211-SAO MF	
					130.10.045	KP	NBL	B1837-211-SAO	
DDL-201S	130.09.176	KH	B1830-201-SAO	Short gib	130.10.000	KP	w/o NBL	B1837-201-OAO	
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DDL-227	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-227A	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-227F	130.05.250	KH	B1830-555-GAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-227H	130.05.436	KH	B1830-555-HAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-227L	130.05.436	KH	B1830-555-HAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-227M	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-227W	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-241	130.09.180	KH	B1830-241-HAO		130.10.052	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-432-2	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-500	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-500A	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-501	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-501A	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-505	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-505A-100	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-506	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-541	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-541N	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-541W	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-542	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-543	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-545	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-545W	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-552	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-552-1T	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-552-2	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-552-4	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-552A	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-552W	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-553	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-553-4	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-555	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759-	
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759-	
	130.05.527	KH	110-38650 w/ sharp point- D1830-555-BAO w/ sharp point-	w/ sharp hook point, under trimming mach.	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759-	
DDL-555-4	130.05.219	KH	D1830-555-DAC		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759-	
	130.05.376	KH	D1830-555-BAO	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759-	
DDL-555-5	130.05.219	KH	D1830-555-DAC		130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-	
DDL-555G	130.05.250	KH	B1830-555-GAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-	
DDL-555H	130.05.436	KH	B1830-555-HAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-	
DDL-555H-4-5	130.05.428	KH	D1830-415-BAH		130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-	
DDL-555U	130.05.350	KH	B1830-555-UAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-	
DDL-555W	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-	
DDL-555-2B-2,	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-	
DDL-555-2T	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-560	130.09.176	KH	B1830-141-HAO	Short gib	130.10.000	KP	w/o NBL	B1837-201-OAO	
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.281	KH	D1830-560-EAO		130.10.052	KP	NBL	B1837-241-HOO	
DDL-560-5	130.09.281	KH	D1830-560-EAO		130.10.052	KP	NBL	B1837-241-HOO	
DDL-888	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5410	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5430	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5490	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5530	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5530H	130.05.532	KH	110-92251	Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5530N	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5530NA	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5550	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.235TS	KH		TS coated	130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5550H	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5550H-6	130.05.532	KH	110-92251	Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-5550-I-00/NP1	130.05.527	KH	110-38650 w/ sharp point- D1830-555-BAO w/ sharp point-	w/ sharp hook point, under trimming mach.	130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5550N	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5550N-3	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC10	KH	111-41355 DC10	DC10 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC20	KH	111-41355 DC20	DC20 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5550N-7	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC10	KH	111-41355 DC10	DC10 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC20	KH	111-41355 DC20	DC20 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.527	KH	110-38650 w/ sharp point- D1830-555-BAO w/ sharp point-	w/ sharp hook point, under trimming mach.	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5550NA	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5550U-4	130.05.479	KH	B1830-555-BAG		130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5570	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5556N-WB	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-5570M	130.05.376	KH	110-38650- D1830-555-BAO-	Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5570N	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5571	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5571N	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5571NM	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5580	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5580H	130.05.428	KH	D1830-415-BAH		130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5580N	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5580NA	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5580NK	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5581N	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-5581NA	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-5581NK	130.05.376	KH	110-38650-D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DDL-5581NU	130.05.376	KH	110-38650-D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DDL-5600	130.09.009	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF	B1837-211-SAO MF	
					130.10.045	KP	NBL	B1837-211-SAO	
DDL-5600L	130.09.226	KH	B1830-201-OAO	Full gib	130.10.000	KP	w/o NBL	B1837-211-SAO NO NBL	
					130.10.007	KP	MF	B1837-211-SAO MF	
					130.10.045	KP	NBL	B1837-211-SAO	
DDL-5600N-7	130.09.281	KH	D1830-560-EAO		130.10.052	KP	NBL	B1837-241-HOO	
DDL-5600NJ	130.09.226	KH	B1830-201-OAO	Full gib	130.10.000	KP	w/o NBL	B1837-211-SAO NO NBL	
					130.10.007	KP	MF	B1837-211-SAO MF	
					130.10.045	KP	NBL	B1837-211-SAO	
DDL-5600NJ-7-0B	130.09.281	KH	D1830-560-EAO		130.10.052	KP	NBL	B1837-241-HOO	
DDL-5600NL	130.09.226	KH	B1830-201-OAO	Full gib	130.10.000	KP	w/o NBL	B1837-211-SAO NO NBL	
					130.10.007	KP	MF	B1837-211-SAO MF	
					130.10.045	KP	NBL	B1837-211-SAO	
DDL-5600NL-7-0B	130.09.281	KH	D1830-560-EAO		130.10.052	KP	NBL	B1837-241-HOO	
DDL-5600NR	130.09.226	KH	B1830-201-OAO	Full gib	130.10.000	KP	w/o NBL	B1837-211-SAO NO NBL	
					130.10.007	KP	MF	B1837-211-SAO MF	
					130.10.045	KP	NBL	B1837-211-SAO	
DDL-5600NU	130.09.226	KH	B1830-201-OAO	Full gib	130.10.000	KP	w/o NBL	B1837-211-SAO NO NBL	
					130.10.007	KP	MF	B1837-211-SAO MF	
					130.10.045	KP	NBL	B1837-211-SAO	
DDL-5600R	130.09.226	KH	B1830-201-OAO	Full gib	130.10.000	KP	w/o NBL	B1837-211-SAO NO NBL	
					130.10.007	KP	MF	B1837-211-SAO MF	
					130.10.045	KP	NBL	B1837-211-SAO	
DDL-8100e	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DDL-8300	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DDL-8500	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-8500-7	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-8700	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-8700-7	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-8700H7WB	130.05.532	KH	110-92251	Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-8700H7WB-A	130.05.477	KH	111-41355	Under Trimming Mach.	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC10	KH	111-41355 DC10	DC10 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-9000B	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-9000D	130.05.376DC20	KH		Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-9000S	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DDL-9000SH	130.05.532	KH	110-92251	Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DDL-900SS	130.05.376	KH	110-38650-D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
	130.05.477DC10	KH	111-41355 DC10	DC10 coated	130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
	130.05.477DC20	KH	111-41355 DC20	DC20 coated	130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DDW-9	130.01.000	KH	B1830-009-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DDW-9A	130.01.000	KH	B1830-009-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DDW-92	130.01.000	KH	B1830-009-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DDW-226	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DDW-226A	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DDW-226W	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLD-432	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLD-432-2	130.05.376	KH	110-38650-D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLD-432-3	130.05.376	KH	110-38650-D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)										
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set	
DLD-432-4	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL			
					130.06.125	KP	MF	D1837-555-BAA MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-		
DLD-432-5	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL			
					130.06.125	KP	MF	D1837-555-BAA MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-		
DLD-432A	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO		
					130.06.125	KP	MF	D1837-555-BAA MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-		
DLD-432B	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO		
					130.06.125	KP	MF	D1837-555-BAA MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-		
DLD-436-5	130.05.473	KH	D1830-555-DAB	Under Trimming Mach.	130.06.125	KP	MF	D1837-555-BAA MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-		
DLD-5430	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO		
					130.06.125	KP	MF	D1837-555-BAA MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-		
DLD-5430N	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO		
					130.06.125	KP	MF	D1837-555-BAA MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-		
DLD-5430N-7	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL			
					130.06.125	KP	MF	D1837 555 BAA MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-		
	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-		
					130.05.477DC10	KH	111-41355 DC10			
	130.05.477DC20	KH	111-41355 DC20	DC20 coated	130.06.125	KP	MF	D1837 555 BAA MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-		
	DLM-52	130.01.000	KH	B1830-009-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
						130.06.125	KP	MF	D1837-555-BAA MF	
						130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLM-522	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO		
					130.06.125	KP	MF	D1837-555-BAA MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-		
DLM-522A	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO		
					130.06.125	KP	MF	D1837-555-BAA MF		
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)													
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set				
DLM-523	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO					
					130.06.125	KP	MF	D1837-555-BAA MF					
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					
DLM-5200	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO					
					130.06.125	KP	MF	D1837-555-BAA MF					
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					
DLM-5200N	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO					
					130.06.125	KP	MF	D1837-555-BAA MF					
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					
DLM-5210N	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO					
					130.06.125	KP	MF	D1837-555-BAA MF					
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					
DLM-5400-6	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF					
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					
					130.05.477DC10	KH	111-41355 DC10		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					
					130.05.477DC20	KH	111-41355 DC20	DC20 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					
	130.05.527	KH	110-38650 w/ sharp point-D1830-555-BAO w/ sharp point-	w/ sharp hook point, under trimming mach.	130.06.125	KP	MF	D1837 555 BAA MF					
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					
					DLM-5400-7	130.05.376	KH	110-38650-D1830-555-BAO-		130.06.019	KP	w/o NBL	
					130.06.125	KP	MF	D1837-555-BAA MF					
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					
					DLM-5400N-7	130.05.376	KH	110-38650-D1830-555-BAO-		130.06.019	KP	w/o NBL	
					130.06.125	KP	MF	D1837 555 BAA MF					
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					
					130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					
					130.05.477DC10	KH	111-41355 DC10		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					
					130.05.477DC20	KH	111-41355 DC20	DC20 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DLM-5410N-7	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC10	KH	111-41355 DC10		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC20	KH	111-41355 DC20	DC20 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLM-5420N-7	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC10	KH	111-41355 DC10		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC20	KH	111-41355 DC20	DC20 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLM-5490N-7	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC10	KH	111-41355 DC10		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC20	KH	111-41355 DC20	DC20 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLN-412-2	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLN-415	130.05.015	KH	B1830-415-OAO		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLN-415-2-4	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLN 415-5	130.05.473	KH	D1830-555-DAB		130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLN-415H	130.05.428	KH	D1830-415-BAH		130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DLN-5410	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC10	KH	111-41355 DC10		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC20	KH	111-41355 DC20	DC20 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLN-5410-7	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLN-5410N	130.05.015	KH	B1830-415-OAO						
DLN-5410N-6	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLN-5410N-7	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLN-5410NJ-7	130.09.281	KH	D1830-560-EAO		130.10.052	KP	NBL	B1837-241-HOO	
DLN-9010	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLN-9010SH	130.05.532	KH	110-92251	Under Trimming Mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLN-9010SS	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC10	KH	111-41355 DC10		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477DC20	KH	111-41355 DC20	DC20 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLU-450	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DLU-450-2	130.05.376	KH	110-38650-D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLU-450-3	130.05.376	KH	110-38650-D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLU-450-4	130.05.376	KH	110-38650-D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLU-450A	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLU-450B	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLU-450C	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLU-450D	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLU-450E	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLU-450G	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLU-450J	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLU-490-BB	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DLU-591-5	130.05.376	KH	110-38650-D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DLU-5490	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLU-5490N	130.05.235	KH	B1830-127-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLU-5490N-6	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLU-5490N-7	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLU-5494-6	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLU-5494N-6	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DLU-5494N-7	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DMN-530	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DMN-531	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DMN-531-5	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DMN-5420-6	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DMN-5420-7	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DMN-5420N-6	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
DMN-5420N-7	130.05.376	KH	110-38650- D1830-555-BAO-		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
	130.05.477	KH	111-41355		130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
					130.05.477DC10	KH	111-41355 DC10	130.06.125	KP
	130.05.477DC20	KH	111-41355 DC20	DC20 coated	130.06.125	KP	MF	D1837 555 BAA MF	
					130.06.298	KP	NBL	110-38759- D1837-555-BAA-	
					DNU-241H	130.09.180	KH	B1830-241-HAO	
DNU-241HS	130.09.176	KH	B1830-201-SAO	Short gib	130.10.000	KP	w/o NBL	B1837-201-OAO- B1837-241-SOO-	
					130.10.007	KP	MF	B1837-211-SAO MF	
					130.10.045	KP	NBL		
DNU-261H	130.09.180	KH	B1830-241-HAO		130.10.052	KP	NBL	B1837-241-HOO	
DNU-1541	130.09.123	KH	B1830-241-SAO		130.10.052	KP	NBL	B1837 241 HOO	
	130.09.180	KH	B1830-241-HAO		130.10.052	KP	NBL	B1837 241 HOO	
DSC-244	130.05.496	KH	B1830-245-OAO		130.06.380	KP	NBL	B1837-245-OAO	
DSC-244-4	130.05.496	KH	B1830-245-OAO		130.06.380	KP	NBL	B1837-245-OAO	
DSC-244-6	130.05.496	KH	B1830-245-OAO		130.06.380	KP	NBL	B1837-245-OAO	
DSC-244V-6	130.05.496	KH	B1830-245-OAO		130.06.380	KP	NBL	B1837-245-OAO	
DSC-244V	130.05.496	KH	B1830-245-OAO		130.06.380	KP	NBL	B1837-245-OAO	
DSC-244V-4	130.05.496	KH	B1830-245-OAO		130.06.380	KP	NBL	B1837-245-OAO	
DSC-245	130.05.496	KH	B1830-245-OAO		130.06.380	KP	NBL	B1837-245-OAO	
DSC-245-4	130.05.496	KH	B1830-245-OAO		130.06.380	KP	NBL	B1837-245-OAO	
DSC-245-5	130.05.496	KH	B1830-245-OAO		130.06.380	KP	NBL	B1837-245-OAO	
DSC-245-6	130.05.496	KH	B1830-245-OAO		130.06.380	KP	NBL	B1837-245-OAO	
DSC-245V	130.05.496	KH	B1830-245-OAO		130.06.380	KP	NBL	B1837-245-OAO	
DSC-246	130.09.180	KH	B1830-241-HAO		130.10.052	KP	NBL	B1837-241-HOO	
DSC-246-4	130.09.180	KH	B1830-241-HAO		130.10.052	KP	NBL	B1837-241-HOO	
DSC-246-6	130.09.180	KH	B1830-241-HAO		130.10.052	KP	NBL	B1837-241-HOO	
DSC-246V	130.09.180	KH	B1830-241-HAO		130.10.052	KP	NBL	B1837-241-HOO	
DSC-246V-4	130.09.180	KH	B1830-241-HAO		130.10.052	KP	NBL	B1837-241-HOO	
DSC-246V-6	130.09.180	KH	B1830-241-HAO		130.10.052	KP	NBL	B1837-241-HOO	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DSC-246W	130.09.180	KH	B1830-241-HAO		130.10.052	KP	NBL	B1837-241-HOO	
DSU-144N	130.09.176	KH	B1830-201-SAO	Short gib	130.10.000	KP	w/o NBL	B1837-201-OAO	
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DSU-145	130.09.226	KH	B1830-201-OAO	Full gib	130.10.000	KP	w/o NBL	B1837-211-SAO NO NBL	
					130.10.007	KP	MF	B1837-211-SAO MF	
					130.10.045	KP	NBL	B1837-211-SAO	
	130.09.281	KH	D1830-560-EAO		130.10.052	KP	NBL	B1837-241-HOO	
DSU-145-4	130.09.281	KH	D1830-560-EAO		130.10.052	KP	NBL	B1837-241-HOO	
DSU-145-5	130.09.281	KH	D1830-560-EAO		130.10.052	KP	NBL	B1837-241-HOO	
DSU-145-7	130.09.281	KH	D1830-560-EAO		130.10.052	KP	NBL	B1837-241-HOO	
DU-140	130.05.271	KH	212-51053		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
DU-141NH	130.09.176	KH	B1830-141-HAO	Short gib	130.10.000	KP	w/o NBL	B1837-201-OAO	
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
DU-141H-7	130.09.207	KH	D1830-141-EAO	Short gib	130.10.045	KP	NBL	D1837 141 EAO (interchangeable)	
	130.09.207DC10	KH	D1830-141-EAO DC10	Short gib	130.10.045	KP	NBL	D1837 141 EAO (interchangeable)	
DU-580	130.09.176	KH	B1830-141-HAO	Short gib	130.10.000	KP	w/o NBL	B1837-201-OAO	
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
LBH-761	130.12.068	KH	B1808-761-OAO		130.14.010	KP	w/o NBL	B1810-761-OAO	130.12.067
					130.14.015	KP	NBL	B1810-761-OBA	130.12.066
LBH-762	130.12.068	KH	B1808-761-OAO		130.14.010	KP	w/o NBL	B1810-761-OAO	130.12.067
					130.14.015	KP	NBL	B1810-761-OBA	130.12.066
LBH-763	130.12.068	KH	B1808-761-OAO		130.14.010	KP	w/o NBL	B1810-761-OAO	130.12.067
					130.14.015	KP	NBL	B1810-761-OBA	130.12.066
LBH-771	130.12.186	KH	B1808-771-OAC		130.14.050	KP	w/o NBL	B1810-771-OAO	
					130.14.052	KP	NBL	B1810-771-OBA	
LBH-772	130.12.186	KH	B1808-771-OAC		130.14.050	KP	w/o NBL	B1810-771-OAO	
					130.14.052	KP	NBL	B1810-771-OBA	
LBH-773	130.12.186	KH	B1808-771-OAC		130.14.050	KP	w/o NBL	B1810-771-OAO	
					130.14.052	KP	NBL	B1810-771-OBA	
LBH-781	130.12.186	KH	B1808-771-OAC		130.14.050	KP	w/o NBL	B1810-771-OAO	
					130.14.052	KP	NBL	B1810-771-OBA	
LBH-782	130.12.186	KH	B1808-771-OAC		130.14.050	KP	w/o NBL	B1810-771-OAO	
					130.14.052	KP	NBL	B1810-771-OBA	
LBH-783	130.12.186	KH	B1808-771-OAC		130.14.050	KP	w/o NBL	B1810-771-OAO	
					130.14.052	KP	NBL	B1810-771-OBA	
LBH-784	130.12.186	KH	B1808-771-OAC		130.14.050	KP	w/o NBL	B1810-771-OAO	
					130.14.052	KP	NBL	B1810-771-OBA	
LBH-791	130.12.231	KH	137-29066		130.14.054	KP	NBL	137-29751	
					130.14.056	KP	NBL	137-29769	
LBH-791S	130.12.231	KH	137-29066		130.14.054	KP	NBL	137-29751	
					130.14.056	KP	NBL	137-29769	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LBH-792	130.12.231	KH	137-29066		130.14.054	KP	NBL	137-29751	
					130.14.056	KP	NBL	137-29769	
LBH-792S	130.12.231	KH	137-29066		130.14.054	KP	NBL	137-29751	
					130.14.056	KP	NBL	137-29769	
LBH-793	130.12.231	KH	137-29066		130.14.054	KP	NBL	137-29751	
					130.14.056	KP	NBL	137-29769	
LBH-793S	130.12.231	KH	137-29066		130.14.054	KP	NBL	137-29751	
					130.14.056	KP	NBL	137-29769	
LBH-794	130.12.231	KH	137-29066		130.14.054	KP	NBL	137-29751	
					130.14.056	KP	NBL	137-29769	
LBH-794S	130.12.231	KH	137-29066		130.14.054	KP	NBL	137-29751	
					130.14.056	KP	NBL	137-29769	
LBH-1700	130.12.231	KH	137-29066		130.14.054	KP	NBL	137-29751	
					130.14.056	KP	NBL	137-29769	
LBH-1790	130.12.231	KH	137-29066		130.14.054	KP	NBL	137-29751	
					130.14.056	KP	NBL	137-29769	
LBH-1790S	130.12.231	KH	137-29066		130.14.054	KP	NBL	137-29751	
					130.14.056	KP	NBL	137-29769	
LH-51	130.11.062	KL	B1830-051-OAO						
LH-51-10	130.11.062	KL	B1830-051-OAO						
LH-512	130.11.101	KL	B1830-512-OAO						
LH-512-3	130.11.101	KL	B1830-512-OAO						
LH-512H	130.11.105	KL	B1830-512-OAH						
LH-513	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
LH-515	130.11.101	KL	B1830-512-OAO						
LH-515H	130.11.105	KL	B1830-512-OAH						
LH-516	130.11.062	KL	B1830-051-OAO						
LH-517	130.11.062	KL	B1830-051-OAO						
LH-518	130.11.062	KL	B1830-051-OAO						
LH-527	130.19.020	KH	B1830-521-OAO w/o Cap		130.20.000	KP	w/o NBL	B1837-526-OAO	130.21.020
LH-528	130.16.050	KH	B1830-528-OAO		130.17.000	KP	w/o NBL	B1837-528-OAO	130.18.050
LH-1150	130.11.135	KL	101-97655	Drop-in version					
	130.16.010	KH	101-10104-101-10153 w/o Cap-	Cap system	130.17.010	KP	w/o NBL	101-10252	130.18.010
LH-1150-4	130.16.015	KH	101-10054 w/o Cap-101-10062-		130.17.010	KP	w/o NBL	101-10252	130.18.015
LH-1150-5	130.16.015	KH	101-10054 w/o Cap-101-10062-		130.17.010	KP	w/o NBL	101-10252	130.18.015
LH-1150-6	130.16.015	KH	101-10054 w/o Cap-101-10062-		130.17.010	KP	w/o NBL	101-10252	130.18.015
LH-1152	130.11.135	KL	101-97655	Drop-in version					
	130.16.010	KH	101-10104-101-10153 w/o Cap-	Cap system	130.17.010	KP	w/o NBL	101-10252	130.18.010
LH-1152-4	130.11.090	KL	101-95154	Drop-in version, under trimming mach.					
	130.16.015	KH	101-10054 w/o Cap-101-10062-	Cap system	130.17.010	KP	w/o NBL	101-10252	130.18.015
LH-1152-5	130.11.090	KL	101-95154	Drop-in version					
	130.16.015	KH	101-10054 w/o Cap-101-10062-	Cap system	130.17.010	KP	w/o NBL	101-10252	130.18.015

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LH-1152-6	130.11.090	KL	101-95154	Drop-in version					
	130.16.015	KH	101-10054 w/o Cap-101-10062-	Cap system	130.17.010	KP	w/o NBL	101-10252	130.18.015
LH-1152-7	130.11.090	KL	101-95154	Drop-in version					
	130.16.015	KH	101-10054 w/o Cap-101-10062-	Cap system	130.17.010	KP	w/o NBL	101-10252	130.18.015
LH-3120	130.11.216	KL	226-12055						
LH-3120-7	130.11.216	KL	226-12055						
LH-3120A	130.11.216	KL	226-12055						
LH-3120F	130.11.216	KL	226-12055						
LH-3128	130.11.216	KL	226-12055	Drop-in version					
	130.16.055	KH	226-12758 w/o Cap	Cap system	130.17.035	KP	w/o NBL	226-12659	130.18.055
LH-3128-7	130.11.231	KL	226-53158	Under Trimming Mach.					
	130.16.064	KH	226-53059 w/o Cap-226-93857 w/o Cap-	Under Trimming Mach.	130.17.035	KP	w/o NBL	226-12659	
					130.17.040	KP	w/o NBL	226-88154	130.18.064
	130.16.064	KH	226-53059 w/o Cap-226-93857 w/o Cap-	Under Trimming Mach.	130.17.035	KP	w/o NBL	226-12659	
					130.17.040	KP	w/o NBL	226-88154	130.18.064
LH-3162-4	130.16.064	KH	226-93857 w/o Cap	Under Trimming Mach.	130.17.040	KP	w/o NBL	226-88154	130.18.064
LH-3162-7	130.16.064	KH	226-93857 w/o Cap	Under Trimming Mach.	130.17.040	KP	w/o NBL	226-88154	130.18.064
LH-3168	130.16.053	KH	226-88253 w/o Cap		130.17.040	KP	w/o NBL	226-88154	130.18.058
LH-3168-7	130.16.064	KH	226-53059 w/o Cap-226-93857 w/o Cap-	Under Trimming Mach.	130.17.035	KP	w/o NBL	226-12659	
					130.17.040	KP	w/o NBL	226-88154	130.18.064
	130.16.064	KH	226-53059 w/o Cap-226-93857 w/o Cap-	Under Trimming Mach.	130.17.035	KP	w/o NBL	226-12659	
					130.17.040	KP	w/o NBL	226-88154	130.18.064
LH-3178	130.15.128	KL	228-13455	Drop-in version					
	130.19.050	KH	228-14255 w/o Cap-228-27158 w/o Cap-	Cap system	130.20.050	KP	w/o NBL	228-27257	130.21.049
					130.20.055	KP	w/o NBL	228-19650	130.21.050
	130.19.050	KH	228-14255 w/o Cap-228-27158 w/o Cap-	Cap system	130.20.050	KP	w/o NBL	228-27257	130.21.049
					130.20.055	KP	w/o NBL	228-19650	130.21.050
LH-3178-7	130.19.052	KH	228-19452 w/o Cap-228-31259 w/o Cap-	Under Trimming Mach.	130.20.050	KP	w/o NBL	228-27257	130.21.053
					130.20.055	KP	w/o NBL	228-19650	130.21.054
LH-3182-4	130.19.052	KH	228-31259 w/o Cap	Under Trimming Mach.	130.20.050	KP	w/o NBL	228-27257	130.21.053
LH-3182-7	130.19.052	KH	228-31259 w/o Cap	Under Trimming Mach.	130.20.050	KP	w/o NBL	228-27257	130.21.053
LH-3188	130.19.050	KH	228-14255 w/o Cap-228-27158 w/o Cap-	Cap system	130.20.050	KP	w/o NBL	228-27257	130.21.049
					130.20.055	KP	w/o NBL	228-19650	130.21.050
	130.19.050	KH	228-14255 w/o Cap-228-27158 w/o Cap-	Cap system	130.20.050	KP	w/o NBL	228-27257	130.21.049
					130.20.055	KP	w/o NBL	228-19650	130.21.050
LH-3188-7	130.19.052	KH	228-19452 w/o Cap-228-31259 w/o Cap-	Under Trimming Mach.	130.20.050	KP	w/o NBL	228-27257	130.21.053
					130.20.055	KP	w/o NBL		130.21.054
LK-284	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
LK-287	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
LK-289	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LK-291	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
LK-980	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
LK-1850	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828 980 OAO	
					115.00.286	KP	w/o NBL	B1828 980 OAB	
	115.00.274	KH	D1818-282-NOO	Hard chromium plated; thick thread	115.00.277	KP	w/o NBL	B1828 980 OAO	
					115.00.286	KP	w/o NBL	B1828 980 OAB	
LK-1850C	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
LK-1850J	115.00.274	KH	D1818-282-NOO	Hard chromium plated; thick thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
LK-1851	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
LK-1851C	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
LK-1900	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828 980 OAO	
	115.00.274	KH	D1818-282-NOO	Hard chromium plated; thick thread	115.00.277	KP	w/o NBL	B1828 980 OAO	
LK-1900A	115.00.303	KH	400-06580		115.00.304	KP	NBL	B1828-980-0BB	
	115.10.018	KH	400-14965		115.11.035	KP	NBL	B1828-210-DAA PATENTED	
LK-1900 AFS/MC 596 KSS	115.00.303	KH	400-06580		115.00.304	KP	NBL	B1828-980-0BB	
LK-1900AN series	115.00.303	KH	400-06580		115.00.304	KP	NBL	B1828-980-0BB	
	115.10.018	KH	400-14965		115.11.035	KP	NBL	B1828-210-DAA PATENTED	
LK-1900ANW	115.10.018	KH	400-14965		115.11.035	KP	NBL	B1828-210-DAA PATENTED	
LK-1900AW	115.10.018	KH	400-14965		115.11.035	KP	NBL	B1828-210-DAA PATENTED	
LK-1900BW	115.10.018	KH	400-14965		115.11.035	KP	NBL	B1828-210-DAA PATENTED	
LK-1902AS	115.00.303	KH	400-06580		115.00.304	KP	NBL	B1828-980-0BB	
LK-1903AS-301	115.00.303	KH	400-06580		115.00.304	KP	NBL	B1828-980-0BB	
LK-1903AS-302	115.00.303	KH	400-06580		115.00.304	KP	NBL	B1828-980-0BB	
LK-1903A/BR35	115.00.303	KH	400-06580		115.00.304	KP	NBL	B1828-980-0BB	
LK-1903AS-311	115.00.303	KH	400-06580		115.00.304	KP	NBL	B1828-980-0BB	
LK-1903AS-312	115.00.303	KH	400-06580		115.00.304	KP	NBL	B1828-980-0BB	
LK-1903AN series	115.00.303	KH	400-06580		115.00.304	KP	NBL	B1828-980-0BB	
LK-1901ANS	115.00.303	KH	400-06580		115.00.304	KP	NBL	B1828-980-0BB	
LK-1902ANS	115.00.303	KH	400-06580		115.00.304	KP	NBL	B1828-980-0BB	
LK-1900B	115.10.018	KH	400-14965		115.11.035	KP	NBL	B1828-210-DAA PATENTED	
LK-1910	115.10.006	KH	B1818-210-DOA	Light thread	115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.007	KH	B1818-210-DOB	Thick thread	115.11.035	KP	NBL	B1828 210 DAA PATENTED	
LK-1920	115.10.006	KH	B1818-210-DOA	Light thread	115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.007	KH	B1818-210-DOB	Thick thread	115.11.035	KP	NBL	B1828 210 DAA PATENTED	
LK-1930	115.10.006	KH	B1818-210-DOA	Light thread	115.11.035	KP	NBL	B1828 210 DAA PATENTED	
	115.10.007	KH	B1818-210-DOB	Thick thread	115.11.035	KP	NBL	B1828 210 DAA PATENTED	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LK-1950	115.00.273	KH	B1818-280-000	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
LS-311	130.22.040	KL	B1830-311-OAO						
LS-321	130.08.758	KK	212-28051 w/ Cap	Short gib	130.08.766	KP	w/o NBL	214 31606	
	130.08.791	KK	212-45055 w/ Cap	Full gib	130.08.766	KP	w/o NBL	214 31606	
LS-341	130.08.758	KK	212-28051 w/ Cap	Short gib	130.08.766	KP	w/o NBL	214-31606	
LS-341N	130.08.776	KK	212-29752 w/ Cap	Short gib, cap system	130.08.766	KP	w/o NBL	214-31606	
LS-1341	130.08.780	KK	212-45154- 214-31358-	Full gib	130.08.766	KP	w/o NBL	214 31606	
	130.08.780R	KK	212-45154 R- 214-31358 R-	Full gib, regulating needle guard	130.08.766	KP	w/o NBL	214 31606	
LS-1342	130.08.776	KK	212-29752 w/ Cap	Short gib, cap system	130.08.766	KP	w/o NBL	214 31606	
	130.08.776R	KK	212-29752 R, w/ Cap	Short gib, cap system, regulating needle guard	130.08.766	KP	w/o NBL	214 31606	
	130.08.780	KK	212-45154- 214-31358-	Full gib, cap system	130.08.766	KP	w/o NBL	214 31606	
	130.08.780R	KK	212-45154 R- 214-31358 R-	Full gib, cap system, regulating needle guard	130.08.766	KP	w/o NBL	214 31606	
	130.22.035	KL	214-31457	Full gib					
	130.22.035R	KL	214-31457 R	Full gib, regulating needle guard					
	130.22.039	KL	214-35854	Short gib					
	130.22.039R	KL	214-35854 R	Short gib, regulating needle guard					
LS-1342-7	130.08.816R	KK	214-35458 Cap System	Cap system, under trimming mach., regulating needle guard	130.08.659	KP	NBL		
	130.22.028	KL	214-41753	Full gib, under trimming mach.					
	130.22.028R	KL	214-41753 R	Full gib, under trimming mach., regulating needle guard					
	130.22.034	KL	214-35458	Short gib, under trimming mach.					
	130.22.034R	KL	214-35458 R	Short gib, under trimming mach., regulating needle guard					
LU-53	130.11.000	KL	B1830-055-OAO						
LU-53-7	130.11.062	KL	B1830-051-OAO						
LU-55	130.11.000	KL	B1830-055-OAO						
LU-55-2	130.11.000	KL	B1830-055-OAO						
LU-55-3	130.11.000	KL	B1830-055-OAO						
LU-562	130.11.000	KL	B1830-055-OAO						
LU-562-3	130.11.000	KL	B1830-055-OAO						
LU-562A	130.11.062	KL	B1830-051-OAO						
LU-562N	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
LU-563	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
LU-563-3	130.15.010	KL	B1830-563-BAO						
LU-563N	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
LU-1500	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
LU-1508	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
LU-1508N	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
	130.15.010	KL	B1830-563-BAO						

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LU-1508NH	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
	130.15.010	KL	B1830-563-BAO						
LU-1508NS	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
LU-1509N	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
LU-1509NH	130.15.010	KL	B1830-563-BAO						
LU-1509N-7	130.15.183	KL	213-87055	Under trimming mach.					
	130.15.183R	KL	213-87055 R	Under trimming mach., regulating needle guard					
LU-1510	130.15.000	KL	B1830-563-OAO						
	130.15.010	KL	B1830-563-BAO	Thick thread					
LU-1510N	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
LU-1510N-7	130.15.183	KL	213-87055	Under trimming mach.					
	130.15.183R	KL	213-87055 R	Under trimming mach., regulating needle guard					
LU-1510-7	130.15.137	KL	213-34552- 400-79022-	Under trimming mach.					
	130.15.137R	KL	213-34552 R- 400-79022 R-	Under trimming mach., regulating needle guard					
	130.15.137RDC10	KL	213-34552 R, DC10- 400-79022 R, DC10-	Under trimming mach., regulating needle guard, DC10 coated					
	130.15.137RDC20	KL	213-34552 R, DC20- 400-79022 R, DC20-	Under trimming mach., regulating needle guard, DC20 coated					
LU-1510-70RB	130.15.137	KL	213-34552- 400-79022-	Under trimming mach.					
	130.15.137R	KL	213-34552 R- 400-79022 R-	Under trimming mach., regulating needle guard					
	130.15.137RDC10	KL	213-34552 R, DC10- 400-79022 R, DC10-	Under trimming mach., regulating needle guard, DC10 coated					
	130.15.137RDC20	KL	213-34552 R, DC20- 400-79022 R, DC20-	Under trimming mach., regulating needle guard, DC20 coated					
LU-1511N-7	130.15.183	KL	213-87055	Under trimming mach.					
	130.15.183R	KL	213-87055 R	Under trimming mach., regulating needle guard					
LU-1560	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
LU-1560N	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
LU-1560N-7	130.15.183	KL	213-87055	Under trimming mach.					
	130.15.183R	KL	213-87055 R	Under trimming mach., regulating needle guard					
LU-1560-7	130.15.137	KL	213-34552- 400-79022-	Under trimming mach.					
	130.15.137R	KL	213-34552 R- 400-79022 R-	Under trimming mach., regulating needle guard					
	130.15.137RDC10	KL	213-34552 R, DC10- 400-79022 R, DC10-	Under trimming mach., regulating needle guard, DC10 coated					
	130.15.137RDC20	KL	213-34552 R, DC20- 400-79022 R, DC20-	Under trimming mach., regulating needle guard, DC20 coated					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LU-1561N	130.15.000	KL	B1830-563-OAO						
	130.15.000R	KL	B1830-563-OAO R	Regulating needle guard					
LU-1561N-7	130.15.183	KL	213-87055	Under trimming mach.					
	130.15.183R	KL	213-87055 R	Under trimming mach., regulating needle guard					
LU-1565	130.19.020	KH	B1830-521-OAO w/o Cap		130.20.000	KP	w/o NBL	B1837-526-OAO	130.21.020
LU-1565N	130.15.183	KL	213-87055	Under trimming mach.					
	130.15.183R	KL	213-87055 R	Under trimming mach., regulating needle guard					
	130.19.020	KH	B1830-521-OAO w/o Cap		130.20.000	KP	w/o NBL	B1837 526 OAO	130.21.020
	130.19.025	KH	B1830-521-HAO w/o Cap	Cap system	130.20.000	KP	w/o NBL	B1837 526 OAO	130.21.025
LU-2210	130.13.251	KL	107-22551	Under trimming mach.					
	130.13.251DC10	KL		DC10 coated, under trimming mach.					
	130.13.294	KK	107-22551 w/ Cap	Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
LU-2110 Mod.for Heavy Thread	130.13.306	KK		Under trimming mach., cap system, thick thread, w/ thread guard	130.08.824	KP	w/o NBL		
LU-2210N	130.13.270	KL	107-61252	Bobbin thread control					
	130.13.270DC10	KL	107-61252 DC10	DC10 coated					
LU-2210N-7	130.13.270	KL	107-61252	Bobbin thread control					
	130.13.270DC10	KL	107-61252 DC10	DC10 coated					
LU-2212N-7	130.13.270	KL	107-61252	Bobbin thread control					
	130.13.270DC10	KL	107-61252 DC10	DC10 coated					
LU-2216N-7	130.13.270	KL	107-61252	Bobbin thread control					
	130.13.270DC10	KL	107-61252 DC10	DC10 coated					
LU-2260	130.13.251	KL	107-22551	Under trimming mach.					
	130.13.251DC10	KL		DC10 coated, under trimming mach.					
	130.13.294	KK	107-22551 w/ Cap	Cap System, Under trimming mach.	130.08.824	KP	w/o NBL		
LU-2260 Mod.for Heavy Thread	130.13.306	KK		Under trimming mach., cap system, thick thread, w/ thread guard	130.08.824	KP	w/o NBL		
LU-2220N-7	130.13.270	KL	107-61252	Bobbin thread control					
	130.13.270DC10	KL	107-61252 DC10	DC10 coated					
LU-2260N	130.13.270	KL	107-61252	Bobbin thread control					
	130.13.270DC10	KL	107-61252 DC10	DC10 coated					
LU-2266N-7	130.13.270	KL	107-61252	Bobbin thread control					
	130.13.270DC10	KL	107-61252 DC10	DC10 coated					
LU-2810	130.13.800R	KL	401-26399 R-401-38461 R-	regulating needle guard					
LU-2810-7	130.13.808R	KL	401-31956 R	regulating needle guard					
	130.13.808RDC10	KL	401-66518	DC10 coated, regulating needle guard					
LU-2818-7	130.13.615	KL	401-47985						
	130.13.615L	KL	401-47985 L	Noiseless System					
LU-2818-7 Mod.for Heavy Thread	130.13.621	KL	401-47985 thick thread	thick thread					
LU-2828-6	130.13.626	KL	401-47912						
LU-2828-7	130.13.626	KL	401-47912						
LU-2860	130.13.800R	KL	401-26399 R-401-38461 R-	regulating needle guard					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LU-2860-7	130.13.808R	KL	401-31956 R	regulating needle guard					
	130.13.808RDC10	KL	401-66518	DC10 coated, regulating needle guard					
LU-2868-7	130.13.615	KL	401-47985						
	130.13.615L	KL	401-47985 L	Noiseless System					
LU-2868-7 Mod.for Heavy Thread	130.13.621	KL	401-47985 thick thread	thick thread					
LUH-520	130.15.010	KL	B1830-563-BAO						
LUH-521	130.19.025	KH	B1830-521-HAO w/o Cap		130.20.000	KP	w/o NBL	B1837-526-OAO	130.21.025
LUH-526	130.19.020	KH	B1830-521-OAO w/o Cap		130.20.000	KP	w/o NBL	B1837 526 OAO	130.21.020
	130.19.025	KH	B1830-521-HAO w/o Cap		130.20.000	KP	w/o NBL	B1837 526 OAO	130.21.025
LUH-527	130.19.025	KH	B1830-521-HAO w/o Cap		130.20.000	KP	w/o NBL	B1837-526-OAO	130.21.025
LZ-27	130.01.135	KH	B1830-027-OAO		130.06.240	KP	NBL	B1837-027-OAO NBL	
					130.06.348	KP	w/o NBL	B1837-027-OAO	
LZ-29	130.01.135	KH	B1830-027-OAO		130.06.240	KP	NBL	B1837-027-OAO NBL	
					130.06.348	KP	w/o NBL	B1837-027-OAO	
LZ-40	130.01.135	KH	B1830-027-OAO		130.06.240	KP	NBL	B1837-027-OAO NBL	
					130.06.348	KP	w/o NBL	B1837-027-OAO	
LZ-271	130.01.135	KH	B1830-027-OAO		130.06.240	KP	NBL	B1837-027-OAO NBL	
					130.06.348	KP	w/o NBL	B1837-027-OAO	
LZ-391N	130.01.135	KH	B1830-027-OAO		130.06.240	KP	NBL	B1837-027-OAO NBL	
					130.06.348	KP	w/o NBL	B1837-027-OAO	
LZ-403	130.01.135	KH	B1830-027-OAO		130.06.240	KP	NBL	B1837-027-OAO NBL	
					130.06.348	KP	w/o NBL	B1837-027-OAO	
LZ-2280	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
LZ-2285	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2280N	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
LZ-2280N-7	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
LZ-2281N	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2282N	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
LZ-2282N-7	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
LZ-2282NU-7	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
LZ-2283N	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2284N	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2284N-7	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2286NU-7	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
LZ-2288	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
LZ-2288NU-7	130.12.201TTN	KH	225-25059	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400 03598	
					130.14.038	KP	w/o NBL	400 03599	
LZ-2290	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2290-7	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2290A	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2290A-7	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2290A-SR-7	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2290A-SR-7-CB	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2290A-SR-7-WB	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2290A-SS	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2290A-SS-7	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2290A-SS-7-CB	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2290A-SU	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2290A-SU-7	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	
LZ-2290A-SU-7-CB	130.12.211TTN	KH	225-25877	TTN coated	130.14.035	KP	NBL	400-03598	
					130.14.038	KP	w/o NBL	400-03599	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
MOL-254	115.10.007	KH	B1818-210-DOB	Thick thread	115.11.035	KP	NBL	B1828-210-DAA PATENTED	
					115.11.038	KP	NBL	B1828-210-DOA PATENTED	
PLC-1610-7	130.08.658R	KK	230-25059 R	Under trimming mach., regulating needle guard	130.08.659	KP	NBL	230-25257	
PLC-1660-7	130.08.658R	KK	230-25059 R	Under trimming mach., regulating needle guard	130.08.659	KP	NBL	230-25257	
	130.22.010R	KL	400-38731 R	Under trimming mach., regulating needle guard					
PLC-1660L	130.08.240R	KK	230-28053 R	Regulating needle guard	130.08.246	KP	w/o NBL	230 28061	
	130.08.690R	KK	230-28053 R, thick thread	Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL	230 28061	
	130.22.000R	KL	230-28053 R, drop-in	Regulating needle guard, drop-in version					
	130.22.052R	KL	230-28053 R, thick thread	For thread bigger than 1mm diameter, drop-in version					
PLC-1665	130.08.650R	KK	230-29051 R	Regulating needle guard	130.08.651	KP	w/o NBL	230-29069	
PLC-1710	130.22.051R	KL	400-39010 R	Regulating needle guard					
PLC-1710-7	130.08.658R	KK	230-25059 R	Under trimming mach., regulating needle guard	130.08.659	KP	NBL	230-25257	
	130.22.010R	KL	400-38731 R	Under trimming mach., regulating needle guard					
PLC-1760	130.22.051R	KL	230-58555 R- 400-39010 R-	Regulating needle guard					
PLC-1760-7	130.08.658R	KK	230-25059 R	Under trimming mach., regulating needle guard	130.08.659	KP	NBL	230-25257	
	130.22.010R	KL	400-38731 R	Under trimming mach., regulating needle guard					
PLC-1760L	130.08.240R	KK	230-28053 R	Regulating needle guard	130.08.246	KP	w/o NBL	230 28061	
	130.08.690R	KK	230-28053 R, thick thread	Regulating needle guard, for thread bigger than 1 mm diameter	130.08.246	KP	w/o NBL	230 28061	
	130.22.000R	KL	400-38870	Regulating needle guard					
	130.22.052R	KL	230-28053 R, thick thread	For thread bigger than 1mm diameter, drop-in version					
PLC-2710-7	130.13.813R	KL	401-30034 R	regulating needle guard					
PLC-2760-7	130.13.813R	KL	401-30034 R	regulating needle guard					
PLC-2760L	130.13.800R	KL	401-26399 R- 401-38461 R-	regulating needle guard					
PLH 981	130.11.165	KL	210-10251						
	130.11.165R	KL	210-10251 R	Regulating needle guard					
PLH 982	130.11.165	KL	210-10251						
	130.11.165R	KL	210-10251 R	Regulating needle guard					
PLH 983	130.11.165	KL	210-10251						
	130.11.165R	KL	210-10251 R	Regulating needle guard					
PLH 984	130.11.165	KL	210-10251						
	130.11.165R	KL	210-10251 R	Regulating needle guard					
PLH 985	130.11.165	KL	210-10251						
	130.11.165R	KL	210-10251 R	Regulating needle guard					
PLH 986	130.11.165	KL	210-10251						
	130.11.165R	KL	210-10251 R	Regulating needle guard					
PLN 985	130.11.165	KL	210-10251						
	130.11.165R	KL	210-10251 R	Regulating needle guard					
PLN 986	130.11.165	KL	210-10251						
	130.11.165R	KL	210-10251 R	Regulating needle guard					
PLW-1245	130.08.580	KK	105 49855	Under trimming mach.	130.08.460	KP	NBL	105 45358	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

JUKI (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
PLW-1245-4	130.08.580	KK	105 49855	Under trimming mach.	130.08.460	KP	NBL	105 45358	
PLW-1245-6	130.08.580	KK	105 49855	Under trimming mach.	130.08.460	KP	NBL	105 45358	
PLW-1246	130.08.904	KK	105-22852	Under trimming mach.	130.08.014	KP	w/o NBL	105 47651	
PLW-1246-4	130.08.580	KK	105 49855	Under trimming mach.	130.08.460	KP	NBL	105 45358	
PLW-1246-6	130.08.580	KK	105 49855	Under trimming mach.	130.08.460	KP	NBL	105 45358	
TK-1800B	115.00.273	KH	B1818-280-O00	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
TK-1828	115.00.273	KH	B1818-280-O00	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
TK-1836	115.00.273	KH	B1818-280-O00	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
TK-1842	115.00.273	KH	B1818-280-O00	Hard chromium plated; light thread	115.00.277	KP	w/o NBL	B1828-980-OAO	
TL-72	130.01.000	KH	B1830-009-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
TL-82	130.01.000	KH	B1830-009-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	
TR-72	130.01.000	KH	B1830-009-OAO		130.06.019	KP	w/o NBL	B1837-012-OAO	
					130.06.125	KP	MF	D1837-555-BAA MF	
					130.06.298	KP	NBL	110-38759-D1837-555-BAA-	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.