

Reference Table by Machine Manufacturer

SIRUBA									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
DL889-L2_	130.05.376	KH	G121		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
DL889-M1_	130.05.376	KH	G121		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
DL889-M2_	130.05.376	KH	G121		130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
L818-F1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
L818-F1_ Under trimming mach.	130.05.477	KH	G113		130.06.298	KP	NBL	G202	
L818-H1	130.05.271	KH	G112J		130.06.019	KP	w/o NBL	G201	
	130.05.517	KH	G112J Open lubrication system	Open type lubrication system	130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF	G202 MF	
					130.06.298	KP	NBL	G202	
L818-H1_ Under trimming mach.	130.05.479	KH	G122J		130.06.298	KP	NBL	G202	
L818-K1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
L818-K1_ Under trimming mach.	130.05.376	KH	G121	w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.376DC20	KH	G121 DC20	w/ sharp hook point, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.527	KH	G121		130.06.298	KP	NBL	G202	
L818-L1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
L818-L1_ Under trimming mach.	130.05.376	KH	G121	w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.376DC20	KH	G121 DC20	w/ sharp hook point, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.527	KH	G121		130.06.298	KP	NBL	G202	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
L818-M1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.376	KH	G121	w/ sharp hook point	130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
L818-M1- Under trimming mach.	130.05.376	KH	G121	w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.376DC20	KH	G121 DC20	w/ sharp hook point, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.527	KH	G121		130.06.298	KP	NBL	G202	
L818-X1	130.05.271	KH	G112J		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF	G202 MF	
					130.06.298	KP	NBL	G202	
	130.05.517	KH	G112J Open lubrication system	Open type lubrication system	130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF	G202 MF	
					130.06.298	KP	NBL	G202	
L818F-DM	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
L818F-DM1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
L818F-DM1A	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
L818F-F1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
L818F-F1- Under trimming mach.	130.05.477	KH	G113		130.06.298	KP	NBL	G202	
L818F-H	130.05.271	KH	G112J		130.06.019	KP	w/o NBL	G201	
L818F-H1	130.05.271	KH	G112J		130.06.019	KP	w/o NBL	G201	
	130.05.517	KH	G112J Open lubrication system	Open type lubrication system	130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF	G202 MF	
					130.06.298	KP	NBL	G202	
L818F-H1-13	130.05.479	KH	G122J		130.06.298	KP	NBL	G202	
L818F-H1A	130.05.271	KH	G112J		130.06.019	KP	w/o NBL	G201	
L818F-H1C	130.05.271	KH	G112J		130.06.019	KP	w/o NBL	G201	
L818F-H1- Under trimming mach.	130.05.479	KH	G122J		130.06.298	KP	NBL	G202	
L818F-K1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
L818F-K1- Under trimming mach.	130.05.376	KH	G121	w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.376DC20	KH	G121 DC20	w/ sharp hook point, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.527	KH	G121		130.06.298	KP	NBL	G202	
L818F-L	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
L818F-L1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
L818F-L1_ Under trimming mach.	130.05.376	KH	G121	w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.376DC20	KH	G121 DC20	w/ sharp hook point, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.527	KH	G121		130.06.298	KP	NBL	G202	
L818F-HM1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-M	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-M1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-M1_ Under trimming mach.	130.05.376	KH	G121	w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.376DC20	KH	G121 DC20	w/ sharp hook point, DC20 coated	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
	130.05.527	KH	G121		130.06.298	KP	NBL	G202	
L818F-M1A	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-M1C	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L818F-NM1	130.05.376	KH	G121	w/ sharp hook point	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	G202	
L818F-RM1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L819	130.05.271	KH	G112J		130.06.019	KP	w/o NBL	G201	
L819-X1	130.05.271	KH	G112J		130.06.019	KP	w/o NBL	G201	
	130.05.517	KH	G112J Open lubrication system	Open type lubrication system	130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF	G202 MF	
					130.06.298	KP	NBL	G202	
L819-X1-13	130.05.479	KH	G122J		130.06.298	KP	NBL	G202	
L819-X1-U	130.05.479	KH	G122J		130.06.298	KP	NBL	G202	
L819-X1_ Under trimming mach.	130.05.479	KH	G122J		130.06.298	KP	NBL	G202	
L819-X2	130.09.210	KH	G131		130.10.000	KP	w/o NBL	G204	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
L819-X2-U	130.09.207	KH	G132	Under trimming mach.	130.10.045	KP	NBL	G205	
	130.09.207DC10	KH	G132 DC10	DC10 coated, under trimming mach.	130.10.045	KP	NBL	G205	
L819-X2_ Under trimming mach.	130.09.207	KH	G132	Under trimming mach.	130.10.045	KP	NBL	G205	
	130.09.207DC10	KH	G132 DC10	DC10 coated, under trimming mach.	130.10.045	KP	NBL	G205	
L918-H1	130.05.271	KH	G112J		130.06.019	KP	w/o NBL	G201	
L918-H1A	130.05.271	KH	G112J		130.06.019	KP	w/o NBL	G201	
L918-H1C	130.05.271	KH	G112J		130.06.019	KP	w/o NBL	G201	
L918-HM1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L918-HM1A	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L918-L1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L918-M1	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L918-M1A	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L918-M1C	130.05.235	KH	G111		130.06.019	KP	w/o NBL	G201	
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
L918-NF	130.05.543	KH	G124 (interchangeable)		130.06.125	KP	MF		
					130.06.298	KP	NBL		
P717	130.11.165	KL	G151						
	130.11.165R	KL	G151 R	Regulating needle guard					
P727	130.11.165	KL	G151						
	130.11.165R	KL	G151 R	Regulating needle guard					
PK533	115.00.276	KH	G182	Hard chromium plated; thick thread	115.00.310	KP	NBL		
PK533_L	115.10.001	KH	G181	Light thread	115.11.020	KP	NBL	G207 PATENTED	
PK533-H	115.00.276	KH	G182	Hard chromium plated; thick thread	115.00.310	KP	NBL		
PK533-M	115.00.276	KH	G182	Hard chromium plated; thick thread	115.00.310	KP	NBL		
PK588	115.10.001	KH	G181	Light thread	115.11.020	KP	NBL	G207 PATENTED	
PK588-L	115.10.001	KH	G181	Light thread	115.11.020	KP	NBL	G207 PATENTED	
PK588-H	115.10.000	KH	G183	Thick thread	115.11.020	KP	NBL	G207 PATENTED	
PK588-M	115.10.000	KH	G183	Thick thread	115.11.020	KP	NBL	G207 PATENTED	
PK599-H	115.10.000	KH	G183	Thick thread	115.11.020	KP	NBL	G207 PATENTED	
PK599-M	115.10.000	KH	G183	Thick thread	115.11.020	KP	NBL	G207 PATENTED	
R718	130.08.904	KK	G152-A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	G401	
R718-01	130.08.904	KK	G152-A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	G401	
R718-01-13	130.08.594	KK	G155-A	Under trimming mach.	130.08.971	KP	NBL	G403	
R718-01-U	130.08.594	KK	G155-A	Under trimming mach.	130.08.971	KP	NBL	G403	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
R718-01_ Under trimming mach.	130.08.594	KK	G155-A	Under trimming mach.	130.08.971	KP	NBL	G403	
R718-01H	130.08.919	KK	G153-A	X-thick thread	130.08.926	KP	w/o NBL	G401A	
R718-02	130.08.904	KK	G152-A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	G401	
R728	130.08.904	KK	G152-A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	G401	
R728-__	130.08.904	KK	G152-A	Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL	G401	
R728-01-13	130.08.594	KK	G155-A	Under trimming mach.	130.08.971	KP	NBL	G403	
R728-U	130.08.594	KK	G155-A	Under trimming mach.	130.08.971	KP	NBL	G403	
R728-__ Under trimming mach.	130.08.594	KK	G155-A		130.08.971	KP	NBL	G403	
R728-__H	130.08.919	KK	G153-A		130.08.926	KP	w/o NBL	G401A	
R728-xxH	130.08.919	KK	G153-A		130.08.926	KP	w/o NBL	G401A	
T828-41					130.17.035	KP	w/o NBL		
T828-41-___	130.16.055	KH		Standard execution	130.17.035	KP	w/o NBL	G406	130.18.055
T828-41-___					130.17.035	KP	w/o NBL		
T828-41-___HL	130.11.131	KL	G167 w/o spec. treatment	Standard execution					
T828-41-___LL	130.11.216	KL		Standard execution					
T828-41-___ML	130.11.216	KL		Standard execution					
T828-42					130.17.035	KP	w/o NBL		
T828-42-___	130.16.055	KH		Standard execution	130.17.035	KP	w/o NBL	G406	130.18.055
T828-42-___					130.17.035	KP	w/o NBL		
T828-42-___/_ Under trimming mach.	130.16.061	KH	G164 (interchangeable)	Under trimming mach.	130.17.035	KP	w/o NBL	G406	130.18.061
T828-42-048-H	130.11.131	KL	G167 w/o spec. treatment	Standard execution					
T828-42-048-M	130.11.216	KL							
T828-42-___HL	130.11.131	KL	G167 w/o spec. treatment	Standard execution					
T828-42-___HL/_U	130.11.219	KL							
T828-42-___HL/_ Under trimming mach.	130.11.219	KL							
T828-42-___LL	130.11.216	KL		Standard execution					
T828-42-___ML	130.11.216	KL		Standard execution					
T828-42-___ML/_U	130.11.219	KL							
T828-42-___ML/_ Under trimming mach.	130.11.219	KL							
T828-42-U	130.16.061	KH	G164 (interchangeable)	Under trimming mach.	130.17.035	KP	w/o NBL	G406	130.18.061
T828-45-048-M	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
T828-45-H	130.16.053	KH	G169 (interchangeable)		130.17.025	KP	w/o NBL		130.18.053
T828-45-__H	130.16.053	KH	G169 (interchangeable)		130.17.025	KP	w/o NBL		130.18.053
T828-45-H-U	130.16.059	KH	G170 (interchangeable)	Under trimming mach.	130.17.030	KP	w/o NBL	G410	130.18.059
T828-45-__H/_U	130.16.059	KH	G170 (interchangeable)	Under trimming mach.	130.17.030	KP	w/o NBL	G410	130.18.059
	130.16.061	KH	G164 (interchangeable)	Under trimming mach.	130.17.035	KP	w/o NBL	G406	130.18.061
T828-45-__H/_ Under trimming mach	130.16.059	KH	G170 (interchangeable)	Under trimming mach.	130.17.030	KP	w/o NBL	G410	130.18.059

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
T828-45-__M	130.16.053	KH	G169 (interchangeable)		130.17.025	KP	w/o NBL		130.18.053
T828-45-__M/_U	130.16.059	KH	G170 (interchangeable)	Under trimming mach.	130.17.030	KP	w/o NBL	G410	130.18.059
	130.16.061	KH	G164 (interchangeable)	Under trimming mach.	130.17.035	KP	w/o NBL	G406	130.18.061
T828-45-__M/_U Under trimming mach.	130.16.059	KH	G170 (interchangeable)	Under trimming mach.	130.17.030	KP	w/o NBL	G410	130.18.059
T828-45-__X	130.16.053	KH	G169 (interchangeable)		130.17.025	KP	w/o NBL		130.18.053
T828-45-__X/_U	130.16.059	KH	G170 (interchangeable)	Under trimming mach.	130.17.030	KP	w/o NBL	G410	130.18.059
	130.16.061	KH	G164 (interchangeable)	Under trimming mach.	130.17.035	KP	w/o NBL	G406	130.18.061
T828-45-__X/_U Under trimming mach.	130.16.059	KH	G170 (interchangeable)	Under trimming mach.	130.17.030	KP	w/o NBL	G410	130.18.059
T828-45-L	130.16.053	KH	G169 (interchangeable)		130.17.025	KP	w/o NBL		130.18.053
T828-45-M	130.16.053	KH	G169 (interchangeable)		130.17.025	KP	w/o NBL		130.18.053
T828-45-M-U	130.16.059	KH	G170 (interchangeable)	Under trimming mach.	130.17.030	KP	w/o NBL	G410	130.18.059
T828-47					130.17.035	KP	w/o NBL		
T828-47-_____					130.17.035	KP	w/o NBL		
T828-47-LL	130.11.216	KL		Standard execution					
T828-47-ML	130.11.216	KL		Standard execution					
T828-47-_____/____ Under trimming mach.	130.16.061	KH	G164 (interchangeable)	Under trimming mach.	130.17.035	KP	w/o NBL	G406	130.18.061
T828-45-X	130.16.053	KH	G169 (interchangeable)		130.17.025	KP	w/o NBL		130.18.053
T828-45-X-U	130.16.059	KH	G170 (interchangeable)	Under trimming mach.	130.17.030	KP	w/o NBL	G410	130.18.059
T828-48-L	130.16.053	KH	G169 (interchangeable)		130.17.025	KP	w/o NBL		130.18.053
T828-48-__L	130.16.053	KH	G169 (interchangeable)		130.17.025	KP	w/o NBL		130.18.053
T828-48-L-U	130.16.059	KH	G170 (interchangeable)	Under trimming mach.	130.17.030	KP	w/o NBL	G410	130.18.059
T828-48-__L/_U	130.16.059	KH	G170 (interchangeable)	Under trimming mach.	130.17.030	KP	w/o NBL	G410	130.18.059
	130.16.061	KH	G164 (interchangeable)	Under trimming mach.	130.17.035	KP	w/o NBL	G406	130.18.061
T828-47-U	130.16.061	KH	G164 (interchangeable)	Under trimming mach.	130.17.035	KP	w/o NBL	G406	130.18.061
T828-72-__H/_U Under trimming mach.					130.20.030	KP	w/o NBL		
T828-72-HL	130.15.128	KL		Standard execution					
T828-72-H-U					130.20.030	KP	w/o NBL		
T828-72-__HL	130.15.128	KL		Standard execution					
T828-72-__M/_U Under trimming mach.	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL	G408	130.21.046
T828-72-__ML	130.15.128	KL		Standard execution					
T828-72-M-U					130.20.030	KP	w/o NBL		
T828-72-048-H	130.15.128	KL							
T828-72-048-M	130.15.128	KL							
T828-75-048-M	130.19.050	KH			130.20.035	KP	w/o NBL	G407	130.21.048
T828-75-H					130.20.035	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
T828-75-__H	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL	G407	130.21.048
T828-75-__H/_U	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL	G408	130.21.046
T828-75-__M	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL	G407	130.21.048
T828-75-__M/_U	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL	G408	130.21.046
T828-75-__X	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL	G407	130.21.048
T828-75-__X/_U	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL	G408	130.21.046
T828-75-H-U	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL	G408	130.21.046
T828-75-M	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL	G407	130.21.048
T828-75-M-U					130.20.040	KP	w/o NBL		
T828-75-X	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL	G407	130.21.048
T828-75-X-U					130.20.040	KP	w/o NBL		
UC918-H1	130.08.758	KK	G154		130.08.766	KP	w/o NBL	G402	
UF916-X2	130.15.024	KL	G171						
UF916-X2_	130.15.166	KL	G173						
UF916-X2L_	130.19.005	KH	G172-A w/o Cap		130.20.025	KP	w/o NBL	G220	130.21.005
	130.19.005R	KH		Regulating needle guard	130.20.025	KP	w/o NBL	G220	
UF916-X2-U	130.15.166	KL	G173	Under trimming mach.					
UF918	130.09.180	KH			130.10.052	KP	NBL		
UF918-X2	130.13.291	KL	G175	Under trimming mach.					
	130.13.400	KL	G175 thick thread	Under trimming mach., thick thread					
UF918-X2-U	130.13.291	KL	G175	Under trimming mach.					
	130.13.400	KL	G175 thick thread	Under trimming mach., thick thread					
UF918-X2_ Under trimming mach.	130.13.291	KL	G175	Under trimming mach.					
	130.13.400	KL	G175 thick thread	Under trimming mach., thick thread					
UF926-X2_ Under trimming mach.	130.15.166	KL	G173						
UF926-X2-U	130.15.166	KL	G173	Under trimming mach.					
UF926-X2L_	130.19.005	KH	G172-A w/o Cap		130.20.025	KP	w/o NBL	G220	130.21.005
UF928-X2	130.13.291	KL	G175	Under trimming mach.					
	130.13.400	KL	G175 thick thread	Under trimming mach., thick thread					
UF928-X2-U	130.13.291	KL	G175	Under trimming mach.					
	130.13.400	KL	G175 thick thread	Under trimming mach., thick thread					
UF928-X2_ Under trimming mach.	130.13.291	KL	G175	Under trimming mach.					
	130.13.400	KL	G175 thick thread	Under trimming mach., thick thread					
YF616-X2	130.09.210	KH	G131		130.10.000	KP	w/o NBL	G204	
YF616-X2-12	130.09.207	KH	G132	Under trimming mach.	130.10.045	KP	NBL	G205	
	130.09.207DC10	KH	G132 DC10	DC10 coated, under trimming mach.	130.10.045	KP	NBL	G205	
YF616-X2_ Under trimming mach.	130.09.207	KH	G132	Under trimming mach.	130.10.045	KP	NBL	G205	
	130.09.207DC10	KH	G132 DC10	DC10 coated, under trimming mach.	130.10.045	KP	NBL	G205	
YF616-X2-U	130.09.207	KH	G132	Under trimming mach.	130.10.045	KP	NBL	G205	
	130.09.207DC10	KH	G132 DC10	DC10 coated, under trimming mach.	130.10.045	KP	NBL	G205	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

SIRUBA (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
YF619-X2	130.09.006	KH		Old type	130.10.000	KP	w/o NBL	G204	
					130.10.007	KP	MF		
					130.10.045	KP	NBL	G205	
	130.09.210	KH	G131	New type	130.10.000	KP	w/o NBL	G204	
YF619-X2_ Under trimming mach.	130.09.207	KH	G132	Under trimming mach.	130.10.045	KP	NBL	G205	
	130.09.207DC10	KH	G132 DC10	DC10 coated, under trimming mach.	130.10.045	KP	NBL	G205	
YF619-X2-U	130.09.207	KH	G132	Under trimming mach.	130.10.045	KP	NBL	G205	
	130.09.207DC10	KH	G132 DC10	DC10 coated, under trimming mach.	130.10.045	KP	NBL	G205	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.