

# Reference Table by Machine Manufacturer

TYPICAL									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
CS-8370	130.19.000	KH			130.20.000	KP	w/o NBL		
CS-8372	130.19.000	KH			130.20.000	KP	w/o NBL		
GC 0302	130.09.226	KH		Full gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6-1-D3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604 301	
	130.05.424	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604 301	
GC 6-1-D3E	130.05.430	KH		Under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6-1-D3T	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604 301	
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604 301	
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604 301	
GC 6-5	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

## CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

<b>TYPICAL (Continued)</b>									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 6-6	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-7	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-7A	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-7B	130.09.176	KH		Short gib	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-8	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604 301	
	130.05.517	KH		Open type lubrication system	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604 301	
GC 6-8A	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6-8B	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6-8-D2	130.05.428	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
					130.06.298	KP	NBL	2110604-301	
GC 6-8-D3A	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
					130.06.298	KP	NBL	2110604-301	
GC 6-9	130.09.006	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.210	KH			130.10.000	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

### CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

<b>TYPICAL (Continued)</b>									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 6-9-D2	130.09.207	KH		Under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
	130.09.207DC10	KH		DC10 coated, under trimming mach.	130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-9-D3A	130.09.193	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6-10	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6-11	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6-28	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 34	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604 301	
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604 301	
GC 38-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 38-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 38-8	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 40-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 40-2	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 40-4	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 69-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 201	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

### CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

TYPICAL (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 202	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 203	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 2001	130.09.193	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 2605	130.09.193	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
GC 6150M	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6150H	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6730MD3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6160	130.05.015	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6160H	130.05.543	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6220	130.11.084	KL							
GC 6220B	130.15.016	KL		Drop-in version					
	130.19.010	KH		Cap system	130.20.000	KP	w/o NBL		130.21.010
GC 6220BD	130.15.030	KL							
	130.15.030R	KL		Under trimming mach., regulating needle guard					
GC 6220M	130.11.084	KL							
GC 6240	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
GC 6240B	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
GC 6240M	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
GC 6240MD	130.16.005	KH			130.17.000	KP	w/o NBL		130.18.005
GC 6240MD2	130.16.005	KH			130.17.015	KP	w/o NBL		130.18.006
GC 6710M	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6710MHD3	130.05.430	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6730HD3	130.05.543	KH			130.06.125	KP	MF		
					130.06.298	KP	NBL	2110604-301	
GC 6842H	130.11.131	KL		Standard execution					
GC 6842HD3	130.11.219	KL		Drop-in version, under trimming mach., standard execution					
	130.16.061	KH		Cap system, under trimming mach.	130.17.035	KP	w/o NBL		130.18.061

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

### CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

**TYPICAL (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 6842HD4	130.11.219	KL		Drop-in version, under trimming mach., standard execution					
	130.16.061	KH		Cap system, under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
GC 6842M	130.11.216	KL		Standard execution					
GC 6842MD3	130.11.219	KL		Drop-in version, under trimming mach., standard execution					
	130.16.061	KH		Cap system, under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
GC 6842MD4	130.11.219	KL		Drop-in version, under trimming mach., standard execution					
	130.16.061	KH		Cap system, under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
GC 6845	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
GC 6845H	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
GC 6845HD3	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
GC 6845HD4	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
GC 6845M	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
GC 6845MD3	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
GC 6845MD4	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
GC 6845XH	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
GC 6845XHD3	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
GC 6845XHD4	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
GC 6872	130.15.128	KL		Standard execution					
GC 6872H	130.15.128	KL		Standard execution					
GC 6872HD3	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045
GC 6872HD4	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045
GC 6872M	130.15.128	KL		Standard execution					
GC 6872MD3	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045
GC 6872MD4	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045
GC 6875H	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
GC 6875HD3	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 6875HD4	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 6875M	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
GC 6875MD3	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 6875MD4	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 6875XH	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
GC 6875XHD3	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 6875XHD4	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 9420H	130.11.131	KL		Standard execution					
GC 9420M	130.11.216	KL		Standard execution					
	130.16.061	KH		Under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
GC 9420MHD3	130.16.061	KH		Under trimming mach.	130.17.035	KP	w/o NBL		130.18.061
GC 9450	130.16.053	KH			130.17.025	KP	w/o NBL		130.18.053
GC 9450M	130.16.061	KH		Under trimming mach.	130.17.030	KP	w/o NBL		
GC 9450MHD3	130.16.061	KH		Under trimming mach.	130.17.030	KP	w/o NBL		
GC 9720	130.15.128	KL		Standard execution					
GC 9720M	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

**TYPICAL (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GC 9720MHD3	130.19.045	KH		Under trimming mach., standard execution	130.20.030	KP	w/o NBL		130.21.045
GC 9750	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
GC 9750M	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 9750MHD3	130.19.045	KH		Under trimming mach., standard execution	130.20.040	KP	w/o NBL		130.21.046
GC 20201	130.11.084	KL							
GC 20201-1	130.15.016	KL							
GC 20202	130.15.016	KL							
	130.16.062	KH			130.17.000	KP	w/o NBL		130.18.062
GC 20202-1	130.15.022	KL							
	130.19.010	KH			130.20.000	KP	w/o NBL		130.21.010
GC 20606 series	130.15.016	KL							
GC 24016	130.11.165	KL							
	130.11.165R	KL							
GC 24026	130.11.187	KL							
GC 24080	130.11.165	KL							
	130.11.165R	KL							
GC 24090	130.11.165	KL							
GC 24660	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
GC 24680	130.08.900	KK		Full gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
	130.08.904	KK		Short gib, w/o excentric milling for Asia market	130.08.014	KP	w/o NBL		
GG1-1	130.01.135	KH			130.06.348	KP	w/o NBL		
GG1-2	130.01.135	KH			130.06.348	KP	w/o NBL		
GG 732	130.01.135	KH			130.06.348	KP	w/o NBL		
GYD7-6	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GYD12-6	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
GYD20-6	130.01.399	KH			130.06.240	KP	NBL		
	130.01.399TS	KH		TS coated	130.06.240	KP	NBL		
	130.01.408	KH		Under trimming mach.	130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
TW1-591	130.08.934	KK	91-263 490-91TY	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
TW1-898-D2	130.13.251	KL	93WF14-041	Under trimming mach.					
TW1-898-D2T3	130.13.251	KL	93WF14-041	Under trimming mach.					
TW1-1245	130.08.280	KK			130.08.109	KP	w/o NBL		
TW1-1245 Mod.for Heavy Thread	130.08.294	KK		Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL		
TW1-1245-D2	130.08.678	KK	177WF1-004 full gib	Under trimming mach.	130.08.674	KP	NBL		
	130.08.680	KK	177WF1-004 short gib	Under trimming mach.	130.08.674	KP	NBL		
TW1-4401	130.15.016	KL							
TW3-8B (CW8B)	130.11.076	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.

**TYPICAL (Continued)**

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
TW3-8BV	130.11.076	KL							
TW3-P335	130.03.017	KH			130.06.320	KP	NBL		130.00.341
TW3-P335B	130.03.057	KH			130.06.373	KP	NBL		130.00.335
TW5-810	130.11.075	KL							
	130.11.165	KL							
	130.11.165R	KL							
TW5-810F	130.11.075	KL							
	130.11.165	KL							
TW5-820	130.11.075	KL							
	130.11.165	KL							
TW5-820F	130.11.075	KL							
	130.11.165	KL							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

**CM Cerliani Srl**

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)  
 Tel.: +39/0382/423413  
 Fax.: +39/0382/423319  
 E-Mail.: [info@cerliani.it](mailto:info@cerliani.it)  
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186  
 C.F. e P.IVA (VAT Nr.) 02175920186  
 IMPORT - EXPORT PV019626  
 CAP.SOC € 1.010.000 INT.VERS.