

Reference Table by Machine Manufacturer

PFAFF									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
34 A	115.00.074	KH	91-006 560-05		115.00.087	KP	w/o NBL	91 006 843 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.087	KP	w/o NBL	91 006 843 91	
34 B	115.00.074	KH	91-006 560-05		115.00.087	KP	w/o NBL	91 006 843 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.087	KP	w/o NBL	91 006 843 91	
34 C	115.00.076	KH	91-006 694-05		115.00.087	KP	w/o NBL	91 006 843 91	
	115.00.269	KH	91-006 694-45	Chromium plated	115.00.087	KP	w/o NBL	91 006 843 91	
110	130.12.001	KH	91-008 250-91 w/o B/C		130.14.000	KP	w/o NBL	91-008 243-91 NO NBL	130.12.000
					130.14.007	KP	NBL	91-008 243-91 NBL	130.12.031
114	130.12.001	KH	91-008 250-91 w/o B/C		130.14.000	KP	w/o NBL	91-008 243-91 NO NBL	130.12.000
					130.14.007	KP	NBL	91-008 243-91 NBL	130.12.031
115	130.12.001	KH	91-008 250-91 w/o B/C		130.14.000	KP	w/o NBL	91-008 243-91 NO NBL	130.12.000
					130.14.007	KP	NBL	91-008 243-91 NBL	130.12.031
116	130.12.001	KH	91-008 250-91 w/o B/C		130.14.000	KP	w/o NBL	91-008 243-91 NO NBL	130.12.000
					130.14.007	KP	NBL	91-008 243-91 NBL	130.12.031
118-900	130.03.048	KH	91-163 260-91 w/o B/C	Needle slot 13,5 mm	130.06.294	KP	w/o NBL	91 009 076 61 14mm	130.00.108
					130.06.359	KP	w/o NBL	91 009 076 61 14mm BRN	
	130.03.078	KH	91-163 260-91 w/o B/C	Needle slot 16 mm	130.06.294	KP	w/o NBL	91 009 076 61 14mm	
					130.06.359	KP	w/o NBL	91 009 076 61 14mm BRN	
120	130.08.000	KK	91-010 165-91		130.06.414	KP	NBL	91-163 263-91	
					130.08.014	KP	w/o NBL	91 010 159 91	
122	130.08.000	KK	91-010 165-91		130.08.014	KP	w/o NBL	91 010 159 91	
					130.08.314	KK	91-019 922-91	130.08.315	KP
133	130.03.013	KH	91-009 264-91 w/o B/C		130.08.014	KP	w/o NBL	91 010 159 91	
					130.08.314	KK	91-019 922-91	130.08.315	KP
134	130.03.000	KH	91-009 191-91 w/o B/C		130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	
					130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	
					130.06.390	KP	w/o NBL	91-106 528-91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set						
134-0-6	130.03.000	KH	91-009 191-91 w/o B/C		130.06.106	KP	w/o NBL	91-009 076-61 NO NBL							
					130.06.172	KP	MF	91-009 076-61 MF							
					130.06.320	KP	NBL	91-009 076-61							
					130.06.390	KP	w/o NBL	91-106 528-91							
134-0-31	130.03.013	KH	91-009 264-91 w/o B/C		130.06.106	KP	w/o NBL	91-009 076-61 NO NBL							
					130.06.172	KP	MF	91-009 076-61 MF							
					130.06.320	KP	NBL	91-009 076-61							
134-0-92	130.03.014	KH	91-009 268-91 w/o B/C	w/ hook fastening grub screw											
										130.03.017	KH	91-105 490-91 w/o B/C	w/ hook fastening screw	130.06.106	KP
											130.06.172	KP	MF	91-009 076-61 MF	
											130.06.320	KP	NBL	91-009 076-61	130.00.341
	130.03.048	KH	91-163 260-91 w/o B/C	Needle slot 13,5 mm											
											130.06.294	KP	w/o NBL	91 009 076 61 14mm	130.00.108
											130.06.359	KP	w/o NBL	91 009 076 61 14mm BRN	
	130.03.078	KH	91-163 260-91 w/o B/C	Needle slot 16 mm											
130.06.294											KP	w/o NBL	91 009 076 61 14mm		
130.06.359											KP	w/o NBL	91 009 076 61 14mm BRN		
134-0-K-6	130.03.013	KH	91-009 264-91 w/o B/C												
										130.06.106	KP	w/o NBL	91-009 076-61 NO NBL		
										130.06.172	KP	MF	91-009 076-61 MF		
										130.06.320	KP	NBL	91-009 076-61		
										130.06.390	KP	w/o NBL	91-106 528-91		
										130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	130.00.066	
										130.06.172	KP	MF	91-009 076-61 MF		
138	130.03.014	KH	91-009 268-91 w/o B/C	w/ hook fastening grub screw											
										130.03.017	KH	91-105 490-91 w/o B/C	w/ hook fastening screw	130.06.106	KP
											130.06.172	KP	MF	91-009 076-61 MF	
											130.06.320	KP	NBL	91-009 076-61	130.00.341
	130.03.048	KH	91-163 260-91 w/o B/C	Needle slot 13,5 mm											
											130.06.294	KP	w/o NBL	91 009 076 61 14mm	130.00.108
											130.06.359	KP	w/o NBL	91 009 076 61 14mm BRN	
	130.03.078	KH	91-163 260-91 w/o B/C	Needle slot 16 mm											
130.06.294											KP	w/o NBL	91 009 076 61 14mm		
130.06.359											KP	w/o NBL	91 009 076 61 14mm BRN		
140	130.08.304	KK	91-010 896-91												
	130.08.456	KK	91-113 414-91	Fabric	130.08.014	KP	w/o NBL	91-010 159-91							
140-900	130.08.456	KK	91-113 414-91	Fabric	130.08.495	KP	NBL	91-140 650-91							
										130.08.495	KP	NBL	91-140 650-91		
141-900/06	130.08.456	KK	91-113 414-91-	Fabric	130.08.495	KP	NBL	91 140 650 91							
										130.08.462	KK	91-113 190-91	Leather	130.08.460	KP
141-900/..	130.08.456	KK	91-113 414-91		130.08.495	KP	NBL	91-140 650-91							
141 A	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91							
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91							
141 B	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91							
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91							

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
142-721/01 Needles distance till 8mm	130.08.000	KK	91-010 165-91		130.08.014	KP	w/o NBL	91-010 159-91	
142-721/01 Needles distance from 8mm	130.08.314	KK	91-019 922-91		130.08.315	KP	w/o NBL	91-019 923-91	
142-900/..	130.08.456	KK	91-113 414-91	Fabric	130.08.495	KP	NBL	91-140 650-91	
	130.08.462	KK	91-113 190-91	Leather	130.08.460	KP	NBL	91-113 192-91	
142 A	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
142 B	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
142 C	130.08.054	KK	91-010 850-91	Fabric	130.08.070	KP	w/o NBL	91-011 498-91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91-010 159-91	
142 D	130.08.054	KK	91-010 850-91		130.08.070	KP	w/o NBL	91-011 498-91	
143-705/03 C	130.08.054	KK	91-010 850-91		130.08.070	KP	w/o NBL	91-011 498-91	
143-944/01	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
144-720/02	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
144-900/06	130.08.456	KK	91-113 414-91	Fabric	130.08.495	KP	NBL	91-140 650-91	
	130.08.462	KK	91-113 190-91	Leather	130.08.460	KP	NBL	91-113 192-91	
144-900/..	130.08.456	KK	91-113 414-91	Fabric	130.08.495	KP	NBL	91-140 650-91	
144-944/01 A	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
144-944/01 B	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
144 B	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
144 C	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
145-900/06	130.08.456	KK	91-113 414-91	Fabric	130.08.495	KP	NBL	91-140 650-91	
	130.08.462	KK	91-113 190-91	Leather	130.08.460	KP	NBL	91-113 192-91	
145-900/.. B	130.08.456	KK	91-113 414-91		130.08.495	KP	NBL	91-140 650-91	
145-H3 B	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
146-900/06	130.08.456	KK	91-113 414-91	Fabric	130.08.495	KP	NBL	91-140 650-91	
	130.08.462	KK	91-113 190-91	Leather	130.08.460	KP	NBL	91-113 192-91	
146-900/.. B	130.08.456	KK	91-113 414-91		130.08.495	KP	NBL	91-140 650-91	
146-H3	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
151	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91-010 159-91	
190	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
191	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
192-721/01 Needles distance till 8mm	130.08.000	KK	91-010 165-91		130.08.014	KP	w/o NBL	91-010 159-91	
192-721/01 Needles distance from 8mm	130.08.314	KK	91-019 922-91		130.08.315	KP	w/o NBL	91-019 923-91	
192 A	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
192 B	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
192 C	130.08.054	KK	91-010 850-91	Leather	130.08.070	KP	w/o NBL	91-011 498-91	
	130.08.304	KK	91-010 896-91	Fabric	130.08.014	KP	w/o NBL	91-010 159-91	
193 A	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
193 B	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
193 C	130.08.054	KK	91-010 850-91	Leather	130.08.070	KP	w/o NBL	91-011 498-91	
194-720/02	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
194-900/56 A	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
194-900/56 B	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
194-900/56 C	130.08.973	KK	91-012 782-91	Short gib	130.08.460	KP	NBL	91-113 192-91	
194-944/01	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
194-944/01 A	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
194-944/01 B	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
194-944/01 C	130.08.054	KK	91-010 850-91		130.08.070	KP	w/o NBL	91-011 498-91	
194 B	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91-010 159-91	
194 BC	130.08.304	KK	91-010 896-91	Fabric	130.08.014	KP	w/o NBL	91-010 159-91	
194 C	130.08.054	KK	91-010 850-91		130.08.070	KP	w/o NBL	91-011 498-91	
195-H3 B	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
195-H3 C	130.08.054	KK	91-010 850-91	Leather	130.08.070	KP	w/o NBL	91-011 498-91	
	130.08.304	KK	91-010 896-91	Fabric	130.08.014	KP	w/o NBL	91-010 159-91	
195-H3 D	130.08.054	KK	91-010 850-91	Leather	130.08.070	KP	w/o NBL	91-011 498-91	
	130.08.304	KK	91-010 896-91	Fabric	130.08.014	KP	w/o NBL	91-010 159-91	
196-H3 B	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
196-H3 C	130.08.054	KK	91-010 850-91	Leather	130.08.070	KP	w/o NBL	91-011 498-91	
	130.08.304	KK	91-010 896-91	Fabric	130.08.014	KP	w/o NBL	91-010 159-91	
196-H3 D	130.08.054	KK	91-010 850-91		130.08.070	KP	w/o NBL	91-011 498-91	
230	130.03.017	KH	91-105 490-91 w/o B/C	w/ hook fastening screw	130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	130.00.066
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.341
	130.03.048	KH	91-163 260-91 w/o B/C	Needle slot 13,5 mm	130.06.294	KP	w/o NBL	91 009 076 61 14mm	130.00.108
					130.06.359	KP	w/o NBL	91 009 076 61 14mm BRN	
	130.03.078	KH	91-163 260-91 w/o B/C	Needle slot 16 mm	130.06.294	KP	w/o NBL	91 009 076 61 14mm	
					130.06.359	KP	w/o NBL	91 009 076 61 14mm BRN	
					130.06.414	KP	NBL	91-163 263-91	
234	130.03.008	KH	91-063 090-91 w/o B/C		130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	
238	130.03.014	KH	91-009 268-91 w/o B/C	w/ hook fastening grub screw					
	130.03.017	KH	91-105 490-91 w/o B/C	w/ hook fastening screw					
	130.03.038	KH	91-064 661-91 w/o B/C		130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	
240	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
	130.08.456	KK	91-113 414-91	Fabric	130.08.495	KP	NBL	91-140 650-91	
240 AB	130.08.548	KK	91-140 454-91		130.08.014	KP	w/o NBL	91-010 159-91	
240/290 AB	130.08.000	KK	91-010 165-91		130.08.014	KP	w/o NBL	91-010 159-91	
240/290 S	130.08.000	KK	91-010 165-91		130.08.014	KP	w/o NBL	91-010 159-91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
241	130.08.548	KK	91-140 454-91		130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.553	KK	91-140 543-91		130.08.014	KP	w/o NBL	91 010 159 91	
241-900/..	130.08.556	KK	91-140 544-91		130.08.495	KP	NBL	91-140 650-91	
242	130.08.548	KK	91-140 454-91		130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.553	KK	91-140 543-91		130.08.014	KP	w/o NBL	91 010 159 91	
242-720/02 (1,6-7,6)	130.08.000	KK	91-010 165-91		130.08.014	KP	w/o NBL	91-010 159-91	
242-720/02 (8,0-30,0)	130.08.314	KK	91-019 922-91		130.08.315	KP	w/o NBL	91-019 923-91	
242-720/02-900/..	130.08.456	KK	91-113 414-91		130.08.495	KP	NBL	91-140 650-91	
242-900/..	130.08.556	KK	91-140 544-91		130.08.495	KP	NBL	91-140 650-91	
244(-720/02)	130.08.548	KK	91-140 454-91		130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.553	KK	91-140 543-91		130.08.014	KP	w/o NBL	91 010 159 91	
244 (-720/02)-900/..	130.08.556	KK	91-140 544-91		130.08.495	KP	NBL	91-140 650-91	
244-900/..	130.08.558	KK	91-140 545-91		130.08.495	KP	NBL	91-140 650-91	
245	130.08.548	KK	91-140 454-91		130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.553	KK	91-140 543-91		130.08.014	KP	w/o NBL	91 010 159 91	
245-900/..	130.08.556	KK	91-140 544-91		130.08.495	KP	NBL	91-140 650-91	
246	130.08.548	KK	91-140 454-91		130.08.014	KP	w/o NBL	91-010 159-91	
246-900/..	130.08.556	KK	91-140 544-91		130.08.495	KP	NBL	91-140 650-91	
260	130.03.017	KH	91-105 490-91 w/o B/C	w/ hook fastening screw	130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	130.00.066
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.341
	130.03.048	KH	91-163 260-91 w/o B/C	Needle slot 13,5 mm	130.06.294	KP	w/o NBL	91 009 076 61 14mm	130.00.108
					130.06.359	KP	w/o NBL	91 009 076 61 14mm BRN	
	130.03.078	KH	91-163 260-91 w/o B/C	Needle slot 16 mm	130.06.294	KP	w/o NBL	91 009 076 61 14mm	
					130.06.359	KP	w/o NBL	91 009 076 61 14mm BRN	
					130.06.414	KP	NBL	91-163 263-91	
290	130.08.054	KK	91-010 850-91	Leather	130.08.070	KP	w/o NBL	91-011 498-91	
	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
290-900	130.08.556	KK	91-140 544-91		130.08.495	KP	NBL	91 140 650 91	
	130.08.558	KK	91-140 545-91		130.08.495	KP	NBL	91 140 650 91	
290-900 A	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
290-900 B	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
292 B	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
292 BN	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
292 C	130.08.054	KK	91-010 850-91	Leather	130.08.070	KP	w/o NBL	91-011 498-91	
	130.08.304	KK	91-010 896-91	Fabric	130.08.014	KP	w/o NBL	91-010 159-91	
292-900/56 B	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
292-900/56 C	130.08.973	KK	91-012 782-91	Short gib	130.08.460	KP	NBL	91-113 192-91	
293	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
293-900/..	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
294	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
294-900/..A	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
294-900/..B	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
294-900/..C	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
294-720/02-944/01 A	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
294-720/02-944/01 B	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
294-720/02-944/01 B/C	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
294-944/01 A	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
294-944/01 B	130.08.530	KK	91-012 781-91	Full gib	130.08.460	KP	NBL	91-113 192-91	
294-944/01 C	130.08.973	KK	91-012 782-91	Short gib	130.08.460	KP	NBL	91-113 192-91	
331	130.03.017	KH	91-105 490-91 w/o B/C	w/ hook fastening screw	130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	130.00.066
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.341
	130.03.048	KH	91-163 260-91 w/o B/C	Needle slot 13,5 mm	130.06.294	KP	w/o NBL	91 009 076 61 14mm	130.00.108
					130.06.359	KP	w/o NBL	91 009 076 61 14mm BRN	
	130.03.078	KH	91-163 260-91 w/o B/C	Needle slot 16 mm	130.06.294	KP	w/o NBL	91 009 076 61 14mm	
					130.06.359	KP	w/o NBL	91 009 076 61 14mm BRN	
					130.06.414	KP	NBL	91-163 263-91	
333-712/02(-900...)	130.03.017	KH	91-105 490-91 w/o B/C	Needle slot 13,5 mm	130.06.294	KP	w/o NBL	91-009 076-61 14mm	
					130.06.359	KP	w/o NBL	91-009 076-61 14mm BRN	
333-712/03	130.03.017	KH	91-105 490-91 w/o B/C	w/ hook fastening screw	130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	130.00.066
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.341
333-G (-900/..)	130.03.057	KH	91-060 581-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.335
335-G (-900/..)	130.03.057	KH	91-060 581-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.335
335-H3	130.03.017	KH	91-105 490-91 w/o B/C	w/ hook fastening screw	130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	130.00.066
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.341
335-H3-900/52	130.03.017	KH	91-105 490-91 w/o B/C	w/ hook fastening screw	130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	130.00.066
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.341
337	130.03.017	KH	91-105 490-91 w/o B/C	w/ hook fastening screw	130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	130.00.066
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.341
337-900/51	130.03.017	KH	91-105 490-91 w/o B/C	w/ hook fastening screw	130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	130.00.066
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.341
337-G (-900/..)	130.03.057	KH	91-060 581-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.335
340	130.08.560	KK	91-014 192-91	Fabric	130.08.014	KP	w/o NBL	91-010 159-91	
341-6A	130.08.560	KK	91-014 192-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.912	KK		Leather	130.08.014	KP	w/o NBL	91 010 159 91	
341-6B	130.08.560	KK	91-014 192-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.912	KK		Leather	130.08.014	KP	w/o NBL	91 010 159 91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
343U	130.08.965	KK	91-014 415-91		130.08.014	KP	w/o NBL	91-010 159-91	
343-712	130.08.965	KK	91-014 415-91		130.08.014	KP	w/o NBL	91-010 159-91	
343-712/..	130.08.965	KK	91-014 415-91		130.08.014	KP	w/o NBL	91-010 159-91	
343-G	130.08.965	KK	91-014 415-91		130.08.014	KP	w/o NBL	91-010 159-91	
344U	130.08.965	KK	91-014 415-91		130.08.014	KP	w/o NBL	91-010 159-91	
345-H3	130.08.560	KK	91-014 192-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.912	KK		Leather	130.08.014	KP	w/o NBL	91 010 159 91	
345-6	130.08.560	KK	91-014 192-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.912	KK		Leather	130.08.014	KP	w/o NBL	91 010 159 91	
417	130.23.000	KH	91-168 888-91 w/o B/C		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
417-818 A	130.23.000	KH	91-168 888-91 w/o B/C		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
417-818 B	130.23.000	KH	91-168 888-91 w/o B/C		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
417 (-900/..)A	130.23.000	KH	91-168 888-91 w/o B/C		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
417 (-900/..)B	130.23.000	KH	91-168 888-91 w/o B/C		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
417 (-900/..)C	130.23.015	KH	91-167 980-91 w/o B/C	Under trimming mach.	130.24.005	KP	NBL	95-629 679-91	
418 C	130.23.015	KH	91-167 980-91 w/o B/C	Under trimming mach.	130.24.005	KP	NBL	95-629 679-91	
418-712	130.23.009	KH	95-629 677-91 w/o B/C		130.24.000	KP	NBL	91-168 628-91	
					130.24.005	KP	NBL	95-629 679-91	130.00.349
418 (-900/..)C	130.23.015	KH	91-167 980-91 w/o B/C	Under trimming mach.	130.24.005	KP	NBL	95-629 679-91	
419	130.23.000	KH	91-168 888-91 w/o B/C		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
419 (-900/..)A	130.23.000	KH	91-168 888-91 w/o B/C		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
419 (-900/..)B	130.23.000	KH	91-168 888-91 w/o B/C		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
421	130.08.950	KK	91-164 900-91	Under trimming mach.	130.08.957	KP	NBL	91-162 632-91	
421-900/61-B	130.08.950	KK	91-164 900-91	Under trimming mach.	130.08.957	KP	NBL	91-162 632-91	
421-900/61-C	130.08.950	KK	91-164 900-91	Under trimming mach.	130.08.957	KP	NBL	91-162 632-91	
421-900/61-G	130.08.950	KK	91-164 900-91	Under trimming mach.	130.08.957	KP	NBL	91-162 632-91	
422	130.08.960	KK	91-166 733-91	Under trimming mach.	130.08.957	KP	NBL	91-162 632-91	
422 (-720/..)	130.08.960	KK	91-166 733-91	Under trimming mach.	130.08.957	KP	NBL	91-162 632-91	
422 (-900/..)	130.08.960	KK	91-166 733-91	Under trimming mach.	130.08.957	KP	NBL	91-162 632-91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
432	130.04.000	KH	91-171 820-91 w/o B/C		130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	
437	130.04.012	KH	91-168 885-91 w/ metric screws, w/o B/C- 91-265 225-91 w/o B/C-		130.06.322	KP	NBL	91-167 597-91	130.00.070
437-900/..	130.04.012	KH	91-168 885-91 w/ metric screws, w/o B/C- 91-265 225-91 w/o B/C-		130.06.322	KP	NBL	91-167 597-91	130.00.070
438	130.04.012	KH	91-168 885-91 w/ metric screws, w/o B/C- 91-265 225-91 w/o B/C-		130.06.322	KP	NBL	91-167 597-91	130.00.070
438-716/..	130.04.012	KH	91-168 885-91 w/ metric screws, w/o B/C- 91-265 225-91 w/o B/C-		130.06.322	KP	NBL	91-167 597-91	130.00.070
438 (-900/..)	130.04.012	KH	91-168 885-91 w/ metric screws, w/o B/C- 91-265 225-91 w/o B/C-		130.06.322	KP	NBL	91-167 597-91	130.00.070
439	130.04.012	KH	91-168 885-91 w/ metric screws, w/o B/C- 91-265 225-91 w/o B/C-		130.06.322	KP	NBL	91-167 597-91	130.00.070
439-900/..	130.04.012	KH	91-168 885-91 w/ metric screws, w/o B/C- 91-265 225-91 w/o B/C-		130.06.322	KP	NBL	91-167 597-91	130.00.070
440 AB	130.08.534	KK	91-118 875-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.537	KK	91-118 876-91		130.08.014	KP	w/o NBL	91 010 159 91	
440 L	130.08.534	KK	91-118 875-91	Leather	130.08.014	KP	w/o NBL	91-010 159-91	
440 S	130.08.537	KK	91-118 876-91		130.08.014	KP	w/o NBL	91-010 159-91	
440-900	130.08.546	KK	91-118 318-91	Fabric	130.08.544	KP	NBL	91-118 414-91	
440-900 AB	130.08.585	KK	91-173 240-91		130.08.460	KP	NBL	91-113 192-91	
440-900 Leder	130.08.540	KK	91-118 419-91	Leather	130.08.544	KP	NBL	91-118 414-91	
441-0	130.08.534	KK	91-118 875-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.537	KK	91-118 876-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
441-0-900	130.08.540	KK	91-118 419-91	Leather	130.08.544	KP	NBL	91 118 414 91	
	130.08.546	KK	91-118 318-91	Fabric	130.08.544	KP	NBL	91 118 414 91	
441-R	130.08.534	KK	91-118 875-91		130.08.014	KP	w/o NBL	91-010 159-91	
441-R-900/..	130.08.585	KK	91-173 240-91		130.08.460	KP	NBL	91-113 192-91	
442	130.08.537	KK	91-118 876-91		130.08.014	KP	w/o NBL	91-010 159-91	
442-720/04	130.08.537	KK	91-118 876-91		130.08.014	KP	w/o NBL	91-010 159-91	
442-720/04-900/..	130.08.585	KK	91-173 240-91		130.08.460	KP	NBL	91-113 192-91	
442-900/11	130.08.546	KK	91-118 318-91		130.08.544	KP	NBL	91-118 414-91	
3114					130.14.007	KP	NBL	91-008 243-91 NBL	130.12.031
					130.14.031	KP	NBL	91-160 130-91	
3115	130.12.001	KH	91-008 250-99		130.14.000	KP	w/o NBL	91-008 243-91 NO NBL	130.12.000
					130.14.007	KP	NBL	91-008 243-91 NBL	130.12.031

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
3116	130.12.019	KH	91-120 710-91 w/o B/C		130.14.000	KP	w/o NBL	91-008 243-91 NO NBL	130.12.018
					130.14.007	KP	NBL	91-008 243-91 NBL	130.12.041
					130.14.031	KP	NBL	91-160 130-91	
3119	130.12.166	KH	91-269 245-91 w/o B/C		130.14.027	KP	NBL	91-269 243-91	130.12.165
3125 A	115.00.074	KH	91-006 560-05		115.00.229	KP	MF	91 130 590 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.229	KP	MF	91 130 590 91	
3125 B	115.00.074	KH	91-006 560-05		115.00.229	KP	MF	91 130 590 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.229	KP	MF	91 130 590 91	
3125 C	115.00.076	KH	91-006 694-05		115.00.262	KP	MF	91 024 423 91	
	115.00.269	KH	91-006 694-45	Chromium plated	115.00.262	KP	MF	91 024 423 91	
3135 A	115.00.074	KH	91-006 560-05		115.00.229	KP	MF	91 130 590 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.229	KP	MF	91 130 590 91	
3135 B	115.00.074	KH	91-006 560-05		115.00.229	KP	MF	91 130 590 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.229	KP	MF	91 130 590 91	
3135 C	115.00.076	KH	91-006 694-05		115.00.262	KP	MF	91 024 423 91	
	115.00.269	KH	91-006 694-45	Chromium plated	115.00.262	KP	MF	91 024 423 91	
3136	115.00.074	KH	91-006 560-05		115.00.262	KP	MF	91 024 423 91	
	115.00.076	KH	91-006 694-05		115.00.262	KP	MF	91 024 423 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.262	KP	MF	91 024 423 91	
	115.00.269	KH	91-006 694-45	Chromium plated	115.00.262	KP	MF	91 024 423 91	
3331	115.00.074	KH	91-006 560-05		115.00.262	KP	MF	91 024 423 91	
	115.00.076	KH	91-006 694-05		115.00.262	KP	MF	91 024 423 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.262	KP	MF	91 024 423 91	
	115.00.269	KH	91-006 694-45	Chromium plated	115.00.262	KP	MF	91 024 423 91	
3334	115.00.074	KH	91-006 560-05		115.00.229	KP	MF	91 130 590 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.229	KP	MF	91 130 590 91	
3335	115.00.074	KH	91-006 560-05		115.00.229	KP	MF	91 130 590 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.229	KP	MF	91 130 590 91	
3336 A	115.00.074	KH	91-006 560-05		115.00.229	KP	MF	91 130 590 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.229	KP	MF	91 130 590 91	
3336 B	115.00.074	KH	91-006 560-05		115.00.229	KP	MF	91 130 590 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.229	KP	MF	91 130 590 91	
3336 C	115.00.076	KH	91-006 694-05		115.00.262	KP	MF	91 024 423 91	
	115.00.269	KH	91-006 694-45	Chromium plated	115.00.262	KP	MF	91 024 423 91	
3337 A	115.00.074	KH	91-006 560-05		115.00.229	KP	MF	91 130 590 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.229	KP	MF	91 130 590 91	
3337 B	115.00.074	KH	91-006 560-05		115.00.229	KP	MF	91 130 590 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.229	KP	MF	91 130 590 91	
3337 C	115.00.076	KH	91-006 694-05		115.00.262	KP	MF	91 024 423 91	
	115.00.269	KH	91-006 694-45	Chromium plated	115.00.262	KP	MF	91 024 423 91	
3339 A	115.00.280	KH	91-230 414-45	Chromium plated	115.00.229	KP	MF	91-130 590-91	
3339 B	115.00.280	KH	91-230 414-45	Chromium plated	115.00.229	KP	MF	91-130 590-91	
3339 C	115.00.280	KH	91-230 414-45	Chromium plated	115.00.262	KP	MF	91-024 423-91	
3370 A	115.00.074	KH	91-006 560-05		115.00.229	KP	MF	91 130 590 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.229	KP	MF	91 130 590 91	
3370 B	115.00.074	KH	91-006 560-05		115.00.229	KP	MF	91 130 590 91	
	115.00.257	KH	91-006 560-45	Chromium plated	115.00.229	KP	MF	91 130 590 91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
3370 C	115.00.076	KH	91-006 694-05		115.00.262	KP	MF	91 024 423 91	
	115.00.269	KH	91-006 694-45	Chromium plated	115.00.262	KP	MF	91 024 423 91	
3371-1/..	115.00.303	KH	W 3450181300		115.00.304	KP	NBL	W 3450181300	
3371-1/01	115.00.303	KH	J501GN103		115.00.304	KP	NBL	W 3450181300	
3371-1/11	115.00.303	KH	J501GN111		115.00.304	KP	NBL	W 3450181300	
3371-10/01	115.00.303	KH	J501GN103		115.00.304	KP	NBL	W 3450181300	
3371-10/..	115.00.273	KH	W SH280	Hard chromium plated; light thread					
3511-2/01	130.05.500	KH	91-262 250-91 w/o B/C	FA	130.06.378	KP	NBL	91 262 377 91	
	130.05.530	KH		FB	130.06.378	KP	NBL	91 262 377 91	
3518	130.23.009	KH	95-629 677-91 w/o B/C		130.24.000	KP	NBL	91-168 628-91	
					130.24.005	KP	NBL	95 629 679 91	130.00.349
	130.23.013	KH	95-753 435-91 w/o B/C		130.24.005	KP	NBL	95 629 679 91	130.00.350
3518-929/40	130.23.009	KH	95-629 677-91 w/o B/C		130.24.000	KP	NBL	91-168 628-91	
					130.24.005	KP	NBL	95-629 679-91	130.00.349
3518-929/46	130.23.009	KH	95-629 677-91 w/o B/C		130.24.000	KP	NBL	91-168 628-91	
					130.24.005	KP	NBL	95-629 679-91	130.00.349
3518-929/47	130.23.009	KH	95-629 677-91 w/o B/C		130.24.000	KP	NBL	91-168 628-91	
					130.24.005	KP	NBL	95-629 679-91	130.00.349
3518-929/70	130.23.009	KH	95-629 677-91 w/o B/C		130.24.000	KP	NBL	91-168 628-91	
					130.24.005	KP	NBL	95-629 679-91	130.00.349
3518-929/76	130.23.009	KH	95-629 677-91 w/o B/C		130.24.000	KP	NBL	91-168 628-91	
					130.24.005	KP	NBL	95-629 679-91	130.00.349
3518-929/77	130.23.009	KH	95-629 677-91 w/o B/C		130.24.000	KP	NBL	91-168 628-91	
					130.24.005	KP	NBL	95-629 679-91	130.00.349
3518 Multidirectional sewing	130.23.013	KH	95-753 435-91 w/o B/C		130.24.005	KP	NBL	95-629 679-91	130.00.350
3518-928/62	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
3519-3	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
3519-12	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
3557	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
3566-2/01	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
3566-G-2/01	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
3568	130.23.050	KH	91-167 082-91 w/o B/C		130.24.050	KP	NBL	91 167 084 91	130.00.351
	130.23.050DC10	KH	91-167 082-91 DC10 w/o B/C		130.24.050	KP	NBL	91 167 084 91	
3568-2/01	130.23.050	KH	91-167 082-91 w/o B/C		130.24.050	KP	NBL	91 167 084 91	130.00.351
	130.23.050DC10	KH	91-167 082-91 DC10 w/o B/C		130.24.050	KP	NBL	91 167 084 91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
3568-2/11	130.23.050	KH	91-167 082-91 w/o B/C		130.24.050	KP	NBL	91 167 084 91	130.00.351
	130.23.050DC10	KH	91-167 082-91 DC10 w/o B/C		130.24.050	KP	NBL	91 167 084 91	
3568-12/21	130.23.050	KH	91-167 082-91 w/o B/C		130.24.050	KP	NBL	91 167 084 91	130.00.351
	130.23.050DC10	KH	91-167 082-91 DC10 w/o B/C		130.24.050	KP	NBL	91 167 084 91	
3568-G-1/12	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
3574-6/01	130.03.017	KH	91-105 490-91 w/o B/C	w/ hook fastening screw	130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	130.00.066
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.341
3574-G-2/01	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
3574-G-2/02	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
3587-2/01	130.22.515	KL	91-176 442-91						
	130.22.519	KL	91-266 786-91						
3587-1420	130.22.519	KL	91-266 786-91						
3588	130.04.098	KH	95-774 726-91 w/o B/C		130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	
3588-02/01	130.04.098	KH	95-774 726-91 w/o B/C		130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	
3588-04	130.22.505	KL	91-166 900-91- 91-266 150-91- 91-266 504-91-						
3701-4/11	130.05.500	KH	91-262 250-91 w/o B/C	FA	130.06.378	KP	NBL	91 262 377 91	
	130.05.530	KH		FB	130.06.378	KP	NBL	91 262 377 91	
3701-G-1/01	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
3704-2/02	130.04.012	KH	91-265 225-91 w/o B/C		130.06.322	KP	NBL	91-167 597-91	130.00.070
3734-12/31	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
3819-2/01	130.08.805	KK	91-266 685-91	Under trimming mach.	130.08.814	KP	NBL	91-266 683-91	
	130.22.505	KL	91-266 150-91	Drop-in version, under trimming mach.					
3588-05/020	130.22.505	KL	91-266 504-91						
3588-15/020	130.22.505	KL	91-266 504-91						
3819-2/03	130.08.805	KK	91-266 685-91	Under trimming mach.	130.08.814	KP	NBL	91-266 683-91	
	130.22.505	KL	91-266 150-91	Drop-in version, under trimming mach.					
3802	130.08.678	KK	91-140 540-91		130.08.674	KP	NBL	91-140 287-91	
3822-1/02 (G)	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
3822-1/04	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
3822-1/22 (G)	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
3822-1/24	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
3823-1/01	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
3826-2/01	130.08.678	KK	91-140 540-91		130.08.674	KP	NBL	91-140 287-91	
3828-1/01	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
3828-1/02	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
3834-3/11	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91-119 458-91	
3834-4/11	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91-119 458-91	
3834-14/11	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
3834-14/31	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
3834-15/31	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
3844-1/01	130.04.012	KH	91-265 225-91 w/o B/C		130.06.322	KP	NBL	91-167 597-91	130.00.070
9083	130.05.500	KH	91-262 250-91 w/o B/C	FA	130.06.378	KP	NBL	91 262 377 91	
	130.05.507DC20	KH	91-264 300-91 w/o B/C	DC20 coated	130.06.378	KP	NBL	91 262 377 91	
	130.05.530	KH		FB	130.06.378	KP	NBL	91 262 377 91	
9491	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
9493	130.08.000	KK	91-010 165-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.304	KK	91-010 896-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
701998	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
1010	130.02.500	KH	91-106 253-91 w/o B/C		130.06.390	KP	w/o NBL	91-106 372-91- 91-106 528-91-	
1025	130.02.500	KH	91-106 253-91 w/o B/C		130.06.390	KP	w/o NBL	91-106 372-91- 91-106 528-91-	
1037	130.02.500	KH	91-106 253-91 w/o B/C		130.06.390	KP	w/o NBL	91-106 372-91- 91-106 528-91-	
1047	130.02.500	KH	91-106 253-91 w/o B/C		130.06.390	KP	w/o NBL	91-106 372-91- 91-106 528-91-	
1050	130.02.500	KH	91-106 253-91 w/o B/C		130.06.390	KP	w/o NBL	91-106 372-91- 91-106 528-91-	
1051	130.05.507DC20	KH	91-264 300-91 w/o B/C	DC20 coated	130.06.378	KP	NBL	91-262 377-91	
1053	130.05.507DC20	KH	91-264 300-91 w/o B/C	DC20 coated	130.06.378	KP	NBL	91-262 377-91	
1069	130.02.500	KH	91-106 253-91 w/o B/C		130.06.390	KP	w/o NBL	91-106 372-91- 91-106 528-91-	
1150	130.02.500	KH	91-106 253-91 w/o B/C		130.06.390	KP	w/o NBL	91-106 372-91- 91-106 528-91-	
1151	130.02.500	KH	91-106 253-91 w/o B/C		130.06.390	KP	w/o NBL	91-106 372-91- 91-106 528-91-	
1181D Oil free	130.05.507DC20	KH	91-264 300-91 w/o B/C	DC20 coated	130.06.378	KP	NBL	91-262 377-91	
1183D Oil free	130.05.507DC20	KH	91-264 300-91 w/o B/C	DC20 coated	130.06.378	KP	NBL	91-262 377-91	
ECO 45	130.15.210	KL	E-899339						
ECO 45-P	130.15.210	KL	E-899339						
442-0	130.08.534	KK	91-118 875-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.537	KK	91-118 876-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
442-0-900/..	130.08.540	KK	91-118 419-91	Leather	130.08.544	KP	NBL	91 118 414 91	
	130.08.546	KK	91-118 318-91	Fabric	130.08.544	KP	NBL	91 118 414 91	
442-R	130.08.534	KK	91-118 875-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.537	KK	91-118 876-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
442-R-900/11	130.08.540	KK	91-118 419-91	Leather	130.08.544	KP	NBL	91 118 414 91	
	130.08.546	KK	91-118 318-91	Fabric	130.08.544	KP	NBL	91 118 414 91	
442-R-900/51	130.08.540	KK	91-118 419-91	Leather	130.08.544	KP	NBL	91 118 414 91	
	130.08.546	KK	91-118 318-91	Fabric	130.08.544	KP	NBL	91 118 414 91	
442-R-900/56	130.08.585	KK	91-173 240-91		130.08.460	KP	NBL	91-113 192-91	
442-R-900/61	130.08.585	KK	91-173 240-91		130.08.460	KP	NBL	91-113 192-91	
442-R-900/71	130.08.546	KK	91-118 318-91		130.08.544	KP	NBL	91-118 414-91	
444-0	130.08.534	KK	91-118 875-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.537	KK	91-118 876-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
444-0-900/..	130.08.540	KK	91-118 419-91	Leather	130.08.544	KP	NBL	91 118 414 91	
	130.08.546	KK	91-118 318-91	Fabric	130.08.544	KP	NBL	91 118 414 91	
444-900/.. A	130.08.540	KK	91-118 419-91	Leather	130.08.544	KP	NBL	91 118 414 91	
	130.08.546	KK	91-118 318-91	Fabric	130.08.544	KP	NBL	91 118 414 91	
444-900/.. B	130.08.540	KK	91-118 419-91	Leather	130.08.544	KP	NBL	91 118 414 91	
	130.08.546	KK	91-118 318-91	Fabric	130.08.544	KP	NBL	91 118 414 91	
444 A	130.08.534	KK	91-118 875-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.537	KK	91-118 876-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
444 B	130.08.534	KK	91-118 875-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.537	KK	91-118 876-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
444-R	130.08.534	KK	91-118 875-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.537	KK	91-118 876-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
444-R-900/..	130.08.540	KK	91-118 419-91	Leather	130.08.544	KP	NBL	91 118 414 91	
	130.08.546	KK	91-118 318-91	Fabric	130.08.544	KP	NBL	91 118 414 91	
448-0	130.08.534	KK	91-118 875-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.537	KK	91-118 876-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
448-0-900/..	130.08.540	KK	91-118 419-91	Leather	130.08.544	KP	NBL	91 118 414 91	
	130.08.546	KK	91-118 318-91	Fabric	130.08.544	KP	NBL	91 118 414 91	
457-0	130.08.534	KK	91-118 875-91	Leather	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.537	KK	91-118 876-91	Fabric	130.08.014	KP	w/o NBL	91 010 159 91	
457-0-900/..	130.08.540	KK	91-118 419-91	Leather	130.08.544	KP	NBL	91 118 414 91	
	130.08.546	KK	91-118 318-91	Fabric	130.08.544	KP	NBL	91 118 414 91	
460	130.04.094	KH	91-265 265-91 w/o B/C		130.06.322	KP	NBL	91-167 597-91	
461~469	130.04.000	KH	91-171 820-91 w/o B/C		130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	
461 (-900/..)	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
463 (-900/..)	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
467 (-900/..)	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
467	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
469	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
470	130.08.319	KK	91-119 386-91	Full gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.319R	KK	91-119 386-91 R	Full gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.451	KK	91-119 767-91	Short gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.451R	KK	91-119 767-91 R	Short gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.518	KK	91-119 385-91	Full gib, under trimming mach.	130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.518R	KK	91-119 385-91 R	Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.524	KK	91-119 899-91	Short gib, under trimming mach.	130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.524R	KK	91-119 899-91 R	Short gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
471 A	130.08.319	KK	91-119 386-91	Full gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.319R	KK	91-119 386-91 R	Full gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
471 B	130.08.319	KK	91-119 386-91	Full gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.319R	KK	91-119 386-91 R	Full gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.451	KK	91-119 767-91	Short gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.451R	KK	91-119 767-91 R	Short gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
471 C	130.08.451	KK	91-119 767-91	Short gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.451R	KK	91-119 767-91 R	Short gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
471-900 /.. A	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.518R	KK	91-119 385-91 R	Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
471-900 /.. B	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.518R	KK	91-119 385-91 R	Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
471-900/.. B	130.08.524	KK	91-119 899-91		130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.524R	KK	91-119 899-91 R	Short gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
471-900/.. C	130.08.524	KK	91-119 899-91		130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.524R	KK	91-119 899-91 R	Short gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
472	130.08.319	KK	91-119 386-91	Full gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.319R	KK	91-119 386-91 R	Full gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
472-900/..	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.518R	KK	91-119 385-91 R	Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
474 A	130.08.319	KK	91-119 386-91	Full gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.319R	KK	91-119 386-91 R	Full gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
474 B	130.08.319	KK	91-119 386-91	Full gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.319R	KK	91-119 386-91 R	Full gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
474 B/C	130.08.451	KK	91-119 767-91	Short gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.451R	KK	91-119 767-91 R	Short gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
474-900/.. A	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.518R	KK	91-119 385-91 R	Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
474-900/.. B	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.518R	KK	91-119 385-91 R	Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
474-900/.. B/C	130.08.524	KK	91-119 899-91		130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.524R	KK	91-119 899-91 R	Short gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
480	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91 009 076 61	130.00.090
					130.06.320	KP	NBL	91 009 076 61	130.00.090
480 G	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
480~489	130.04.000	KH	91-171 820-91 w/o B/C		130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	
481-G-900/..	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
481-G-926/01	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
481 (-900/..)	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
481-900/..	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
483-G-900/..	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
483-G-926/01	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
483 (-900/..)	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
483-926/01	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
485 (-900/..)	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
487	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91 009 076 61	130.00.090
					130.06.320	KP	NBL	91 009 076 61	130.00.090
487-G (-900/..)	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
487-G-900/..	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
487-G-926/01	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
487 (-900/..)	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
487-900/..	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
487-926/01	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
487/489	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
489-G (-900/..)	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
489-G-900/..	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
489-G-926/01	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
489 (-900/..)	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
490 AB	130.08.319	KK	91-119 386-91	Full gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.319R	KK	91-119 386-91 R	Full gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
490-900 AB	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.518R	KK	91-119 385-91 R	Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
490-900 CD	130.08.524	KK	91-119 899-91		130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.524R	KK	91-119 899-91 R	Short gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
491 A	130.08.319	KK	91-119 386-91	Full gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.319R	KK	91-119 386-91 R	Full gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
491 B	130.08.319	KK	91-119 386-91	Full gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.319R	KK	91-119 386-91 R	Full gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
491 B/C	130.08.451	KK	91-119 767-91	Short gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.451R	KK	91-119 767-91 R	Short gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
491-900/.. A	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.518R	KK	91-119 385-91 R	Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
491-900/.. B	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91 119 458 91	
	130.08.518R	KK	91-119 385-91 R	Full gib, under trimming mach., regulating needle guard	130.08.522	KP	w/o NBL	91 119 458 91	
491-900/.. B/C	130.08.524	KK	91-119 899-91		130.08.522	KP	w/o NBL	91-119 458-91	
493 A	130.08.319	KK	91-119 386-91	Full gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.319R	KK	91-119 386-91 R	Full gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
493 B/C	130.08.451	KK	91-119 767-91	Short gib, for Europe market	130.08.014	KP	w/o NBL	91 010 159 91	
	130.08.451R	KK	91-119 767-91 R	Short gib, regulating needle guard	130.08.014	KP	w/o NBL	91 010 159 91	
493-900/.. A	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91-119 458-91	
493-900/.. B/C	130.08.524	KK	91-119 899-91		130.08.522	KP	w/o NBL	91-119 458-91	
521	130.08.950	KK	91-164 900-91	Under trimming mach.	130.08.957	KP	NBL	91-162 632-91	
540	130.08.676	KK	91-018 113-91		130.08.674	KP	NBL	91-140 287-91	
541 B	130.08.703	KK	91-018 482-91		130.08.109	KP	w/o NBL	91-018 348-91	
541 C	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
541 D	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
541-900/11	130.08.670	KK	91-018 680-91		130.08.674	KP	NBL	91 140 287 91	
	130.08.676	KK	91-018 113-91		130.08.674	KP	NBL	91 140 287 91	
541-900/16 B/C	130.08.676	KK	91-018 113-91		130.08.674	KP	NBL	91-140 287-91	
541-900/16 C	130.08.670	KK	91-018 680-91		130.08.674	KP	NBL	91-140 287-91	
542 B	130.08.703	KK	91-018 482-91		130.08.109	KP	w/o NBL	91-018 348-91	
542 C	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
542-720/900/.. B/C	130.08.676	KK	91-018 113-91		130.08.674	KP	NBL	91-140 287-91	
542-900/.. C	130.08.670	KK	91-018 680-91		130.08.674	KP	NBL	91-140 287-91	
543 C	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
543-900/..	130.08.670	KK	91-018 680-91		130.08.674	KP	NBL	91-140 287-91	
544-162/01 B	130.08.703	KK	91-018 482-91		130.08.109	KP	w/o NBL	91-018 348-91	
544-720/02 (2,4-7,2)	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
544-720/02 (8,5-15,2)	130.08.130	KK	91-018 876-91		130.08.284	KP	w/o NBL	91-018 959-91	
544-720/900/B/C	130.08.676	KK	91-018 113-91		130.08.674	KP	NBL	91-140 287-91	
544-900/.. C	130.08.670	KK	91-018 680-91		130.08.674	KP	NBL	91-140 287-91	
544-900/.. C/D	130.08.670	KK	91-018 680-91		130.08.674	KP	NBL	91-140 287-91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
544-900/16	130.08.676	KK	91-018 113-91		130.08.674	KP	NBL	91-140 287-91	
544-900/56 B/C	130.08.676	KK	91-018 113-91		130.08.674	KP	NBL	91-140 287-91	
544-944/01 C	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
544-944/01 C/D	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
545-H3 C	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
545-H3 D	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
545-H3-735/01 B	130.08.703	KK	91-018 482-91		130.08.109	KP	w/o NBL	91-018 348-91	
545-900/.. C	130.08.670	KK	91-018 680-91		130.08.674	KP	NBL	91-140 287-91	
546-H2-748/01 B	130.08.703	KK	91-018 482-91		130.08.109	KP	w/o NBL	91-018 348-91	
546-H3 C	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
546-H3 D	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
546-900/.. C	130.08.670	KK	91-018 680-91		130.08.674	KP	NBL	91-140 287-91	
560	130.04.000	KH	91-171 820-91 w/o B/C		130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	
					130.06.172	KP	MF	91 009 076 61 MF	
					130.06.320	KP	NBL	91 009 076 61	
	130.04.007	KH			130.06.172	KP	MF	91 009 076 61 MF	
					130.06.320	KP	NBL	91 009 076 61	130.00.090
					130.06.320	KP	NBL	91 009 076 61	130.00.090
561	130.04.000	KH	91-171 820-91 w/o B/C		130.06.106	KP	w/o NBL	91-009 076-61 NO NBL	
					130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	
561-G (-900/..)	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
561-G-900/..	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
561-G-926/01	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
561 (-900/..)	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
563-G (-900/..)	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
563-G-900/..	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
563-G-926/01	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
563 (-900/..)	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
571 A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
571 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
571 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
571-725/04 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
571-900/83 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
571-911/37 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
571-940/02 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
574 A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
574 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
574 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
574-725/04 A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
574-725/04 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
574-725/04 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
574-900/83 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
574-900/83 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
574-911/37 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
574-911/37 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
581	130.04.103	KH	91-265 450-91 w/o B/C		130.06.414	KP	NBL	91-163 263-91	
583	130.04.103	KH	91-265 450-91 w/o B/C		130.06.414	KP	NBL	91-163 263-91	
591 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
591 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
591 C old model	130.08.100	KK	91-018 340-91	Large capacity	130.08.109	KP	w/o NBL	91-018 348-91	
591 D old model	130.08.100	KK	91-018 340-91	Large capacity	130.08.109	KP	w/o NBL	91-018 348-91	
591-725/04 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
591-725/04 C	130.08.946	KK	91-263 435-91- 91-263 495-91-	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
591-900/83 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
591-900/83 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 489-91	
591-940/02 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91 263 489 91	
	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91 263 489 91	
593-944/01 C	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
594 A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
594 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
594 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
594-720/02	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
594-725/04 A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
594-725/04 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
594-725/04 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
594-900/01	130.08.697	KK	91-018 285-91	Under trimming mach.	130.08.701	KP	NBL	91 018 676 91	
	130.22.527	KL	91-018 285-91 drop-in	Drop-in version, under trimming mach.					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
594-900/56	130.08.697	KK	91-018 285-91	Under trimming mach.	130.08.701	KP	NBL	91 018 676 91	
	130.22.527	KL	91-018 285-91 drop-in	Drop-in version, under trimming mach.					
594-944/01	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
595-H3	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
596-H3	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
832 A	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
832 B	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
832 L	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
838	130.04.012	KH	91-265 225-91 w/o B/C		130.06.322	KP	NBL	91-167 597-91	130.00.070
838-900/..	130.04.012	KH	91-265 225-91 w/o B/C		130.06.322	KP	NBL	91-167 597-91	130.00.070
893 A	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
893 B	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
893 L	130.08.304	KK	91-010 896-91		130.08.014	KP	w/o NBL	91-010 159-91	
910	130.23.009	KH	95-629 677-91 w/o B/C		130.24.000	KP	NBL	91-168 628-91	
					130.24.005	KP	NBL	95-629 679-91	130.00.349
	130.23.050	KH	91-167 082-91 w/o B/C		130.24.050	KP	NBL	91 167 084 91	130.00.351
	130.23.050DC10	KH	91-167 082-91 DC10 w/o B/C		130.24.050	KP	NBL	91 167 084 91	
910 AB	130.23.000	KH	91-265 356-91		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
910-Homemaker ver.	130.23.052	KH	91-268 093-91 w/o B/C		130.24.050	KP	NBL	91-167 084-91	130.00.352
917 (-900/..)A	130.23.000	KH	91-168 888-91 w/o B/C		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
917 (-900/..)B	130.23.000	KH	91-168 888-91 w/o B/C		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
918 (-900/..)A	130.23.000	KH	91-168 888-91 w/o B/C		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
918 (-900/..)B	130.23.000	KH	91-168 888-91 w/o B/C		130.24.000	KP	NBL	91 168 628 91	130.00.348
	130.23.000DC10	KH	91-168 888-91 DC10 w/o B/C	DC10 coated	130.24.000	KP	NBL	91 168 628 91	
918 (-900/..)C	130.23.015	KH	91-167 980-91 w/o B/C	Under trimming mach.	130.24.005	KP	NBL	95-629 679-91	
918-Homemaker ver.	130.23.052	KH	91-268 093-91 w/o B/C		130.24.050	KP	NBL	91-167 084-91	130.00.352
930 AB	130.04.012	KH	91-265 346-91		130.06.322	KP	NBL	91-167 597-91	130.00.070
937	130.04.012	KH	91-168 885-91 w/ metric screws, w/o B/C- 91-265 225-91 w/o B/C-		130.06.322	KP	NBL	91-167 597-91	130.00.070

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
937-900/..	130.04.012	KH	91-168 885-91 w/ metric screws, w/o B/C- 91-265 225-91 w/o B/C-		130.06.322	KP	NBL	91-167 597-91	130.00.070
938	130.04.012	KH	91-168 885-91 w/ metric screws, w/o B/C- 91-265 225-91 w/o B/C-		130.06.322	KP	NBL	91-167 597-91	130.00.070
938-716/..	130.04.012	KH	91-265 225-91 w/o B/C		130.06.322	KP	NBL	91-167 597-91	130.00.070
938 (-900/..)	130.04.012	KH	91-265 225-91 w/o B/C		130.06.322	KP	NBL	91-167 597-91	130.00.070
938-900/..	130.04.012	KH	91-265 225-91 w/o B/C		130.06.322	KP	NBL	91-167 597-91	130.00.070
939	130.04.012	KH	91-265 225-91 w/o B/C		130.06.322	KP	NBL	91-167 597-91	130.00.070
939-900..	130.04.012	KH	91-168 885-91 w/ metric screws, w/o B/C- 91-265 225-91 w/o B/C-		130.06.322	KP	NBL	91-167 597-91	130.00.070
950	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91 009 076 61	130.00.090
					130.06.320	KP	NBL	91 009 076 61	130.00.090
951 (-900/..)	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
951-900/..	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
951-926/01	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
953 (-900/..)	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
953-900/..	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
953-926/01	130.04.007	KH			130.06.172	KP	MF	91-009 076-61 MF	
					130.06.320	KP	NBL	91-009 076-61	130.00.090
1114	130.12.201TTN	KH	J101.8.1	TTN coated	130.14.035	KP	NBL	J101.8-20 NBL	
					130.14.038	KP	w/o NBL	J101.8-20 w/o NBL	
1163	130.05.537	KH	BD-3292- JGN137-8-		130.06.298	KP	NBL	BD-3365A- JGN138-8-	
1181	130.05.500	KH	91-262 250-91 w/o B/C	FA	130.06.378	KP	NBL	91 262 377 91	
	130.05.530	KH		FB	130.06.378	KP	NBL	91 262 377 91	
1181G	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
1183	130.05.500	KH	91-262 250-91 w/o B/C	FA	130.06.378	KP	NBL	91 262 377 91	
	130.05.530	KH		FB	130.06.378	KP	NBL	91 262 377 91	
1183-712/02	130.05.500	KH	91-262 250-91 w/o B/C	FA	130.06.378	KP	NBL	91-262 377-91	
1183G	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
1240	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91 018 348 91	
	130.08.676	KK	91-018 113-91		130.08.674	KP	NBL	91-140 287-91	
	130.08.703	KK	91-018 482-91		130.08.109	KP	w/o NBL	91 018 348 91	
1240 C	130.08.670	KK	91-018 680-91		130.08.674	KP	NBL	91-140 287-91	
1240-900 AB	130.08.678	KK	91-140 540-91		130.08.674	KP	NBL	91-140 287-91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
1240-900 CD	130.08.680	KK	91-140 451-91		130.08.674	KP	NBL	91-140 287-91	
1240/1290 CD	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
1241 B	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
1241 B/C	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
1241C	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1241C Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1241D	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1241D Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1241-900/.. B	130.08.678	KK	91-140 540-91		130.08.674	KP	NBL	91-140 287-91	
1241-900/.. B/C	130.08.678	KK	91-140 540-91		130.08.674	KP	NBL	91-140 287-91	
1241-900/.. C	130.08.283	KK	91-140 541-91		130.08.284	KP	w/o NBL	91 018 959 91	
	130.08.288	KK	91-140 542-91		130.08.284	KP	w/o NBL	91 018 959 91	
1242	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1242 Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1242-720/B (3,2-7,6)	130.08.703	KK	91-018 482-91		130.08.109	KP	w/o NBL	91-018 348-91	
1242-720B/C (3,2-7,6)	130.08.667	KK	91-018 112-91		130.08.109	KP	w/o NBL	91-018 348-91	
1242-720/02-900/..	130.08.676	KK	91-018 113-91		130.08.674	KP	NBL	91-140 287-91	
1242-732/09 B	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
1242-732/09-900/B	130.08.678	KK	91-140 540-91		130.08.674	KP	NBL	91-140 287-91	
1242-748/01 B	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91 018 348 91	
	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91 018 348 91	
1242-748/01 B Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1242-748/01 C	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1242-748/01 C Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1242-900/.. C	130.08.680	KK	91-140 451-91		130.08.674	KP	NBL	91-140 287-91	
1243	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1243 Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1243-712/02	130.08.680	KK	91-140 451-91		130.08.674	KP	NBL	91-140 287-91	
1243-/900/..	130.08.680	KK	91-140 451-91		130.08.674	KP	NBL	91-140 287-91	
1244 C	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1244 C Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1244 D	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
1244-720/02	130.08.667	KK	91-018 112-91		130.08.109	KP	w/o NBL	91-018 348-91	
1244-900 (720/0) B/C	130.08.676	KK	91-018 113-91		130.08.674	KP	NBL	91-140 287-91	
1244-900/.. C	130.08.680	KK	91-140 451-91		130.08.674	KP	NBL	91-140 287-91	
1244-900/.. C/D	130.08.670	KK	91-018 680-91		130.08.674	KP	NBL	91-140 287-91	
1245	130.08.280	KK	91-140 539-91-91-141 980-91-		130.08.109	KP	w/o NBL	91-018 348-91- 91-141 981-91-	
1245 Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1245 B	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
1245 C	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1245 C Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
1245-706/47	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
1245-900/.. B	130.08.678	KK	91-140 540-91		130.08.674	KP	NBL	91-140 287-91	
1245-900/.. C	130.08.680	KK	91-140 451-91		130.08.674	KP	NBL	91-140 287-91	
1246	130.08.280	KK	91-140 539-91- 91-141 980-91-		130.08.109	KP	w/o NBL	91-018 348-91- 91-141 981-91-	
1246 B	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
1246 B/C	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
1246 C	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1246 C Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1246 D	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1246 D Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1246-720/.. (3,2-7,6)	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
1246-720/.. (8-30,0)	130.08.283	KK	91-140 541-91		130.08.284	KP	w/o NBL	91 018 959 91	
	130.08.288	KK	91-140 542-91		130.08.284	KP	w/o NBL	91 018 959 91	
1246-900/.. B	130.08.678	KK	91-140 540-91		130.08.674	KP	NBL	91-140 287-91	
1246-900/.. B/C	130.08.678	KK	91-140 540-91		130.08.674	KP	NBL	91-140 287-91	
1246-900/.. C	130.08.680	KK	91-140 451-91		130.08.674	KP	NBL	91-140 287-91	
1290	130.08.703	KK	91-018 482-91		130.08.109	KP	w/o NBL	91-018 348-91	
1290-900	130.08.707	KK	91-018 284-91		130.08.701	KP	NBL	91-018 676-91	
1290-900 CD	130.08.697	KK	91-018 285-91	Under trimming mach.	130.08.701	KP	NBL	91 018 676 91	
	130.22.527	KL	91-018 285-91 drop-in	Drop-in version, under trimming mach.					
1291 B	130.08.703	KK	91-018 482-91		130.08.109	KP	w/o NBL	91-018 348-91	
1291 C	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
1291-900/.. B	130.08.707	KK	91-018 284-91		130.08.701	KP	NBL	91-018 676-91	
1291-900/.. C	130.08.697	KK	91-018 285-91	Under trimming mach.	130.08.701	KP	NBL	91 018 676 91	
	130.22.527	KL	91-018 285-91 drop-in	Drop-in version, under trimming mach.					
1293	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
1293-900/.. C	130.08.697	KK	91-018 285-91	Under trimming mach.	130.08.701	KP	NBL	91 018 676 91	
	130.22.527	KL	91-018 285-91 drop-in	Drop-in version, under trimming mach.					
1294	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
1294-900/..	130.08.697	KK	91-018 285-91	Under trimming mach.	130.08.701	KP	NBL	91 018 676 91	
	130.22.527	KL	91-018 285-91 drop-in	Drop-in version, under trimming mach.					
1294-944/01 C	130.08.697	KK	91-018 285-91	Under trimming mach.	130.08.701	KP	NBL	91 018 676 91	
	130.22.527	KL	91-018 285-91 drop-in	Drop-in version, under trimming mach.					
1295 B	130.08.703	KK	91-018 482-91		130.08.109	KP	w/o NBL	91-018 348-91	
1295 C	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
1295 D	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
1295-900/.. B	130.08.707	KK	91-018 284-91		130.08.701	KP	NBL	91-018 676-91	
1295-900/.. C	130.08.697	KK	91-018 285-91	Under trimming mach.	130.08.701	KP	NBL	91 018 676 91	
	130.22.527	KL	91-018 285-91 drop-in	Drop-in version, under trimming mach.					

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
1296 B	130.08.703	KK	91-018 482-91		130.08.109	KP	w/o NBL	91-018 348-91	
1296 C	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
1296 D	130.08.100	KK	91-018 340-91		130.08.109	KP	w/o NBL	91-018 348-91	
	130.22.526	KL	91-018 340-91 drop-in	Drop-in version					
1296-237/06	130.08.703	KK	91-018 482-91		130.08.109	KP	w/o NBL	91-018 348-91	
1296-237/06-900/..	130.08.707	KK	91-018 284-91		130.08.701	KP	NBL	91-018 676-91	
1296-900/.. B	130.08.707	KK	91-018 284-91		130.08.701	KP	NBL	91-018 676-91	
1296-900/.. C	130.08.697	KK	91-018 285-91	Under trimming mach.	130.08.701	KP	NBL	91 018 676 91	
	130.22.527	KL	91-018 285-91 drop-in	Drop-in version, under trimming mach.					
1297-900/.. B	130.08.707	KK	91-018 284-91		130.08.701	KP	NBL	91-018 676-91	
1421	130.22.522	KL	91-164 920-91						
1422	130.08.805	KK	91-266 685-91	Under trimming mach.	130.08.814	KP	NBL	91-266 683-91	
	130.22.505	KL	91-266 150-91	Drop-in version, under trimming mach.					
1422-720/.. bis 8,0	130.08.805	KK	91-266 685-91	Under trimming mach.	130.08.814	KP	NBL	91-266 683-91	
	130.22.505	KL	91-266 150-91	Drop-in version, under trimming mach.					
1422-926/04 b 8	130.08.805	KK	91-266 685-91	Under trimming mach.	130.08.814	KP	NBL	91-266 683-91	
	130.22.505	KL	91-266 150-91	Drop-in version, under trimming mach.					
1422-926/06 b 8	130.08.805	KK	91-266 685-91	Under trimming mach.	130.08.814	KP	NBL	91-266 683-91	
	130.22.505	KL	91-266 150-91	Drop-in version, under trimming mach.					
1422-900/..	130.08.805	KK	91-266 685-91	Under trimming mach.	130.08.814	KP	NBL	91-266 683-91	
	130.22.505	KL	91-266 150-91	Drop-in version, under trimming mach.					
1422-926/06	130.08.805	KK	91-266 685-91	Under trimming mach.	130.08.814	KP	NBL	91-266 683-91	
	130.22.505	KL	91-266 150-91	Drop-in version, under trimming mach.					
1425 (-900/..)	130.22.505	KL	91-166 900-91- 91-266 150-91- 91-266 504-91-						
1425-900/..	130.22.505	KL	91-166 900-91- 91-266 150-91- 91-266 504-91-						
1425-926/04	130.22.505	KL	91-166 900-91- 91-266 150-91- 91-266 504-91-						
1425-926/06	130.22.505	KL	91-166 900-91- 91-266 150-91- 91-266 504-91-						
1426-720/..	130.08.805	KK	91-266 685-91	Under trimming mach.	130.08.814	KP	NBL	91-266 683-91	
	130.22.505	KL	91-266 150-91	Drop-in version, under trimming mach.					
1426-720/04..	130.08.805	KK	91-266 685-91	Under trimming mach.	130.08.814	KP	NBL	91-266 683-91	
	130.22.505	KL	91-266 150-91	Drop-in version, under trimming mach.					
1426-900/..	130.08.805	KK	91-266 685-91	Under trimming mach.	130.08.814	KP	NBL	91-266 683-91	
	130.22.505	KL	91-266 150-91	Drop-in version, under trimming mach.					
1426-926/04	130.08.805	KK	91-266 685-91	Under trimming mach.	130.08.814	KP	NBL	91-266 683-91	
	130.22.505	KL	91-266 150-91	Drop-in version, under trimming mach.					
1426-926/06	130.22.505	KL	91-166 900-91- 91-266 150-91- 91-266 504-91-						

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
1427 (-900/..)	130.22.505	KL	91-166 900-91-91-266 150-91-91-266 504-91-						
1427-900/..	130.22.505	KL	91-166 900-91-91-266 150-91-91-266 504-91-						
1427-926/04	130.22.505	KL	91-266 150-91-						
1427-926/06	130.22.505	KL	91-166 900-91-91-266 150-91-91-266 504-91-						
1428-900/..	130.22.505	KL	91-166 900-91-91-266 150-91-91-266 504-91-						
1428-926/04..	130.22.505	KL	91-166 900-91-91-266 150-91-91-266 504-91-						
1428-926/06..	130.22.505	KL	91-266 150-91-						
1440	130.08.660	KK	91-176 369-91	Under trimming mach.					
1441 B	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
1441 C	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1441 C Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1441-900/.. B	130.08.660	KK	91-176 369-91	Under trimming mach.					
1441-900/.. C	130.08.660	KK	91-176 369-91	Under trimming mach.					
1441-900/.. G	130.08.660	KK	91-176 369-91	Under trimming mach.					
1442 B	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
1442 C	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1442 C Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1442-720/04 B	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
1442-720/04 B/C	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1442-720/04 B/C Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1442-720/04 C	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1442-720/04 C Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1442-720-900/B/C	130.08.660	KK	91-176 369-91	Under trimming mach.					
1442-720-900/C	130.08.660	KK	91-176 369-91	Under trimming mach.					
1442-720-900/G	130.08.660	KK	91-176 369-91	Under trimming mach.					
1442-900/B	130.08.660	KK	91-176 369-91	Under trimming mach.					
1442-900/C	130.08.660	KK	91-176 369-91	Under trimming mach.					
1442-900/G	130.08.660	KK	91-176 369-91	Under trimming mach.					
1445 Drop in	130.22.510	KL	91-176 440-91						
1445 B	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
1445 C	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	
1445 C Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1445-900/..B	130.22.510	KL	91-176 440-91						
1445-900/.. C	130.22.515	KL	91-176 442-91						
1445-900/.. Stand.	130.08.660	KK	91-176 369-91	Under trimming mach.					
1445-900/.. G Stand.	130.08.660	KK	91-176 369-91	Under trimming mach.					
1446 B	130.08.273	KK	91-140 538-91		130.08.109	KP	w/o NBL	91-018 348-91	
1446 C	130.08.280	KK	91-140 539-91		130.08.109	KP	w/o NBL	91-018 348-91	

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
1446 C Mod.for Heavy Thread	130.08.294	KK	91-140 539-91 thick thread	Thick thread, for thread bigger than 1mm diameter	130.08.109	KP	w/o NBL	91-018 348-91	
1446-900/.. B	130.08.660	KK	91-176 369-91	Under trimming mach.					
1446-900/.. C	130.08.660	KK	91-176 369-91	Under trimming mach.					
1446-900/.. G	130.08.660	KK	91-176 369-91	Under trimming mach.					
1471 (E)-900/..	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91-119 458-91	
1474-900/..	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91-119 458-91	
1491 (E)-900/.. A	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91-119 458-91	
1491 (E)-900/.. B	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91-119 458-91	
1491 (E)-900/.. B/C	130.08.524	KK	91-119 899-91		130.08.522	KP	w/o NBL	91-119 458-91	
1493 (E)-900/.. A	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91-119 458-91	
1493 (E)-900/.. B	130.08.518	KK	91-119 385-91		130.08.522	KP	w/o NBL	91-119 458-91	
1493 (E)-900/.. B/C	130.08.524	KK	91-119 899-91		130.08.522	KP	w/o NBL	91-119 458-91	
1521	130.22.522	KL	91-164 920-91						
1525 Fa Kugler	130.22.523	KL	91-280 105-91						
1525-900/81	130.22.505	KL	91-266 504-91						
1525-901/01	130.22.519	KL	91-266 786-91						
1526-900/81	130.22.505	KL	91-266 504-91						
1571 A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1571 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1571 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1574 A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1574 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1574 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1574-725/04 A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1574-725/04 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1574-725/04 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1591 A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1591 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1591 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1591-725/04 A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1591-725/04 B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
1591-725/04 C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2081	130.05.500	KH	91-262 250-91 w/o B/C	FA	130.06.378	KP	NBL	91-262 377-91	
2083	130.05.500	KH	91-262 250-91 w/o B/C	FA	130.06.378	KP	NBL	91-262 377-91	
2081G	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
2083G	130.04.075	KH	91-265 262-91 w/o B/C		130.06.373	KP	NBL	91-174 955-91	130.00.336
2235	130.09.216	KH	91-500 571-91	Light thread, for needles from 120 to 150	130.10.059	KP	NBL	91-500 576-91	130.00.360
	130.09.220	KH	91-500 581-91	Thick thread, for needles from 130 to 180, Greifer mit /12 (12mm Stichelange)	130.10.067	KP	NBL	91-500 586-91	130.00.361

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
2438	130.04.012	KH	91-265 225-91 w/o B/C		130.06.416	KP	NBL	95-774 442-91	
2438-916	130.04.012	KH	91-265 225-91 w/o B/C		130.06.416	KP	NBL	95-774 442-91	
2481-980/30	130.05.500	KH	91-262 250-91 w/o B/C	FA	130.06.378	KP	NBL	91-262 377-91	
2545	130.13.350	KL	91-501 017-91	Under trimming mach.					
	130.13.398	KK	91-501 017-91 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
	130.13.610	KL	91-501 015-91	Under trimming mach., large capacity					
2546	130.13.350	KL	91-501 017-91	Under trimming mach.					
	130.13.610	KL	91-501 015-91	Under trimming mach., large capacity					
2571 ME PLUS A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2571 ME PLUS B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2571 ME PLUS C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2571 ME PREMIUM A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2571 ME PREMIUM B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2571 ME PREMIUM C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2574 ME PLUS A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2574 ME PLUS B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2574 ME PLUS C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2574 ME PREMIUM A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2574 ME PREMIUM B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2574 ME PREMIUM C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2591 ME PLUS A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2591 ME PLUS B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2591 ME PLUS C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2591 ME PREMIUM A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2591 ME PREMIUM B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2591 ME PREMIUM C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2591-725/04 ME PLUS A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2591-725/04 ME PLUS B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2591-725/04 ME PLUS C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2591-725/04 ME PREMIUM A	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2591-725/04 ME PREMIUM B	130.08.934	KK	91-263 490-91	Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2591-725/04 ME PREMIUM C	130.08.946	KK	91-263 495-91	Short gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL	91-263 392-91	
2595	130.13.350	KL	91-501 017-91	Under trimming mach.					
	130.13.398	KK	91-501 017-91 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

PFAFF (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
2596	130.13.350	KL	91-501 017-91	Under trimming mach.					
	130.13.398	KK	91-501 017-91 w/ Cap	w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
	130.13.398DC10	KK	91-501 017-91 DC10, w/ Cap	DC10, w/ Cap, under trimming mach.	130.08.246	KP	w/o NBL		
3114	130.12.001	KH	91-008 250-99		130.14.000	KP	w/o NBL	91-008 243-91 NO NBL	130.12.000

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

 Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

 R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.