

Reference Table by Machine Manufacturer

ZOJE									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
842-5	130.11.131	KL		Standard execution					
842-D3	130.11.219	KL		Standard execution					
845	130.16.053	KH		Under trimming mach.	130.17.025	KP	w/o NBL		130.18.053
845-D3	130.16.061	KH		Cap system, under trimming mach.	130.17.030	KP	w/o NBL		
872-D3	130.19.045	KH		Standard execution	130.20.030	KP	w/o NBL		130.21.045
875	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
875-D3	130.19.045	KH		Standard execution	130.20.040	KP	w/o NBL		130.21.046
1163	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
1163-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
DDL8500-7	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
FB-200	130.09.168DC20	KH		DC20 coated					
GC15-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC80-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC80-5	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC90-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC90-5	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC5580	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GC5580-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

ZOJE (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
GCZ201-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
GG457	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ15-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ20U93	130.01.113	KH			130.06.240	KP	NBL		
					130.06.348	KP	w/o NBL		
ZJ80-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ90-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ201-1	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ457A series	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457A105	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457A125	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457A135	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457A143	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457B series	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457C series	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ457D series	130.12.051	KH			130.14.017	KP	w/o NBL		130.12.050
					130.14.021	KP	NBL		
ZJ842	130.11.216	KL		Standard execution					
ZJ842-5	130.11.131	KL		Standard execution					
ZJ842-D3	130.16.053	KH		Under trimming mach.	130.17.025	KP	w/o NBL		130.18.053
ZJ845	130.16.053	KH		Under trimming mach.	130.17.025	KP	w/o NBL		130.18.053
					130.17.040	KP	w/o NBL		130.18.058
ZJ845-5	130.16.053	KH		Under trimming mach.	130.17.025	KP	w/o NBL		130.18.053
					130.17.040	KP	w/o NBL		130.18.058
ZJ845-D3	130.16.059	KH		Under trimming mach.	130.17.030	KP	w/o NBL		130.18.059
	130.16.061	KH		Cap system, under trimming mach.	130.17.030	KP	w/o NBL		
ZJ872-D3	130.19.045	KH		Standard execution, under trimming mach.	130.20.030	KP	w/o NBL		130.21.045
ZJ875	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
ZJ875-5	130.19.050	KH		Standard execution	130.20.035	KP	w/o NBL		130.21.048
ZJ875-D3	130.19.045	KH		Standard execution, under trimming mach.	130.20.040	KP	w/o NBL		130.21.046

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

ZOJE (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
ZJ999	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ1900	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ZJ1900HS	115.00.274	KH		Hard chromium plated; thick thread	115.00.277	KP	w/o NBL		
ZJ1900SS	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ZJ1903	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ZJ1903-303	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ZJ1903-304	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ZJ1903-305	115.00.273	KH		Hard chromium plated; light thread	115.00.277	KP	w/o NBL		
ZJ2628	130.05.496	KH			130.06.380	KP	NBL		
ZJ5550	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ5580	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ5780	130.12.193	KH		Standard execution	130.14.058	KP	NBL		
	130.12.193TTN	KH		Standard execution	130.14.058	KP	NBL		
ZJ5580-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ5580-5-D3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

ZOJE (Continued)									
Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
ZJ5580-D3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ5600N	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8500-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.436	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8500-D3	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8500H	130.09.210	KH			130.10.000	KP	w/o NBL		
					130.10.007	KP	MF		
					130.10.045	KP	NBL		
ZJ8500N	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8600	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8800	130.05.235	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8800-5	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8800-D3	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.

ZOJE (Continued)

Machine Class	Hook	Line	Original Number	Comment	Bobbin Case/Cap	Line	NBL Type	Original Number	Set
ZJ8850-5-D3	130.05.271	KH			130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376	KH		Under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
	130.05.376DC20	KH		DC20 coated, under trimming mach.	130.06.019	KP	w/o NBL		
					130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ8850-D3	130.05.527	KH		w/ sharp hook point, under trimming mach.	130.06.125	KP	MF		
					130.06.298	KP	NBL		
ZJ9610-D	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
ZJ9610-D3	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		
ZJ9630-D3	130.08.934	KK		Full gib, under trimming mach., regulating needle guard	130.08.944	KP	NBL		

This document and the information enclosed are intellectual property of CM CERLIANI and may not be rebroadcast in any form without express permission from CM CERLIANI. If you want to use any of these information for any use other than personal use, please contact CM CERLIANI to get the permission.

CM Cerliani Srl

Società a socio unico

Via Mascherpa, n.61 - I-27100 Pavia (Italy)
 Tel.: +39/0382/423413
 Fax.: +39/0382/423319
 E-Mail.: info@cerliani.it
 URL: <http://www.cerliani.it>

R.E.A 251809 - ISCR.REG.IMP.PV02175920186
 C.F. e P.IVA (VAT Nr.) 02175920186
 IMPORT - EXPORT PV019626
 CAP.SOC € 1.010.000 INT.VERS.